

Wisconsin State Climatology Office

Average Temperature [degrees Fahrenheit]: Northwest Wisconsin

Data Source: National Centers for Environmental Information

Jan 1895-Jul 2023

SPRING SUMMER FALL WINTER

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1895	3.8	7.0	23.0	45.1	54.8	63.6	65.5	65.7	59.2	38.8	27.5	16.7	39.2	41.0	64.9	41.8	13.7
1896	10.3	14.0	19.8	42.5	59.0	64.9	67.4	65.7	53.4	40.1	19.5	16.7	39.4	40.4	66.0	37.7	12.7
1897	6.5	14.8	20.9	41.2	50.9	60.5	70.6	62.8	62.3	47.4	23.9	9.6	39.3	37.7	64.6	44.5	14.3
1898	16.7	16.5	30.8	41.0	53.4	63.8	69.6	65.2	60.1	42.9	27.3	9.0	41.4	41.7	66.2	43.4	5.9
1899	5.7	2.9	13.0	43.6	53.2	63.4	68.6	67.2	53.9	48.1	37.3	17.0	39.5	36.6	66.4	46.4	13.0
1900	17.2	4.7	20.9	47.2	56.3	65.2	66.8	72.2	57.7	53.8	25.0	17.4	42.0	41.5	68.1	45.5	11.7
1901	10.0	7.6	24.0	44.1	54.3	64.5	71.1	66.8	55.9	46.5	26.4	11.4	40.2	40.8	67.5	42.9	11.9
1902	12.0	12.4	32.8	39.6	56.1	58.9	68.7	62.8	53.9	44.1	32.5	12.6	40.5	42.8	63.5	43.5	10.8
1903	9.3	10.4	30.0	41.8	54.9	60.3	66.2	61.3	54.8	45.9	25.6	6.0	38.9	42.2	62.6	42.1	2.9
1904	2.1	0.6	22.7	36.2	53.1	62.2	63.8	62.6	54.6	44.0	33.6	13.6	37.4	37.3	62.9	44.1	7.8
1905	2.5	7.2	29.7	39.8	50.5	60.8	66.0	66.2	59.5	41.8	30.7	18.0	39.4	40.0	64.3	44.0	14.5
1906	14.9	10.6	17.2	45.8	51.8	63.0	66.1	66.0	61.0	43.4	28.8	15.6	40.4	38.3	65.0	44.4	11.0
1907	4.5	12.9	26.6	32.9	44.5	62.6	66.0	63.2	55.3	42.4	30.2	18.7	38.3	34.7	63.9	42.6	16.5
1908	13.8	17.1	25.6	43.4	53.5	61.8	68.0	63.5	62.2	46.7	32.2	16.0	42.0	40.8	64.4	47.0	14.0
1909	11.4	14.5	24.9	34.4	50.5	63.8	66.5	68.6	56.1	43.0	34.2	11.2	39.9	36.6	66.3	44.4	9.8
1910	10.2	8.1	39.3	46.5	49.3	66.2	68.8	64.4	55.8	48.2	24.5	12.3	41.1	45.0	66.5	42.8	12.3
1911	6.8	17.7	30.5	40.9	57.9	67.5	66.4	63.0	54.7	41.7	20.7	20.3	40.7	43.1	65.6	39.0	6.4
1912	-8.9	7.7	18.7	43.3	53.8	60.5	66.9	60.7	56.4	46.1	31.5	18.6	37.9	38.6	62.7	44.7	11.2
1913	8.2	6.8	19.1	44.4	51.0	65.2	65.8	66.2	55.9	42.5	35.4	25.3	40.5	38.2	65.7	44.6	14.9
1914	16.6	2.9	24.1	39.2	55.5	61.3	69.3	63.4	56.3	50.0	30.1	9.2	39.8	39.6	64.7	45.5	13.0
1915	8.0	21.8	25.4	50.5	48.8	57.6	62.7	60.1	56.1	45.5	30.2	16.9	40.3	41.6	60.1	43.9	10.1
1916	6.3	7.1	19.8	40.0	51.0	57.7	72.8	66.7	53.8	43.7	28.2	8.2	37.9	36.9	65.7	41.9	4.1
1917	2.6	1.6	23.2	37.1	48.4	58.1	67.8	61.2	54.4	34.7	34.0	4.9	35.7	36.2	62.4	41.0	5.0
1918	-0.7	10.9	32.0	38.6	55.1	62.2	65.6	65.7	49.9	45.3	33.8	23.3	40.1	41.9	64.5	43.0	17.9
1919	16.9	13.4	25.7	41.1	53.1	66.3	68.7	63.7	57.4	40.7	23.9	4.9	39.7	40.0	66.2	40.7	5.7
1920	1.2	11.0	26.1	34.0	53.2	63.0	64.5	63.2	59.4	50.9	28.0	19.1	39.5	37.8	63.6	46.1	17.9
1921	16.2	18.5	28.4	45.9	56.0	68.0	73.4	65.0	59.3	46.7	24.1	15.5	43.1	43.4	68.8	43.4	10.0
1922	6.8	7.8	26.4	40.5	58.8	64.0	64.9	66.8	58.9	47.3	35.8	12.6	40.9	41.9	65.2	47.3	9.6
1923	11.7	4.5	16.0	38.5	53.8	66.6	69.5	62.1	57.6	43.7	34.2	24.7	40.2	36.1	66.1	45.2	14.3
1924	0.8	17.4	24.9	39.0	46.4	59.6	64.8	62.5	52.6	51.1	28.6	4.0	37.6	36.8	62.3	44.1	9.6
1925	9.1	15.6	28.5	46.6	50.1	63.0	66.4	67.4	59.0	34.8	28.0	11.3	40.0	41.7	65.6	40.6	12.1
1926	9.5	15.6	19.0	38.3	55.9	58.9	66.4	64.2	52.8	42.5	23.5	10.2	38.1	37.7	63.2	39.6	11.0
1927	6.0	16.8	31.1	41.4	49.8	59.7	64.1	60.2	58.7	46.1	26.2	4.3	38.7	40.8	61.3	43.7	9.6
1928	10.5	14.1	24.5	34.8	54.7	57.7	66.7	64.8	52.7	45.5	32.6	19.3	39.8	38.0	63.1	43.6	6.6
1929	-3.7	4.3	28.0	42.5	49.8	60.7	68.1	64.6	54.8	44.7	25.3	13.6	37.7	40.1	64.5	41.6	11.8
1930	1.7	20.0	26.2	43.4	53.8	64.1	68.1	67.9	56.5	43.4	32.6	17.6	41.3	41.1	66.7	44.2	20.7
1931	19.1	25.4	27.2	43.8	52.2	66.6	70.3	64.0	62.0	49.8	36.0	25.3	45.1	41.1	67.0	49.3	18.5
1932	16.5	13.6	17.1	40.0	53.7	65.5	68.4	66.7	54.4	41.8	25.6	11.5	39.6	36.9	66.9	40.6	11.7
1933	16.8	6.9	24.6	39.2	54.3	70.1	70.5	64.8	61.0	41.1	25.5	10.2	40.4	39.4	68.5	42.5	12.1
1934	16.3	9.7	22.0	39.9	60.4	65.4	68.8	63.3	53.7	47.2	33.5	9.6	40.8	40.8	65.8	44.8	10.7
1935	4.2	18.4	27.2	38.7	49.5	58.9	72.7	66.0	55.2	44.0	24.6	14.3	39.5	38.5	65.9	41.3	4.5
1936	2.5	-3.4	25.3	34.5	57.2	60.4	73.4	67.7	60.2	40.6	25.6	17.4	38.5	39.0	67.2	42.1	10.2
1937	2.5	10.6	21.6	39.0	54.8	62.1	69.3	70.9	56.8	41.0	27.5	12.0	39.0	38.5	67.4	41.8	12.4
1938	8.1	17.1	32.3	41.8	52.2	62.2	67.0	68.2	56.8	49.4	28.3	14.6	41.5	42.1	65.8	44.8	11.7
1939	14.7	5.7	23.2	37.2	57.2	63.4	68.8	65.5	58.1	44.0	31.8	24.3	41.2	39.2	65.9	44.6	14.7
1940	3.9	16.0	18.8	38.3	50.4	61.6	68.6	64.4	59.6	48.2	25.9	17.2	39.4	35.8	64.9	44.6	14.3
1941	12.5	13.1	22.0	47.3	58.5	63.7	69.4	65.5	58.8	46.3	32.1	22.6	42.7	42.6	66.2	45.7	17.6
1942	15.4	14.8	30.5	47.5	51.5	62.1	66.0	65.1	53.6	45.4	28.7	11.0	41.0	43.2	64.4	42.6	9.9
1943	5.1	13.7	17.6	39.2	51.8	64.8	70.2	66.7	52.8	45.4	24.7	17.4	39.1	36.2	67.2	41.0	18.2
1944	21.2	15.9	22.6	38.0	56.9	64.4	66.6	66.9	56.8	45.6	35.2	14.0	42.0	39.2	66.0	45.9	11.6
1945	7.6	13.2	34.4	39.3	47.8	57.2	64.9	64.8	55.1	42.7	28.1	10.2	38.8	40.5	62.3	42.0	11.0
1946	11.6	11.2	36.8	44.3	51.0	61.5	67.8	63.5	55.4	47.1	29.3	15.3	41.2	44.0	64.3	43.9	13.6
1947	14.5	11.0	23.6	37.4	48.2	59.2	67.3	71.2	57.0	54.0	23.4	14.6	40.1	36.4	65.9	44.8	9.5
1948	3.6	10.4	22.6	44.8	52.5	62.0	68.5	66.9	60.6	45.7	32.0	14.8	40.4	40.0	65.8	46.1	12.9
1949	12.9	11.1	24.2	42.5	55.6	66.9	69.7	67.7	53.6	47.9	31.8	15.4	41.6	40.8	68.1	44.4	10.3
1950	3.8	11.8	18.8	32.3	50.6	62.6	64.6	60.7	55.9	48.3	24.3	8.2	36.8	33.9	62.6	42.8	9.1
1951	6.2	13.0	19.0	38.7	56.7	59.2	66.3	61.6	52.4	44.5	21.4	12.8	37.7	38.1	62.4	39.4	13.8
1952	9.5	19.0	22.5	44.8	52.8	64.4	68.1	63.4	57.3	39.5	31.0	20.5	41.1	40.0	65.3	42.6	15.4
1953	13.1	12.5	26.4	37.2	53.2	64.3	66.4	67.0	56.6	51.5	34.2	17.3	41.6	38.9	65.9	47.4	16.4
1954	6.5	25.4	23.1	41.4	47.4	65.1	67.4	63.8	54.9	43.2	32.9	19.1	40.9	37.3	65.4	43.7	12.9
1955	9.0	10.6	20.6	48.2	57.1	63.0	72.3	69.6	56.8	46.4	22.9	8.6	40.4	42.0	68.3	42.0	10.1
1956	11.0	10.6	21.9	37.6	52.2	65.8	63.3	64.0	53.2	51.2	29.4	17.2	39.8	37.2	64.4	44.6	11.4
1957	3.2	13.7	24.4	42.2	52.2	62.0	69.8	65.0	54.2	43.9	29.3	18.2	39.8	39.6	65.6	42.5	14.8
1958	16.0	10.2	27.8	42.9	53.2	57.5	64.7	64.4	57.6	47.3	31.1	8.4	40.1	41.3	62.2	45.3	7.5
1959	3.4	10.7	27.3	41.5	56.0	64.6	67.6	68.9	57.8	41.4	20.3	24.0	40.3	41.6	67.0	39.8	16.8
1960	11.9	14.5	17.1	42.2	52.4	60.2	66.7	67.1	57.9	45.9	32.1	13.3	40.1	37.2	64.7	45.3	14.6

Average Temperature: Northwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	9.4	21.2	30.8	37.4	50.9	63.3	66.8	68.0	56.5	46.9	29.6	13.8	41.2	39.7	66.0	44.3	9.8
1962	5.2	10.3	26.5	39.2	56.6	61.3	64.1	64.5	53.9	47.5	32.3	15.2	39.7	40.8	63.3	44.6	7.9
1963	0.6	7.8	28.9	44.0	51.8	64.5	69.2	63.9	58.0	54.8	34.9	8.0	40.5	41.6	65.9	49.2	14.0
1964	16.6	17.3	23.1	42.3	57.6	62.8	70.2	62.9	54.8	44.6	32.0	9.3	41.1	41.0	65.3	43.8	7.4
1965	5.1	7.8	17.2	38.9	55.9	60.9	64.5	63.3	50.0	46.2	29.0	22.0	38.4	37.3	62.9	41.7	11.6
1966	-0.2	13.0	30.1	37.8	48.7	64.0	70.4	62.8	55.5	44.0	27.2	14.2	39.0	38.9	65.7	42.2	10.4
1967	11.5	5.6	26.1	40.8	47.6	62.1	65.4	62.0	55.7	43.2	26.7	17.1	38.7	38.2	63.2	41.9	12.3
1968	9.4	10.5	33.9	43.6	50.1	61.6	66.5	64.9	56.6	47.7	30.1	13.8	40.7	42.5	64.3	44.8	12.2
1969	7.5	15.3	21.8	43.4	54.6	56.2	66.2	68.2	56.9	41.8	29.2	17.6	39.9	39.9	63.5	42.6	10.5
1970	2.9	11.1	21.5	41.2	52.3	65.0	69.9	66.3	56.4	46.3	28.3	14.7	39.7	38.3	67.1	43.7	10.0
1971	2.4	12.8	22.8	41.3	50.0	65.8	64.0	62.8	57.6	50.4	30.1	15.1	39.6	38.0	64.2	46.0	8.2
1972	2.1	7.3	21.2	37.0	56.7	61.2	65.0	64.5	54.0	41.0	29.1	9.4	37.4	38.3	63.6	41.4	12.8
1973	12.6	16.4	35.7	40.7	50.1	63.9	67.5	67.7	55.6	50.2	30.5	13.8	42.1	42.2	66.4	45.4	11.8
1974	8.6	13.0	25.3	41.9	50.2	60.2	70.3	62.9	51.0	45.2	31.8	21.0	40.1	39.1	64.5	42.7	15.7
1975	11.5	14.5	20.5	35.4	56.4	62.6	69.8	65.2	52.8	47.5	33.3	14.2	40.3	37.4	65.9	44.5	14.2
1976	6.1	22.2	25.8	45.2	52.6	65.7	69.1	66.4	55.5	39.3	22.5	4.5	39.6	41.2	67.1	39.1	6.3
1977	-2.4	16.8	33.8	47.6	62.0	62.7	69.3	60.9	55.8	44.5	29.2	13.1	41.1	47.8	64.3	43.2	8.6
1978	4.5	8.1	25.2	40.3	56.2	62.3	66.0	65.8	60.1	45.2	27.3	9.6	39.2	40.6	64.7	44.2	4.7
1979	-1.4	5.8	25.0	37.9	49.0	61.1	67.2	63.5	57.8	42.5	28.9	20.9	38.2	37.3	63.9	43.1	13.9
1980	9.3	11.5	22.1	44.0	57.2	62.2	69.0	65.9	54.8	40.8	31.2	14.0	40.2	41.1	65.7	42.3	15.4
1981	13.2	18.9	31.2	43.5	52.1	62.4	67.4	66.0	55.1	42.2	34.9	15.4	41.9	42.3	65.3	44.1	8.5
1982	-1.3	11.5	24.5	38.1	57.4	57.7	68.7	63.7	55.4	46.4	27.3	21.5	39.2	40.0	63.4	43.0	19.9
1983	14.8	23.4	30.0	37.8	49.1	62.4	71.1	69.9	57.8	45.1	31.2	2.3	41.2	39.0	67.8	44.7	11.7
1984	8.1	24.8	21.7	43.6	51.1	64.2	66.9	68.5	53.3	48.1	29.6	15.5	41.3	38.8	66.5	43.7	11.6
1985	7.8	11.6	32.3	46.0	57.1	58.9	66.2	62.0	55.1	43.8	22.3	4.1	38.9	45.1	62.4	40.4	9.6
1986	12.7	12.1	30.0	46.1	55.6	62.8	68.6	62.3	55.7	44.7	25.7	19.5	41.3	43.9	64.6	42.0	20.8
1987	16.9	26.0	34.2	48.2	57.2	66.7	70.8	64.8	58.1	39.6	33.6	21.7	44.8	46.5	67.4	43.8	12.1
1988	6.3	8.4	27.9	42.4	59.0	67.0	72.2	68.8	57.2	39.7	30.6	14.9	41.2	43.1	69.3	42.5	12.1
1989	16.0	5.4	21.6	39.6	53.5	61.3	69.9	66.1	56.6	45.8	24.9	5.1	38.8	38.2	65.8	42.4	14.1
1990	20.7	16.5	30.7	43.2	50.8	64.2	66.6	65.8	58.5	43.5	33.8	15.0	42.4	41.6	65.5	45.3	14.1
1991	7.6	19.6	29.5	45.0	57.7	66.5	66.8	67.4	54.5	42.8	22.4	16.9	41.4	44.1	66.9	39.9	19.0
1992	17.0	23.0	28.6	38.9	56.2	60.5	61.6	61.7	55.0	43.5	28.9	17.9	41.1	41.2	61.3	42.5	14.7
1993	11.3	14.8	26.8	38.6	52.8	59.6	66.2	66.5	50.4	41.8	26.9	18.4	39.5	39.4	64.1	39.7	8.9
1994	-0.3	8.6	30.2	41.1	54.8	64.9	65.9	63.5	59.7	48.0	34.3	21.9	41.1	42.0	64.8	47.3	16.7
1995	14.2	13.9	29.7	36.1	52.6	66.9	68.1	69.4	55.0	45.2	21.9	13.2	40.5	39.5	68.1	40.7	10.1
1996	4.6	12.4	20.0	36.7	50.8	63.4	64.6	66.1	57.4	45.2	23.0	13.2	38.1	35.8	64.7	41.9	12.9
1997	8.0	17.6	26.1	39.5	48.4	65.2	66.5	62.7	58.4	46.3	26.9	24.6	40.9	38.0	64.8	43.9	24.0
1998	17.0	30.5	29.2	46.3	59.9	61.5	68.2	68.1	61.6	47.6	34.6	21.2	45.5	45.1	65.9	47.9	17.9
1999	8.9	23.7	30.3	44.8	56.8	63.6	70.9	65.3	56.6	44.1	37.4	20.8	43.6	44.0	66.6	46.0	18.3
2000	11.5	22.6	36.3	41.1	56.1	60.7	67.0	66.6	55.9	48.9	30.5	5.5	41.9	44.5	64.8	45.1	10.7
2001	16.9	9.6	25.6	44.0	55.7	63.8	68.7	68.6	56.0	44.6	41.7	24.8	43.3	41.8	67.0	47.4	23.1
2002	20.5	24.0	20.5	40.6	49.1	65.1	71.6	66.0	59.8	38.9	28.7	22.2	42.3	36.7	67.6	42.5	14.6
2003	10.9	10.6	26.2	41.5	52.9	62.1	67.2	69.0	58.3	45.4	29.4	21.5	41.3	40.2	66.1	44.4	15.7
2004	7.2	18.5	30.6	42.8	50.8	60.1	65.8	60.3	62.0	46.8	34.4	17.1	41.4	41.4	62.1	47.7	16.5
2005	10.5	21.8	25.3	46.4	51.3	67.0	69.8	66.4	61.4	47.8	32.6	17.8	43.2	41.0	67.7	47.3	19.4
2006	25.3	15.1	29.9	48.2	56.0	64.5	73.0	66.9	54.7	41.0	33.5	25.3	44.5	44.7	68.1	43.1	17.0
2007	16.7	9.1	32.6	41.4	57.8	66.1	68.9	66.7	59.0	49.9	31.2	13.8	42.8	43.9	67.2	46.7	12.2
2008	11.7	11.1	23.1	39.9	50.5	62.2	67.6	65.4	58.5	45.3	31.0	9.8	39.7	37.8	65.1	44.9	9.8
2009	2.3	17.2	27.7	41.9	53.4	61.5	62.6	63.5	61.3	40.2	38.3	14.8	40.4	41.0	62.5	46.6	14.3
2010	11.6	16.4	36.8	48.7	55.9	62.8	70.1	69.5	54.1	47.5	31.9	14.6	43.3	47.1	67.5	44.5	13.0
2011	8.7	15.8	25.3	40.7	52.4	62.4	71.9	66.7	56.4	49.0	34.6	22.7	42.2	39.5	67.0	46.7	21.9
2012	18.5	24.6	42.7	44.0	57.6	65.2	72.8	65.6	56.2	42.2	32.2	20.9	45.2	48.1	67.9	43.5	16.2
2013	13.3	14.5	21.8	34.7	51.9	62.0	67.5	66.7	59.6	45.1	28.2	7.4	39.4	36.1	65.4	44.3	4.9
2014	2.6	4.6	19.0	36.5	53.5	64.2	65.7	65.8	56.8	44.4	21.9	21.6	38.1	36.3	65.2	41.0	13.5
2015	13.2	5.6	30.1	43.7	54.2	63.0	68.2	64.8	63.1	46.3	37.3	28.5	43.2	42.7	65.3	48.9	20.4
2016	13.4	19.4	35.2	41.7	54.9	64.2	68.7	67.6	60.5	48.2	39.9	17.6	44.3	43.9	66.8	49.5	19.9
2017	16.8	25.2	28.0	43.9	52.0	63.4	67.2	62.5	60.7	47.6	28.1	13.7	42.4	41.3	64.4	45.5	11.9
2018	11.4	10.7	27.1	31.4	60.5	65.1	68.4	66.8	59.5	41.0	24.2	22.6	40.7	39.7	66.8	41.6	14.2
2019	10.4	9.5	23.0	40.3	49.8	62.2	69.7	64.5	59.8	42.9	25.8	18.4	39.7	37.7	65.5	42.8	17.5
2020	18.1	16.1	31.9	39.3	53.2	65.4	70.4	67.2	55.4	38.6	35.4	21.4	42.7	41.5	67.7	43.1	12.0
2021	18.2	8.5	35.5	42.5	53.8	68.2	68.6	67.8	59.8	51.5	32.1	20.3	43.9	43.9	68.2	47.8	11.6
2022	5.2	9.4	26.0	36.5	55.0	64.1	68.2	66.2	58.9	46.4	32.2	14.7	40.2	39.2	66.2	45.8	17.0
2023	19.2	17.2	24.7	39.7	56.3	66.1	66.8							40.2			

Multi-year Statistics

Interval/	1895	2022															
AVE	9.4	13.2	26.0	41.2	53.4	62.9	67.9	65.3	56.7	45.1	29.6	15.4	40.5	40.2	65.4	43.8	12.7
MEDIAN	9.4	13.0	25.7	41.2	53.2	62.9	67.8	65.5	56.5	45.2	29.5	15.3	40.3	40.1	65.6	43.8	12.2

Average Temperature: Northwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	6.04	5.98	5.30	3.72	3.28	2.62	2.40	2.44	2.72	3.54	4.37	5.50	1.79	2.75	1.79	2.29	4.08
MAX	25.3	30.5	42.7	50.5	62.0	70.1	73.4	72.2	63.1	54.8	41.7	28.5	45.5	48.1	69.3	49.5	24.0
MIN	-8.9	-3.4	13.0	31.4	44.5	56.2	61.6	60.1	49.9	34.7	19.5	2.3	35.7	33.9	60.1	37.7	2.9
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	8.6	13.2	25.8	41.0	53.3	62.6	67.6	65.1	56.2	45.1	29.2	14.7	40.2	40.0	65.1	43.5	12.2
MEDIAN	8.8	12.9	25.5	41.0	53.2	62.6	67.4	65.0	56.0	45.2	29.3	14.8	40.2	40.0	65.3	43.7	11.8
STD	5.89	5.95	4.97	3.67	3.40	2.75	2.39	2.43	2.52	3.43	3.97	5.42	1.64	2.64	1.78	2.11	3.90
MAX	21.2	30.5	39.3	50.5	62.0	70.1	73.4	71.2	62.2	54.8	37.4	25.3	45.5	47.8	69.3	49.3	24.0
MIN	-8.9	-3.4	16.0	32.3	44.5	56.2	61.6	60.1	49.9	34.7	20.3	2.3	35.7	33.9	60.1	39.0	2.9

Interval/	1951	2000															
AVE	8.5	14.7	26.4	41.5	53.8	62.7	67.5	65.2	55.9	45.1	29.2	15.0	40.5	40.5	65.2	43.4	12.8
MEDIAN	8.8	13.0	26.3	41.4	53.2	62.8	67.3	65.1	55.9	45.2	29.5	15.1	40.4	40.0	65.3	43.4	12.3
STD	5.51	5.94	4.73	3.27	3.41	2.48	2.33	2.33	2.29	3.27	4.02	5.39	1.57	2.65	1.67	2.20	3.87
MAX	20.7	30.5	36.3	48.2	62.0	67.0	72.3	69.9	61.6	54.8	37.4	24.6	45.5	47.8	69.3	49.2	24.0
MIN	-2.4	5.4	17.1	35.4	47.4	56.2	61.6	60.9	50.0	39.3	20.3	2.3	37.4	35.8	61.3	39.1	4.7

Interval/	1991	2020															
AVE	12.0	16.2	28.3	41.3	54.0	63.5	68.1	65.9	57.9	44.9	30.9	18.3	41.8	41.2	65.8	44.6	15.4
MEDIAN	11.6	16.0	28.3	41.3	53.5	63.5	68.2	66.5	58.4	45.2	31.1	18.4	41.6	41.3	66.0	44.4	15.2
STD	5.6	6.3	5.2	3.9	3.0	2.0	2.6	2.2	2.9	3.0	5.3	5.3	1.9	3.2	1.8	2.7	4.3
MAX	25.3	30.5	42.7	48.7	60.5	67.0	73.0	69.5	63.1	49.9	41.7	28.5	45.5	48.1	68.1	49.5	24.0
MIN	-0.3	4.6	19.0	31.4	48.4	59.6	61.6	60.3	50.4	38.6	21.9	5.5	38.1	35.8	61.3	39.7	4.9

Interval/	1981	2010															
AVE	11.6	16.6	28.3	42.4	54.1	63.2	68.0	65.9	57.1	44.7	30.4	16.3	41.6	41.6	65.7	44.1	14.8
MEDIAN	11.6	16.5	29.4	42.2	54.2	63.1	67.9	66.1	56.9	45.2	30.8	17.0	41.3	41.5	65.9	44.0	14.2
STD	6.0	6.2	4.2	3.4	3.1	2.5	2.6	2.5	2.7	2.9	4.8	6.1	1.8	2.9	2.0	2.3	4.1
MAX	25.3	30.5	36.8	48.7	59.9	67.0	73.0	69.9	62.0	49.9	41.7	25.3	45.5	47.1	69.3	47.9	24.0
MIN	-1.3	5.4	20.0	36.1	48.4	57.7	61.6	60.3	50.4	38.9	21.9	2.3	38.1	35.8	61.3	39.7	8.5

Interval/	1971	2000															
AVE	8.9	15.8	27.6	41.6	54.3	62.9	67.7	65.4	56.1	44.6	29.2	14.8	40.7	41.2	65.3	43.3	13.3
MEDIAN	8.8	14.7	28.3	41.2	55.2	62.7	67.5	65.8	55.8	44.9	29.4	15.1	41.0	41.2	65.0	43.1	12.9
STD	6.0	6.4	4.5	3.5	3.6	2.4	2.3	2.4	2.4	3.0	4.1	6.0	1.8	3.0	1.7	2.1	4.4
MAX	20.7	30.5	36.3	48.2	62.0	67.0	72.2	69.9	61.6	50.4	37.4	24.6	45.5	47.8	69.3	47.9	24.0
MIN	-2.4	5.4	20.0	35.4	48.4	57.7	61.6	60.9	50.4	39.3	21.9	2.3	37.4	35.8	61.3	39.1	4.7

Interval/	1961	1990															
AVE	7.9	13.6	26.7	41.6	53.6	62.6	68.0	65.0	55.7	45.0	29.6	13.9	40.3	40.7	65.2	43.4	11.7
MEDIAN	8.0	12.5	26.0	41.6	53.1	62.5	68.1	64.9	55.7	44.9	29.6	14.5	40.1	40.3	65.3	43.4	11.8
STD	5.9	5.7	4.8	3.2	3.6	2.4	2.2	2.3	2.1	3.4	3.1	5.3	1.5	2.6	1.6	1.8	3.5
MAX	20.7	26.0	35.7	48.2	62.0	67.0	72.2	69.9	60.1	54.8	34.9	22.0	44.8	47.8	69.3	49.2	20.8
MIN	-2.4	5.4	17.2	35.4	47.6	56.2	64.0	60.9	50.0	39.3	22.3	2.3	37.4	37.3	62.4	39.1	4.7

Interval/	1951	1980															
AVE	7.0	13.0	24.9	41.2	53.3	62.5	67.4	64.9	55.6	45.5	29.3	14.7	39.9	39.8	65.0	43.4	11.7
MEDIAN	7.0	12.7	24.7	41.4	52.7	62.7	67.3	64.5	55.8	45.2	29.5	14.2	40.1	39.7	65.0	43.4	12.0
STD	4.9	4.7	4.6	3.1	3.4	2.3	2.2	2.2	2.2	3.6	3.5	4.6	1.1	2.2	1.5	2.2	3.1
MAX	16.6	25.4	35.7	48.2	62.0	65.8	72.3	69.6	60.1	54.8	34.9	24.0	42.1	47.8	68.3	49.2	16.8
MIN	-2.4	5.6	17.1	35.4	47.4	56.2	63.3	60.9	50.0	39.3	20.3	4.5	37.4	37.2	62.2	39.1	4.7

Interval/	1941	1970															
AVE	8.9	12.9	24.8	41.3	52.8	62.4	67.4	65.4	55.8	46.2	29.1	15.0	40.1	39.6	65.0	43.7	12.1
MEDIAN	9.2	12.2	23.4	41.5	52.4	62.7	67.1	65.0	56.2	46.1	29.4	14.8	40.2	39.8	65.4	43.7	11.6
STD	5.1	3.9	5.1	3.5	3.1	2.6	2.2	2.4	2.1	3.4	3.8	4.2	1.3	2.3	1.7	2.1	2.9
MAX	21.2	25.4	36.8	48.2	58.5	66.9	72.3	71.2	60.6	54.8	35.2	24.0	42.7	44.0	68.3	49.2	18.2
MIN	-0.2	5.6	17.1	32.3	47.4	56.2	63.3	60.7	50.0	39.5	20.3	8.0	36.8	33.9	62.2	39.4	7.4

Interval/	1931	1960															
AVE	10.1	12.9	24.1	40.7	53.3	62.9	68.2	65.8	56.5	45.7	28.6	15.3	40.3	39.4	65.6	43.6	12.6
MEDIAN	10.3	12.8	23.2	40.0	52.7	62.8	68.3	65.5	56.8	45.7	29.0	14.7	40.3	39.3	65.9	43.8	12.2
STD	5.4	5.3	4.8	3.7	3.2	2.9	2.4	2.4	2.5	3.4	4.1	4.7	1.5	2.3	1.7	2.2	3.2
MAX	21.2	25.4	36.8	48.2	60.4	70.1	73.4	71.2	62.0	54.0	36.0	25.3	45.1	44.0	68.5	49.3	18.5
MIN	2.5	-3.4	17.1	32.3	47.4	57.2	63.3	60.7	52.4	39.5	20.3	8.2	36.8	33.9	62.2	39.4	4.5

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Average Temperature: Northwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	9.4	12.7	24.8	40.5	53.2	62.8	68.2	65.5	56.7	45.4	28.8	14.4	40.2	39.5	65.5	43.6	12.0
MEDIAN	9.3	13.4	24.6	39.6	53.1	62.4	68.3	65.3	56.8	45.6	28.2	14.5	40.2	39.7	65.9	43.8	11.6
STD	6.1	5.5	5.0	3.7	3.5	3.1	2.4	2.5	2.7	3.6	3.9	5.2	1.7	2.5	1.9	2.1	3.4
MAX	21.2	25.4	36.8	47.5	60.4	70.1	73.4	71.2	62.0	54.0	36.0	25.3	45.1	44.0	68.8	49.3	20.7
MIN	-3.7	-3.4	16.0	32.3	46.4	57.2	64.1	60.2	52.6	34.8	23.4	4.0	36.8	33.9	61.3	39.6	4.5

Interval/	1911	1940															
AVE	7.7	11.9	24.6	40.4	53.3	62.6	68.0	64.7	56.5	44.5	29.0	14.7	39.8	39.4	65.1	43.3	11.4
MEDIAN	7.4	12.2	25.1	40.0	53.8	62.2	68.1	64.7	56.5	44.4	28.3	14.5	39.8	39.3	65.7	43.6	11.4
STD	6.8	6.6	4.3	3.5	3.3	3.4	2.7	2.5	2.8	4.0	4.1	6.3	1.7	2.1	2.0	2.3	4.1
MAX	19.1	25.4	32.3	50.5	60.4	70.1	73.4	70.9	62.0	51.1	36.0	25.3	45.1	43.4	68.8	49.3	20.7
MIN	-8.9	-3.4	16.0	34.0	46.4	57.6	62.7	60.1	49.9	34.7	20.7	4.0	35.7	35.8	60.1	39.0	4.1

Interval/	1901	1930															
AVE	7.2	11.2	25.7	40.8	52.5	62.2	67.1	64.2	56.2	44.4	29.5	14.0	39.6	39.7	64.5	43.4	11.1
MEDIAN	8.1	11.0	25.7	40.7	53.2	62.2	66.5	64.0	56.0	44.4	30.2	13.6	39.9	40.0	64.5	43.6	11.0
STD	6.0	5.5	5.0	4.1	3.3	3.0	2.4	2.3	2.7	3.6	4.0	5.9	1.5	2.5	1.9	1.9	4.1
MAX	16.9	21.8	39.3	50.5	58.8	68.0	73.4	68.6	62.2	51.1	35.8	25.3	43.1	45.0	68.8	47.3	20.7
MIN	-8.9	0.6	16.0	32.9	44.5	57.6	62.7	60.1	49.9	34.7	20.7	4.0	35.7	34.7	60.1	39.0	2.9

Data as of 4 Aug 2023