

Wisconsin State Climatology Office

Average Temperature [degrees Fahrenheit]: North central Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												ANNUAL	SPRING SUMMER FALL WINTER			
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		MAM	JJA	SON	DJF
1895	5.6	7.0	22.3	44.2	54.4	64.4	64.2	65.3	59.4	37.5	26.8	17.2	39.0	40.3	64.6	41.2	14.7
1896	12.0	14.8	19.8	43.2	59.1	64.5	66.4	65.2	52.2	39.6	21.3	18.7	39.7	40.7	65.4	37.7	14.9
1897	10.0	16.1	21.5	39.8	50.1	59.5	69.4	61.2	61.2	47.2	24.8	10.6	39.3	37.1	63.4	44.4	14.0
1898	15.8	15.7	28.8	39.0	53.0	64.2	68.6	63.8	59.1	42.0	27.2	9.7	40.6	40.3	65.5	42.8	5.9
1899	5.9	2.0	13.5	42.7	53.0	63.1	67.0	66.6	52.2	47.6	35.7	15.1	38.7	36.4	65.6	45.2	11.8
1900	16.0	4.3	19.1	44.5	54.9	63.1	65.2	70.8	57.4	53.0	25.3	17.6	40.9	39.5	66.4	45.2	12.2
1901	10.9	8.0	22.5	43.6	54.0	64.4	70.4	65.3	55.1	46.2	26.2	12.5	39.9	40.0	66.7	42.5	12.6
1902	12.5	12.7	32.1	40.0	54.7	58.7	67.8	62.6	53.5	43.4	33.0	14.2	40.4	42.3	63.0	43.3	11.8
1903	9.9	11.3	31.3	40.8	54.2	59.0	65.0	59.6	54.2	45.6	25.6	7.3	38.7	42.1	61.2	41.8	4.0
1904	3.3	1.4	22.9	35.1	52.2	61.7	63.6	61.2	54.8	43.3	33.3	14.2	37.3	36.7	62.2	43.8	8.3
1905	3.7	7.0	28.1	39.4	50.9	61.3	64.9	65.0	58.2	42.2	29.1	19.1	39.1	39.5	63.7	43.2	15.6
1906	16.3	11.4	15.9	43.8	51.1	62.1	65.3	66.2	61.2	43.3	29.6	16.9	40.3	36.9	64.5	44.7	12.4
1907	6.6	13.6	27.9	31.6	44.4	62.5	64.9	62.3	54.2	42.0	28.5	18.5	38.1	34.6	63.2	41.6	16.0
1908	13.8	15.8	25.2	41.7	52.9	61.8	66.9	63.2	62.1	46.7	31.2	15.4	41.4	39.9	64.0	46.7	14.3
1909	12.1	15.5	23.5	33.0	50.1	63.6	65.5	67.3	55.1	41.9	34.3	12.4	39.5	35.5	65.5	43.8	10.7
1910	11.0	8.8	38.2	45.6	48.0	64.4	67.2	63.9	54.4	47.1	23.9	13.2	40.5	43.9	65.2	41.8	13.4
1911	9.4	17.7	28.8	39.8	57.3	67.5	65.5	61.7	54.2	41.4	21.3	21.4	40.5	42.0	64.9	39.0	7.1
1912	-8.2	8.1	18.3	41.9	53.2	59.9	66.1	59.7	56.3	45.5	31.2	19.0	37.6	37.8	61.9	44.3	12.1
1913	10.4	6.8	19.6	42.8	50.6	64.6	64.8	65.3	55.9	42.6	34.4	25.1	40.2	37.7	64.9	44.3	15.4
1914	17.4	3.7	23.0	37.9	55.0	60.5	68.9	62.6	56.2	50.2	29.1	9.6	39.5	38.6	64.0	45.2	13.2
1915	8.5	21.6	33.4	49.3	48.0	57.1	62.1	58.8	55.8	44.8	30.2	16.7	39.7	40.2	59.3	43.6	11.3
1916	9.0	8.3	19.5	39.0	50.8	57.2	72.6	65.8	53.6	43.2	27.3	9.2	38.0	36.4	65.2	41.4	4.9
1917	4.2	1.3	22.9	36.4	47.0	57.3	66.7	60.2	53.8	33.9	32.3	6.4	35.2	35.4	61.4	40.0	5.3
1918	-0.6	10.2	31.0	38.0	55.0	60.8	64.7	64.6	48.9	44.8	33.1	23.0	39.5	41.3	63.4	42.3	18.5
1919	17.6	14.9	26.5	40.4	51.8	67.0	67.7	62.4	57.2	41.2	24.7	4.8	39.7	39.6	65.7	41.0	5.9
1920	2.0	10.9	26.0	34.0	52.5	63.4	63.6	62.8	58.7	51.6	27.5	18.9	39.3	37.5	63.3	45.9	18.1
1921	16.7	18.6	28.0	45.6	55.6	67.5	72.4	64.3	59.2	46.0	23.5	15.2	42.7	43.1	68.1	42.9	10.5
1922	7.1	9.3	25.9	39.6	59.0	62.9	64.0	64.8	58.3	46.2	34.2	12.6	40.3	41.5	63.9	46.2	9.7
1923	12.0	4.4	15.9	36.3	52.6	66.2	68.4	60.7	56.4	42.5	33.0	25.2	39.5	34.9	65.1	44.0	14.0
1924	0.7	16.2	23.5	37.5	44.8	58.2	63.0	61.3	51.4	50.3	28.6	5.1	36.7	35.3	60.8	43.4	10.2
1925	9.9	15.7	27.4	45.8	48.5	62.8	65.0	65.6	58.3	34.3	27.2	12.3	39.4	40.6	64.5	39.9	12.8
1926	10.4	15.8	18.2	36.0	54.4	57.5	65.7	63.3	52.4	41.3	23.1	11.0	37.4	36.2	62.2	38.9	11.7
1927	6.3	17.7	30.6	40.1	49.1	59.0	63.4	59.0	58.0	46.2	26.7	6.7	38.6	39.9	60.5	43.6	10.4
1928	10.8	13.6	23.5	33.4	53.9	57.0	66.5	64.1	51.7	44.8	31.4	19.9	39.2	36.9	62.5	42.6	7.3
1929	-2.7	4.7	27.1	41.8	48.9	59.9	67.0	62.9	54.7	43.7	25.2	14.3	37.3	39.3	63.3	41.2	12.3
1930	3.4	19.3	25.4	42.0	53.8	63.3	67.1	65.9	56.2	42.8	33.3	17.2	40.8	40.4	65.4	44.1	20.1
1931	18.8	24.2	26.5	43.1	51.3	66.0	69.5	63.0	61.5	48.9	36.2	24.7	44.5	40.3	66.2	48.9	19.2
1932	18.0	14.8	17.5	38.8	52.7	65.0	67.0	65.8	54.4	41.3	25.0	12.8	39.4	36.3	65.9	40.2	12.8
1933	18.1	7.6	23.6	38.5	54.5	69.7	69.7	63.8	60.2	40.8	25.4	11.1	40.3	38.9	67.7	42.1	12.7
1934	17.9	9.0	20.9	38.4	59.7	65.7	67.9	61.5	53.8	46.3	32.6	11.7	40.5	39.7	65.0	44.2	11.6
1935	6.5	16.6	27.0	38.6	48.5	57.5	71.5	64.8	54.2	43.4	25.2	15.1	39.1	38.0	64.6	40.9	6.0
1936	5.0	-2.1	25.4	33.7	57.1	59.8	71.8	66.1	59.4	40.3	25.2	18.0	38.3	38.7	65.9	41.6	11.8
1937	5.5	11.8	20.8	37.4	54.3	61.5	69.3	69.9	56.3	40.4	26.7	12.4	38.9	37.5	66.9	41.1	13.0
1938	9.1	17.5	31.3	41.6	52.4	61.0	66.4	67.0	55.3	48.3	29.5	15.6	41.3	41.8	64.8	44.4	13.1
1939	15.6	8.2	23.3	36.9	56.8	62.9	68.0	64.8	57.5	43.6	30.6	23.8	41.0	39.0	65.2	43.9	15.2
1940	5.1	16.6	18.2	37.0	49.3	61.1	67.3	63.1	57.9	46.5	26.4	17.7	38.9	34.8	63.8	43.6	14.9
1941	13.5	13.6	21.2	47.0	57.2	63.8	67.5	64.1	58.1	44.9	31.8	23.1	42.2	41.8	65.1	44.9	17.1
1942	14.2	14.1	28.9	46.6	51.3	61.8	65.0	63.8	53.1	45.2	28.4	11.8	40.4	42.3	63.5	42.2	10.6
1943	6.6	13.4	17.0	37.1	51.0	64.7	68.8	65.5	51.7	44.8	24.8	18.0	38.6	35.0	66.3	40.4	18.7
1944	21.2	16.8	21.4	37.1	56.9	64.0	65.5	66.0	56.1	44.6	34.4	13.7	41.5	38.5	65.2	45.0	11.4
1945	7.1	13.3	34.8	39.7	47.2	56.9	63.6	63.7	54.7	42.4	27.9	10.8	38.5	40.6	61.4	41.7	11.7
1946	12.5	11.9	36.4	42.8	50.4	60.8	66.3	62.0	54.8	47.3	29.5	16.2	40.9	43.2	63.0	43.9	13.7
1947	14.6	10.4	22.4	36.6	47.0	58.8	66.0	71.1	56.8	53.8	24.1	15.3	39.7	35.3	65.3	44.9	10.3
1948	4.3	11.2	23.3	44.5	51.8	61.3	67.2	66.0	59.8	44.7	32.4	15.6	40.2	39.9	64.8	45.6	14.1
1949	14.2	12.6	24.0	42.1	54.6	66.2	68.5	65.7	52.4	47.6	30.1	16.0	41.2	40.2	66.8	43.4	11.7
1950	6.6	12.5	18.7	31.0	50.4	61.4	62.8	59.1	55.0	48.6	24.2	9.3	36.6	33.4	61.1	42.6	10.1
1951	7.5	13.6	20.5	38.1	56.3	58.5	65.0	60.6	52.0	44.0	21.1	13.6	37.6	38.3	61.4	39.0	14.6
1952	11.6	18.7	22.4	43.4	51.7	63.3	67.2	62.6	56.2	38.7	31.2	21.0	40.7	39.2	64.4	42.0	16.4
1953	14.8	13.5	26.3	36.6	52.8	63.4	65.5	65.5	55.7	50.6	34.5	18.4	41.5	38.6	64.8	46.9	17.4
1954	8.8	24.9	22.4	41.2	46.5	64.2	66.2	62.3	53.9	42.9	32.4	18.2	40.3	36.7	64.2	43.1	13.2
1955	9.4	12.0	20.8	47.1	56.2	61.7	71.1	68.3	56.0	46.0	23.6	10.0	40.2	41.4	67.0	41.9	11.3
1956	12.2	11.8	20.8	36.8	51.2	64.6	62.5	63.5	52.5	50.7	28.8	17.8	39.4	36.3	63.5	44.0	12.3
1957	4.1	15.0	25.0	41.5	51.5	61.5	68.2	63.3	53.4	43.4	28.4	17.5	39.4	39.3	64.3	41.7	14.7
1958	15.9	10.6	27.1	41.9	51.9	57.0	64.0	63.5	56.6	46.8	30.8	8.2	39.5	40.3	61.5	44.7	7.1
1959	3.6	9.6	24.3	40.4	56.4	63.4	66.0	67.9	57.0	40.5	20.1	23.6	39.4	40.4	65.8	39.2	17.5
1960	13.4	15.5	16.1	41.4	51.5	59.1	64.7	65.8	56.9	45.0	32.1	13.6	39.6	36.3	63.2	44.7	14.9

Average Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	10.1	21.0	29.1	37.1	49.8	62.4	65.7	65.6	55.9	46.5	28.7	13.8	40.5	38.7	64.6	43.7	10.0
1962	6.1	10.1	25.9	39.0	56.8	61.1	63.2	63.6	52.8	46.6	31.2	14.6	39.3	40.6	62.6	43.5	7.2
1963	0.5	6.5	27.4	43.0	50.7	63.9	67.7	62.3	56.5	54.1	34.7	8.2	39.6	40.4	64.6	48.4	13.9
1964	16.6	16.8	23.0	41.5	57.4	62.3	68.7	61.4	54.2	43.2	32.6	10.8	40.7	40.6	64.1	43.3	8.9
1965	7.0	8.9	18.0	37.5	56.2	60.5	63.7	62.2	50.5	45.3	29.2	22.4	38.5	37.2	62.1	41.7	13.3
1966	2.6	14.8	29.3	37.2	47.7	63.5	69.2	61.7	54.8	43.5	28.3	15.7	39.0	38.1	64.8	42.2	11.9
1967	13.4	6.5	25.3	40.1	46.7	61.8	63.7	60.3	54.6	42.7	25.9	17.1	38.2	37.4	61.9	41.1	12.7
1968	10.3	10.8	33.1	42.8	49.8	61.0	65.3	64.2	56.3	47.0	29.7	14.7	40.4	41.9	63.5	44.3	13.1
1969	9.3	15.4	20.6	43.1	53.6	54.6	65.3	66.7	55.8	41.6	28.8	17.2	39.3	39.1	62.2	42.1	10.9
1970	4.2	11.3	21.5	41.5	52.6	63.9	68.4	64.9	56.4	47.1	28.9	15.6	39.7	38.5	65.7	44.1	10.5
1971	3.4	12.5	21.4	39.6	48.8	65.3	62.8	61.4	57.1	51.0	30.2	16.8	39.2	36.6	63.2	46.1	9.5
1972	3.4	8.3	20.7	35.7	56.6	60.0	64.1	63.8	53.8	40.4	28.6	10.9	37.2	37.7	62.6	40.9	13.9
1973	14.1	16.6	35.2	39.3	48.4	63.4	66.9	66.5	55.2	50.3	30.0	14.8	41.7	41.0	65.6	45.2	12.1
1974	9.9	11.5	25.0	41.1	49.0	58.3	68.4	62.7	49.8	43.8	31.8	21.1	39.4	38.4	63.1	41.8	16.0
1975	12.5	14.5	20.4	34.2	56.6	62.0	68.3	64.2	51.4	47.1	34.7	15.6	40.1	37.1	64.8	44.4	14.6
1976	7.0	21.2	24.9	43.6	50.6	64.8	67.4	64.2	53.9	39.0	22.0	5.3	38.7	39.7	65.5	38.3	6.7
1977	-1.4	16.1	33.0	46.0	61.7	60.7	68.3	59.6	55.5	44.0	29.8	14.2	40.6	46.9	62.9	43.1	9.8
1978	6.9	8.2	23.5	38.7	55.0	60.8	64.3	64.8	59.1	43.6	28.2	11.0	38.7	39.1	63.3	43.6	5.9
1979	0.4	6.4	25.3	37.4	48.5	60.4	66.4	62.2	56.7	41.7	28.6	21.0	37.9	37.1	63.0	42.3	14.2
1980	10.3	11.4	21.8	42.6	56.0	60.6	67.3	64.6	54.0	39.7	30.9	14.3	39.5	40.1	64.2	41.5	15.1
1981	12.1	18.8	29.8	42.8	51.2	61.8	65.8	64.9	53.6	41.1	34.3	16.3	41.0	41.3	64.2	43.0	9.7
1982	1.0	11.9	24.1	36.1	57.6	56.1	67.4	62.0	54.1	45.7	28.7	22.3	38.9	39.3	61.8	42.8	20.7
1983	16.1	23.6	29.2	37.1	47.6	62.2	70.7	68.7	57.2	44.6	31.6	4.7	41.1	38.0	67.2	44.5	12.8
1984	8.5	25.1	20.5	43.4	49.6	63.6	65.0	66.9	53.0	47.6	29.7	16.7	40.8	37.8	65.2	43.4	12.3
1985	8.4	11.9	31.3	44.6	56.2	58.5	64.6	61.9	55.2	43.9	23.8	5.0	38.8	44.0	61.7	41.0	10.0
1986	12.3	12.8	28.6	45.7	56.0	61.2	67.5	60.7	55.4	43.8	25.2	19.7	40.7	43.4	63.1	41.5	20.3
1987	17.1	24.1	32.9	46.6	56.0	65.4	69.2	64.0	57.1	38.6	33.5	22.9	44.0	45.2	66.2	43.1	13.2
1988	7.6	9.0	26.8	41.9	58.0	65.6	70.2	68.1	56.5	38.9	31.8	15.7	40.8	42.2	68.0	42.4	13.3
1989	17.7	6.4	21.4	38.6	52.6	60.2	68.1	65.0	55.7	46.0	25.0	5.0	38.5	37.5	64.4	42.2	14.1
1990	20.9	16.3	30.2	43.8	50.2	62.7	65.4	64.4	57.5	42.7	34.1	15.5	42.0	41.4	64.2	44.8	14.0
1991	7.8	18.8	28.6	44.5	57.6	66.4	65.8	66.4	53.4	42.6	24.1	17.7	41.1	43.6	66.2	40.0	18.9
1992	17.2	21.9	26.4	38.0	54.7	59.2	60.6	60.7	54.1	43.2	28.2	18.3	40.2	39.7	60.2	41.8	15.0
1993	12.2	14.5	26.6	37.3	52.3	59.1	65.8	65.6	50.0	41.4	27.2	19.1	39.3	38.7	63.5	39.5	9.8
1994	0.6	9.8	28.9	40.0	53.6	64.4	64.7	62.1	59.1	47.4	34.2	23.1	40.7	40.8	63.7	46.9	17.5
1995	14.8	14.6	29.9	35.3	52.0	67.1	67.5	69.1	54.4	45.2	21.1	13.2	40.4	39.1	67.9	40.2	10.7
1996	6.8	12.2	19.3	35.4	49.9	62.9	63.3	65.3	56.6	44.6	23.9	16.2	38.0	34.9	63.8	41.7	14.6
1997	9.4	18.1	25.1	38.7	46.9	64.6	65.7	61.5	57.5	45.4	27.3	24.3	40.4	36.9	63.9	43.4	24.0
1998	17.8	30.0	28.5	46.0	59.5	61.4	67.3	67.0	61.1	47.0	34.7	22.4	45.2	44.7	65.2	47.6	18.3
1999	9.3	23.2	29.1	44.8	56.6	63.5	70.0	63.7	55.7	42.7	37.3	20.1	43.0	43.5	65.7	45.2	17.9
2000	11.7	21.9	35.6	40.3	55.4	60.3	65.5	65.3	55.6	48.2	30.6	6.8	41.4	43.8	63.7	44.8	11.9
2001	17.5	11.3	25.4	44.0	55.2	62.9	67.4	67.6	55.5	43.9	41.0	24.9	43.1	41.5	66.0	46.8	23.4
2002	21.3	23.9	20.7	39.5	48.4	64.3	71.0	65.2	59.1	39.1	28.8	21.6	41.9	36.2	66.8	42.3	14.1
2003	10.7	10.0	26.0	39.7	52.3	61.4	66.2	68.1	57.6	44.5	29.7	22.2	40.7	39.3	65.2	43.9	15.9
2004	7.1	18.5	29.8	41.4	50.4	59.7	65.0	59.7	61.6	46.0	34.2	17.1	40.9	40.5	61.5	47.3	16.6
2005	11.0	21.7	23.8	45.9	50.8	67.7	69.1	66.1	61.1	47.8	31.8	17.1	42.8	40.2	67.6	46.9	18.7
2006	24.7	14.4	28.9	47.3	54.8	63.4	71.0	65.7	54.0	40.2	34.1	24.3	43.6	43.7	66.7	42.8	16.9
2007	17.3	9.1	31.7	40.6	57.2	65.1	67.6	66.1	59.0	50.0	30.2	14.6	42.4	43.2	66.3	46.4	12.7
2008	12.9	10.7	21.4	39.7	49.6	61.8	66.8	64.4	58.6	44.5	30.7	10.0	39.3	36.9	64.3	44.6	10.3
2009	3.6	17.3	26.8	40.7	52.8	61.1	61.1	62.6	59.9	39.8	38.1	15.6	40.0	40.1	61.6	45.9	15.9
2010	14.3	17.9	36.1	48.1	55.9	62.4	69.1	68.6	53.6	47.1	32.6	16.0	43.5	46.7	66.7	44.4	13.9
2011	9.5	16.2	24.8	39.0	52.1	62.2	70.8	65.9	55.2	48.0	34.4	22.4	41.7	38.6	66.3	45.9	21.1
2012	17.5	23.4	42.8	42.9	57.2	64.8	71.7	64.5	55.0	42.6	31.9	22.5	44.7	47.6	67.0	43.2	16.6
2013	13.7	13.6	21.0	34.2	52.9	61.5	67.0	65.2	58.3	44.4	28.1	8.2	39.0	36.0	64.6	43.6	5.1
2014	2.7	4.5	17.4	36.1	53.4	64.3	63.6	64.1	55.7	43.7	22.1	20.7	37.4	35.6	64.0	40.5	12.3
2015	11.9	4.2	28.3	42.6	54.3	61.6	66.5	63.5	62.4	45.5	36.9	29.0	42.2	41.7	63.9	48.3	20.7
2016	13.6	19.6	34.3	40.2	54.2	63.5	67.5	67.0	60.0	47.8	39.4	17.7	43.7	42.9	66.0	49.1	19.4
2017	16.3	24.1	26.9	43.5	50.9	63.1	66.5	61.7	59.8	47.3	28.2	13.5	41.8	40.4	63.8	45.1	12.7
2018	12.6	11.9	26.4	30.3	60.4	64.5	67.5	65.9	58.9	40.2	24.3	22.5	40.5	39.0	66.0	41.1	14.4
2019	10.6	10.0	22.1	39.2	49.4	61.4	68.8	63.0	59.2	42.2	25.7	19.7	39.3	36.9	64.4	42.4	18.0
2020	18.5	15.8	31.1	37.9	52.1	64.1	69.4	65.8	54.5	37.9	35.6	21.6	42.0	40.4	66.4	42.7	12.8
2021	18.0	8.2	34.3	42.5	52.5	66.9	67.1	66.6	58.5	51.4	31.3	21.2	43.2	43.1	66.9	47.1	12.7
2022	6.2	10.7	25.3	36.2	55.1	62.9	66.8	65.2	57.8	45.3	32.7	16.3	40.0	38.9	65.0	45.3	18.4
2023	20.4	18.6	25.4	39.7	55.0	64.5	65.4							40.0			

Multi-year Statistics

Interval/	1895	2022															
AVE	10.3	13.4	25.4	40.3	52.8	62.2	66.7	64.2	56.0	44.5	29.4	15.9	40.1	39.5	64.4	43.3	13.2
MEDIAN	10.4	13.4	25.3	40.1	52.6	62.3	66.8	64.3	55.8	44.6	29.5	16.0	40.0	39.4	64.5	43.4	13.1

Average Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	5.72	5.70	5.16	3.77	3.46	2.74	2.39	2.48	2.75	3.60	4.18	5.20	1.73	2.73	1.80	2.25	3.89
MAX	<b>24.7</b>	<b>30.0</b>	<b>42.8</b>	<b>49.3</b>	<b>61.7</b>	<b>69.7</b>	<b>72.6</b>	<b>71.1</b>	<b>62.4</b>	<b>54.1</b>	<b>41.0</b>	<b>29.0</b>	<b>45.2</b>	<b>47.6</b>	<b>68.1</b>	<b>49.1</b>	<b>24.0</b>
MIN	<b>-8.2</b>	<b>-2.1</b>	<b>13.5</b>	<b>30.3</b>	<b>44.4</b>	<b>54.6</b>	<b>60.6</b>	<b>58.8</b>	<b>48.9</b>	<b>33.9</b>	<b>20.1</b>	<b>4.7</b>	<b>35.2</b>	<b>33.4</b>	<b>59.3</b>	<b>37.7</b>	<b>4.0</b>
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	9.6	13.4	25.2	40.1	52.6	61.9	66.5	63.9	55.5	44.5	29.0	15.3	39.8	39.3	64.1	43.0	12.8
MEDIAN	9.7	13.1	25.1	40.0	52.5	61.8	66.4	64.0	55.6	44.6	29.1	15.6	39.7	39.2	64.2	43.1	12.8
STD	5.65	5.59	4.83	3.74	3.60	2.89	2.36	2.46	2.53	3.50	3.81	5.12	1.58	2.64	1.80	2.08	3.72
MAX	<b>21.2</b>	<b>30.0</b>	<b>38.2</b>	<b>49.3</b>	<b>61.7</b>	<b>69.7</b>	<b>72.6</b>	<b>71.1</b>	<b>62.1</b>	<b>54.1</b>	<b>37.3</b>	<b>25.2</b>	<b>45.2</b>	<b>46.9</b>	<b>68.1</b>	<b>48.9</b>	<b>24.0</b>
MIN	<b>-8.2</b>	<b>-2.1</b>	<b>15.9</b>	<b>31.0</b>	<b>44.4</b>	<b>54.6</b>	<b>60.6</b>	<b>58.8</b>	<b>48.9</b>	<b>33.9</b>	<b>20.1</b>	<b>4.7</b>	<b>35.2</b>	<b>33.4</b>	<b>59.3</b>	<b>38.3</b>	<b>4.0</b>

Interval/	1951	2000															
AVE	9.5	14.8	25.7	40.6	53.0	61.9	66.3	64.1	55.1	44.5	29.2	15.6	40.0	39.8	64.1	43.0	13.4
MEDIAN	9.4	14.1	25.3	40.8	52.6	61.9	65.9	64.1	55.6	44.0	29.5	16.0	39.9	39.2	64.2	43.0	13.2
STD	5.24	5.57	4.49	3.31	3.69	2.59	2.24	2.34	2.24	3.38	3.96	5.15	1.50	2.59	1.67	2.16	3.69
MAX	<b>20.9</b>	<b>30.0</b>	<b>35.6</b>	<b>47.1</b>	<b>61.7</b>	<b>67.1</b>	<b>71.1</b>	<b>69.1</b>	<b>61.1</b>	<b>54.1</b>	<b>37.3</b>	<b>24.3</b>	<b>45.2</b>	<b>46.9</b>	<b>68.0</b>	<b>48.4</b>	<b>24.0</b>
MIN	<b>-1.4</b>	<b>6.4</b>	<b>16.1</b>	<b>34.2</b>	<b>46.5</b>	<b>54.6</b>	<b>60.6</b>	<b>59.6</b>	<b>49.8</b>	<b>38.6</b>	<b>20.1</b>	<b>4.7</b>	<b>37.2</b>	<b>34.9</b>	<b>60.2</b>	<b>38.3</b>	<b>5.9</b>

Interval/	1991	2020															
AVE	12.5	16.1	27.5	40.4	53.4	63.0	67.0	64.9	57.2	44.3	30.9	18.7	41.3	40.4	65.0	44.1	15.7
MEDIAN	12.4	16.0	26.9	40.1	53.2	63.0	67.2	65.3	57.6	44.5	30.7	19.4	41.3	40.3	65.2	44.2	15.9
STD	5.3	6.0	5.3	4.0	3.2	2.1	2.7	2.3	2.9	3.0	5.1	5.0	1.9	3.2	1.8	2.6	4.1
MAX	<b>24.7</b>	<b>30.0</b>	<b>42.8</b>	<b>48.1</b>	<b>60.4</b>	<b>67.7</b>	<b>71.7</b>	<b>69.1</b>	<b>62.4</b>	<b>50.0</b>	<b>41.0</b>	<b>29.0</b>	<b>45.2</b>	<b>47.6</b>	<b>67.9</b>	<b>49.1</b>	<b>24.0</b>
MIN	<b>0.6</b>	<b>4.2</b>	<b>17.4</b>	<b>30.3</b>	<b>46.9</b>	<b>59.1</b>	<b>60.6</b>	<b>59.7</b>	<b>50.0</b>	<b>37.9</b>	<b>21.1</b>	<b>6.8</b>	<b>37.4</b>	<b>34.9</b>	<b>60.2</b>	<b>39.5</b>	<b>5.1</b>

Interval/	1981	2010															
AVE	12.3	16.7	27.4	41.6	53.4	62.5	66.8	64.9	56.4	44.1	30.6	16.9	41.1	40.8	64.8	43.7	15.3
MEDIAN	12.2	16.8	28.6	41.1	53.2	62.6	67.1	65.3	56.1	44.5	30.7	17.1	40.9	40.7	64.8	43.4	14.3
STD	5.7	5.8	4.1	3.6	3.3	2.6	2.6	2.6	2.7	2.9	4.6	5.7	1.7	2.9	2.0	2.2	3.8
MAX	<b>24.7</b>	<b>30.0</b>	<b>36.1</b>	<b>48.1</b>	<b>59.5</b>	<b>67.7</b>	<b>71.0</b>	<b>69.1</b>	<b>61.6</b>	<b>50.0</b>	<b>41.0</b>	<b>24.9</b>	<b>45.2</b>	<b>46.7</b>	<b>68.0</b>	<b>47.6</b>	<b>24.0</b>
MIN	<b>0.6</b>	<b>6.4</b>	<b>19.3</b>	<b>35.3</b>	<b>46.9</b>	<b>56.1</b>	<b>60.6</b>	<b>59.7</b>	<b>50.0</b>	<b>38.6</b>	<b>21.1</b>	<b>4.7</b>	<b>38.0</b>	<b>34.9</b>	<b>60.2</b>	<b>39.5</b>	<b>9.7</b>

Interval/	1971	2000															
AVE	9.9	15.7	26.8	40.6	53.5	62.1	66.5	64.2	55.3	44.0	29.4	15.7	40.3	40.3	64.3	42.9	13.9
MEDIAN	9.7	14.6	26.7	40.2	54.2	61.9	66.7	64.3	55.5	43.9	29.8	16.3	40.4	39.7	64.1	42.9	14.0
STD	5.7	6.0	4.4	3.7	3.9	2.6	2.2	2.4	2.5	3.2	4.0	5.7	1.7	3.0	1.8	2.1	4.1
MAX	20.9	30.0	35.6	46.6	61.7	67.1	70.7	69.1	61.1	51.0	37.3	24.3	45.2	46.9	68.0	47.6	24.0
MIN	-1.4	6.4	19.3	34.2	46.9	56.1	60.6	59.6	49.8	38.6	21.1	4.7	37.2	34.9	60.2	38.3	5.9

Interval/	1961	1990															
AVE	8.9	13.6	26.0	40.7	52.9	61.6	66.6	63.8	55.0	44.4	29.7	14.6	39.8	39.9	64.0	43.0	12.3
MEDIAN	8.9	12.2	25.3	41.3	52.6	61.8	67.1	64.1	55.3	43.9	29.7	15.6	39.5	39.2	64.2	43.0	12.8
STD	5.6	5.4	4.5	3.3	3.9	2.5	2.1	2.2	2.1	3.6	3.1	5.1	1.4	2.5	1.6	1.8	3.3
MAX	20.9	25.1	35.2	46.6	61.7	65.6	70.7	68.7	59.1	54.1	34.7	22.9	44.0	46.9	68.0	48.4	20.7
MIN	-1.4	6.4	18.0	34.2	46.7	54.6	62.8	59.6	49.8	38.6	22.0	4.7	37.2	36.6	61.7	38.3	5.9

Interval/	1951	1980															
AVE	8.3	13.1	24.3	40.3	52.6	61.6	66.2	63.7	54.8	44.9	29.2	15.2	39.5	39.1	63.8	43.0	12.3
MEDIAN	9.1	12.3	23.9	40.8	51.8	61.8	66.1	63.6	55.4	44.0	29.5	15.2	39.4	38.9	63.8	43.1	12.9
STD	4.8	4.5	4.3	3.0	3.7	2.4	2.1	2.1	2.1	3.8	3.6	4.3	1.0	2.1	1.4	2.2	3.1
MAX	16.6	24.9	35.2	47.1	61.7	65.3	71.1	68.3	59.1	54.1	34.7	23.6	41.7	46.9	67.0	48.4	17.5
MIN	-1.4	6.4	16.1	34.2	46.5	54.6	62.5	59.6	49.8	38.7	20.1	5.3	37.2	36.3	61.4	38.3	5.9

Interval/	1941	1970															
AVE	9.9	13.2	24.2	40.5	52.2	61.7	66.1	64.1	55.0	45.7	29.0	15.4	39.7	39.0	64.0	43.2	12.7
MEDIAN	9.8	13.0	23.2	41.3	51.6	61.8	65.9	63.8	55.4	45.1	29.1	15.6	39.7	39.1	64.3	43.4	12.5
STD	4.8	3.8	4.9	3.5	3.3	2.6	2.1	2.5	2.0	3.4	3.7	4.0	1.2	2.3	1.6	2.0	2.9
MAX	21.2	24.9	36.4	47.1	57.4	66.2	71.1	71.1	59.8	54.1	34.7	23.6	42.2	43.2	67.0	48.4	18.7
MIN	0.5	6.5	16.1	31.0	46.5	54.6	62.5	59.1	50.5	38.7	20.1	8.2	36.6	33.4	61.1	39.0	7.1

Interval/	1931	1960															
AVE	11.2	13.3	23.6	39.9	52.7	62.2	67.0	64.7	55.8	45.1	28.4	15.8	40.0	38.7	64.6	43.1	13.3
MEDIAN	11.9	13.4	22.9	39.3	51.9	61.8	67.1	64.5	55.9	44.9	28.6	15.6	40.0	38.9	64.8	43.2	13.1
STD	5.1	4.8	4.7	3.7	3.3	2.9	2.4	2.6	2.5	3.4	4.0	4.3	1.5	2.4	1.7	2.2	3.0
MAX	21.2	24.9	36.4	47.1	59.7	69.7	71.8	71.1	61.5	53.8	36.2	24.7	44.5	43.2	67.7	48.9	19.2
MIN	3.6	-2.1	16.1	31.0	46.5	56.9	62.5	59.1	51.7	38.7	20.1	8.2	36.6	33.4	61.1	39.0	6.0

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Average Temperature: North central Wisconsin**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	10.3	13.0	24.3	39.6	52.5	62.1	67.1	64.3	56.0	44.7	28.6	15.1	39.8	38.8	64.5	43.1	12.6
MEDIAN	10.2	13.5	23.6	38.7	52.5	61.7	67.1	64.2	56.2	44.8	28.2	15.2	39.6	39.1	64.9	43.4	12.1
STD	5.8	5.1	5.0	3.9	3.7	3.3	2.5	2.6	2.7	3.6	3.7	4.8	1.7	2.6	1.9	2.1	3.1
MAX	21.2	24.2	36.4	47.0	59.7	69.7	72.4	71.1	61.5	53.8	36.2	25.2	44.5	43.2	68.1	48.9	20.1
MIN	-2.7	-2.1	15.9	31.0	44.8	56.9	62.8	59.0	51.4	34.3	23.1	5.1	36.6	33.4	60.5	38.9	6.0

Interval/	1911	1940															
AVE	8.8	12.1	24.0	39.4	52.6	62.0	67.1	63.5	55.9	43.9	28.7	15.2	39.4	38.7	64.2	42.8	12.0
MEDIAN	9.1	12.7	23.6	38.7	52.7	61.3	67.0	63.6	56.2	43.7	28.1	15.2	39.4	38.8	64.7	43.2	12.2
STD	6.7	6.2	4.1	3.6	3.6	3.6	2.7	2.5	2.8	4.0	3.8	5.9	1.7	2.2	2.0	2.2	3.9
MAX	18.8	24.2	31.3	49.3	59.7	69.7	72.6	69.9	61.5	51.6	36.2	25.2	44.5	43.1	68.1	48.9	20.1
MIN	-8.2	-2.1	15.9	33.4	44.8	57.0	62.1	58.8	48.9	33.9	21.3	4.8	35.2	34.8	59.3	38.9	4.9

Interval/	1901	1930															
AVE	8.1	11.5	25.1	39.7	51.8	61.6	66.2	63.1	55.7	44.0	29.1	14.6	39.2	38.9	63.6	42.9	11.7
MEDIAN	9.7	11.4	25.3	39.9	52.4	61.8	65.6	63.1	55.5	43.6	29.1	14.3	39.5	39.4	63.8	43.2	11.9
STD	6.0	5.4	4.9	4.1	3.4	3.1	2.5	2.3	2.8	3.7	3.7	5.5	1.5	2.6	1.9	2.0	3.9
MAX	17.6	21.6	38.2	49.3	59.0	67.5	72.6	67.3	62.1	51.6	34.4	25.2	42.7	43.9	68.1	46.7	20.1
MIN	-8.2	1.3	15.9	31.6	44.4	57.0	62.1	58.8	48.9	33.9	21.3	4.8	35.2	34.6	59.3	38.9	4.0

Data as of 4 Aug 2023