

Wisconsin State Climatology Office

Minimum Temperature [degrees Fahrenheit]: North central Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												ANNUAL	SEASONAL			
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		SPRING	SUMMER	FALL	WINTER
1895	-3.9	-5.4	10.3	31.4	40.9	51.2	50.0	51.8	47.6	25.8	18.5	9.9	27.3	27.5	51.0	30.6	5.5
1896	3.1	3.4	9.1	32.6	46.7	49.6	53.4	51.9	40.7	28.2	14.1	11.3	28.7	29.5	51.6	27.7	6.4
1897	1.2	6.7	10.3	29.0	36.6	47.2	57.0	48.8	48.0	36.4	15.8	1.2	28.2	25.3	51.0	33.4	4.3
1898	6.4	5.2	18.1	27.1	39.7	51.0	54.9	51.0	46.5	33.1	18.2	-0.5	29.2	28.3	52.3	32.6	-5.0
1899	-4.3	-10.1	1.3	30.1	40.5	50.3	53.6	55.0	40.7	36.6	26.7	7.6	27.3	24.0	53.0	34.7	2.4
1900	8.0	-8.4	8.5	32.4	41.4	48.8	53.3	59.7	46.9	42.7	18.5	10.8	30.2	27.4	53.9	36.0	3.0
1901	1.5	-3.2	12.7	30.1	40.0	50.9	58.7	52.3	43.6	35.3	18.8	4.5	28.8	27.6	54.0	32.6	3.0
1902	3.3	1.3	21.2	28.2	43.2	46.8	55.7	50.4	43.0	32.8	27.0	6.3	29.9	30.9	51.0	34.3	1.9
1903	0.0	-0.5	21.8	29.4	41.7	44.7	53.2	49.3	43.6	33.7	16.3	-1.6	27.6	31.0	49.1	31.2	-6.4
1904	-6.9	-10.6	13.2	24.0	39.5	49.5	51.6	50.0	43.9	34.1	24.0	6.4	26.6	25.6	50.4	34.0	-1.6
1905	-6.6	-4.6	18.5	28.2	37.8	49.8	53.9	54.3	47.2	32.3	20.5	10.2	28.5	28.2	52.7	33.3	5.4
1906	6.4	-0.4	4.5	30.9	38.2	49.8	52.2	54.6	49.2	33.4	23.6	9.4	29.3	24.5	52.2	35.4	2.8
1907	-2.7	1.6	18.1	21.8	32.3	49.2	53.2	51.0	44.2	30.8	21.3	9.5	27.5	24.1	51.1	32.1	6.6
1908	3.8	6.6	15.3	30.1	41.6	49.5	55.2	50.6	48.5	36.9	23.6	7.1	30.7	29.0	51.8	36.3	5.3
1909	2.7	6.2	13.6	23.6	38.0	50.1	52.3	55.9	43.2	31.4	26.3	5.2	29.0	25.1	52.8	33.6	0.8
1910	0.5	-3.4	24.6	31.9	34.2	48.1	51.9	51.3	42.2	35.0	18.2	4.9	28.3	30.2	50.4	31.8	3.8
1911	-1.4	7.8	18.0	28.4	43.8	54.2	52.4	49.5	43.0	32.2	12.9	14.2	29.6	30.1	52.0	29.4	-2.2
1912	-18.9	-1.9	6.0	29.3	40.4	45.8	54.4	50.1	45.2	33.9	22.0	10.3	26.4	25.2	50.1	33.7	2.0
1913	0.2	-4.4	7.7	30.5	38.3	50.9	53.2	53.4	43.8	32.2	25.6	16.2	29.0	25.5	52.5	33.9	5.3
1914	9.7	-9.9	12.1	26.7	42.0	48.7	56.2	50.9	45.0	38.1	20.1	1.2	28.4	26.9	51.9	34.4	4.4
1915	-1.3	13.2	12.5	36.3	37.2	45.3	50.1	45.6	44.1	34.4	22.9	8.8	29.1	28.7	47.0	33.8	1.6
1916	-1.9	-2.1	7.0	28.6	38.6	46.5	59.5	52.6	42.7	32.4	18.5	-0.6	26.8	24.7	52.9	31.2	-6.4
1917	-7.6	-10.9	12.2	25.6	32.5	45.1	54.3	47.7	41.6	26.2	23.0	-2.8	23.9	23.4	49.0	30.3	-5.1
1918	-9.8	-2.6	17.7	23.9	41.8	48.4	52.1	51.7	36.5	34.1	25.6	17.2	28.1	27.8	50.7	32.1	10.5
1919	9.2	5.2	15.2	29.6	38.6	56.1	55.3	50.4	45.0	31.1	17.0	-4.4	29.0	27.8	53.9	31.0	-4.3
1920	-8.8	0.2	14.2	23.5	38.0	50.9	51.2	48.9	45.4	39.2	21.3	12.6	28.1	25.2	50.3	35.3	10.1
1921	9.1	8.7	18.5	33.1	42.8	54.7	59.7	51.4	47.7	35.6	16.6	7.1	32.1	31.5	55.3	33.3	-0.1
1922	-4.5	-3.0	15.2	29.4	46.4	51.1	52.4	52.4	46.2	34.4	28.6	2.9	29.3	30.3	52.0	36.4	-0.7
1923	3.2	-8.3	3.3	23.6	37.9	53.6	56.3	48.1	44.8	30.6	23.9	16.8	27.8	21.6	52.7	33.1	4.0
1924	-10.5	5.8	13.5	27.8	33.3	45.8	50.4	49.8	40.5	37.3	19.8	-4.1	25.8	24.9	48.7	32.5	0.6
1925	0.3	5.5	15.5	31.5	33.9	51.3	52.8	52.1	46.4	26.6	17.2	4.9	28.2	27.0	52.1	30.1	3.4
1926	-0.3	5.6	6.8	23.3	39.8	45.1	53.5	52.7	42.9	32.1	16.2	1.2	26.6	23.3	50.4	30.4	1.1
1927	-4.6	6.7	20.7	29.2	38.2	46.5	51.0	45.3	47.6	34.6	19.7	-3.5	27.6	29.4	47.6	34.0	0.0
1928	1.3	2.2	11.9	22.1	40.6	45.5	55.1	52.3	40.8	35.3	24.2	12.5	28.7	24.9	51.0	33.4	-2.9
1929	-13.8	-7.4	17.6	30.6	36.4	47.4	54.2	50.0	43.0	32.6	17.0	7.5	26.3	28.2	50.5	30.9	3.2
1930	-6.1	8.3	14.5	28.7	42.1	51.2	53.4	50.7	42.8	34.1	23.2	9.8	29.4	28.4	51.8	33.4	11.4
1931	10.8	13.5	18.0	29.8	38.1	54.0	56.6	50.5	49.7	39.0	27.5	18.4	33.8	28.6	53.7	38.7	10.7
1932	10.6	3.0	7.6	26.9	40.5	51.8	54.1	52.8	40.8	31.5	16.2	3.2	28.3	25.0	52.9	29.5	2.3
1933	8.0	-4.4	14.9	28.0	42.8	56.4	56.3	48.6	46.9	30.3	17.8	2.3	29.0	28.6	53.8	31.7	3.4
1934	10.1	-2.2	10.3	29.0	44.0	52.6	54.0	47.9	43.1	35.7	26.0	3.4	29.5	27.8	51.5	34.9	2.1
1935	-3.9	6.8	17.6	27.5	35.9	46.3	60.0	54.0	42.5	33.4	18.9	8.2	28.9	27.0	53.4	31.6	-3.1
1936	-3.5	-14.0	16.7	23.6	43.5	46.2	56.4	53.2	47.2	29.6	16.6	9.1	27.1	27.9	51.9	31.1	1.1
1937	-7.0	1.2	8.9	28.3	41.2	48.8	56.0	56.7	44.0	31.0	19.0	3.5	27.6	26.1	53.8	31.3	4.0
1938	0.6	7.8	19.4	30.7	41.2	49.6	56.1	55.4	44.6	37.3	21.9	8.0	31.1	30.4	53.7	34.6	3.5
1939	6.8	-4.2	11.6	25.0	42.4	51.9	55.1	52.4	45.0	33.5	19.8	16.4	29.6	26.3	53.1	32.8	6.5
1940	-4.0	7.2	7.2	25.5	37.3	49.4	54.8	53.3	45.7	35.9	19.1	10.0	28.5	23.3	52.5	33.6	6.0
1941	5.3	2.8	9.9	34.6	44.3	51.8	55.3	51.8	47.8	35.5	24.1	16.3	31.6	29.6	53.0	35.8	8.6
1942	5.6	4.0	20.3	33.0	39.4	50.9	53.5	52.5	42.6	32.5	18.7	4.8	29.8	30.9	52.3	31.3	0.6
1943	-3.2	0.2	4.9	25.4	38.8	53.8	56.1	54.1	40.3	33.0	17.4	8.4	27.4	23.0	54.7	30.2	9.0
1944	12.2	6.5	12.0	25.2	44.7	52.3	53.7	53.4	46.1	31.6	28.3	5.7	31.0	27.3	53.1	35.3	1.9
1945	-1.4	1.4	22.3	28.8	35.1	45.3	51.8	51.6	43.2	30.8	20.4	3.3	27.7	28.7	49.6	31.5	2.6
1946	3.4	1.0	25.4	29.7	36.8	48.9	54.0	49.3	42.5	35.5	20.3	7.1	29.5	30.6	50.7	32.8	4.1
1947	4.7	0.5	12.1	26.6	35.4	46.8	52.8	58.4	45.2	41.7	17.4	7.4	29.1	24.7	52.7	34.8	-0.3
1948	-7.6	-0.7	11.4	31.9	37.4	48.7	54.6	52.6	45.1	32.2	26.6	6.8	28.3	26.9	52.0	34.6	4.9
1949	5.8	2.1	14.6	28.6	40.5	53.8	57.4	53.4	41.0	36.3	22.6	7.3	30.3	27.9	54.9	33.3	1.0
1950	-5.5	1.3	8.0	22.1	37.5	48.8	50.9	46.4	43.4	37.1	16.0	0.4	25.5	22.5	48.7	32.2	0.4
1951	-2.4	3.2	11.2	29.1	43.2	47.1	53.4	50.4	42.0	35.0	12.4	6.0	27.6	27.8	50.3	29.8	5.2
1952	1.3	8.2	12.3	29.9	38.5	51.6	55.8	51.0	43.4	25.7	22.0	14.7	29.5	26.9	52.8	30.4	7.9
1953	6.6	2.5	17.4	27.2	38.8	51.2	53.4	54.0	43.4	36.6	24.3	10.3	30.5	27.8	52.9	34.8	8.2
1954	-0.7	15.0	11.9	29.1	35.4	52.6	54.5	50.6	44.5	33.6	24.6	10.8	30.2	25.5	52.6	34.2	3.9
1955	-0.4	1.2	9.0	34.9	42.0	50.1	59.3	56.4	43.7	35.4	15.5	0.8	29.0	28.6	55.3	31.5	0.3
1956	1.0	-1.0	9.1	26.2	38.2	52.0	51.8	52.5	40.6	37.9	21.0	9.3	28.2	24.5	52.1	33.2	2.6
1957	-5.4	3.8	13.7	29.7	38.4	50.1	56.4	51.5	41.6	32.4	21.9	8.7	28.6	27.3	52.7	32.0	5.7
1958	8.1	0.2	16.9	29.2	37.1	44.1	52.1	51.0	46.0	36.7	22.7	-1.0	28.6	27.7	49.1	35.1	-3.6
1959	-7.0	-2.9	12.4	29.2	43.6	51.4	53.6	57.7	46.3	32.5	11.9	17.0	28.8	28.4	54.2	30.2	9.4
1960	5.7	5.4	2.8	31.0	40.3	46.6	51.7	54.6	46.7	34.2	24.4	4.9	29.0	24.7	51.0	35.1	5.1

Minimum Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	0.3	10.1	19.7	26.9	35.8	49.0	53.9	53.4	45.7	35.7	20.9	5.8	29.8	27.5	52.1	34.1	1.1
1962	-2.7	0.3	16.0	27.8	46.1	49.0	51.6	51.0	42.1	36.6	24.6	6.4	29.1	30.0	50.5	34.4	-2.3
1963	-7.9	-5.5	15.5	30.1	38.2	50.5	54.5	49.9	44.7	41.4	26.4	-0.4	28.1	27.9	51.6	37.5	3.7
1964	7.1	4.5	12.5	29.6	44.4	49.2	55.7	50.0	44.4	32.4	24.0	1.7	29.6	28.8	51.6	33.6	-1.7
1965	-3.2	-3.5	7.7	28.1	43.5	48.2	51.8	50.9	41.2	34.6	21.6	16.3	28.1	26.4	50.3	32.5	4.0
1966	-8.8	4.6	19.3	27.4	34.7	50.4	56.4	51.2	42.9	32.4	21.5	7.9	28.3	27.1	52.7	32.3	2.1
1967	4.3	-5.8	14.5	29.1	33.5	50.9	51.8	47.9	41.8	33.3	18.9	8.7	27.4	25.7	50.2	31.3	2.8
1968	0.6	-0.8	21.1	30.7	38.3	49.9	53.9	52.4	46.5	37.9	22.7	6.8	30.0	30.0	52.1	35.7	3.8
1969	0.7	4.0	8.2	31.4	40.7	44.4	53.6	53.6	44.5	33.1	20.4	9.8	28.7	26.8	50.5	32.7	0.8
1970	-5.8	-1.7	9.6	30.4	41.3	51.8	56.0	51.6	45.9	38.0	22.3	7.3	28.9	27.1	53.1	35.4	0.9
1971	-6.6	2.0	10.5	26.9	35.3	53.1	51.1	48.8	46.5	42.3	23.5	8.7	28.5	24.2	51.0	37.4	-1.2
1972	-8.8	-3.4	9.8	25.0	42.5	46.5	53.3	53.3	43.1	31.0	23.4	3.2	26.6	25.8	51.0	32.5	4.7
1973	4.2	6.8	26.5	29.7	38.1	52.2	55.3	55.9	44.8	39.6	23.2	6.6	31.9	31.4	54.5	35.9	1.9
1974	0.7	-1.5	15.7	29.5	37.7	46.2	56.1	51.1	38.3	33.2	24.3	13.2	28.7	27.6	51.1	31.9	6.8
1975	3.0	4.3	9.0	23.4	43.5	51.7	56.7	52.0	40.6	34.9	24.9	7.2	29.3	25.3	53.5	33.5	4.7
1976	-3.8	10.8	14.6	31.6	37.1	51.2	53.2	50.0	39.3	27.3	12.4	-5.5	26.5	27.8	51.5	26.3	-4.3
1977	-12.3	5.0	23.4	33.2	47.3	48.8	56.6	47.8	47.2	33.1	22.2	6.6	29.9	34.6	51.1	34.2	-0.3
1978	-2.8	-4.6	10.5	28.2	41.9	48.9	54.4	53.6	48.3	34.2	18.9	1.6	27.8	26.9	52.3	33.8	-4.4
1979	-9.4	-5.4	15.8	27.3	37.3	48.2	54.6	51.9	45.0	33.1	21.6	12.2	27.7	26.8	51.6	33.2	4.4
1980	1.1	0.0	10.8	30.8	41.5	48.6	55.2	54.6	43.6	30.2	22.8	6.1	28.8	27.7	52.8	32.2	5.6
1981	1.0	9.6	19.3	31.4	38.0	51.2	54.7	54.6	42.4	31.8	25.2	8.2	30.6	29.6	53.5	33.1	-0.7
1982	-10.2	-0.2	14.7	24.5	45.8	43.5	55.9	50.5	44.8	36.2	21.2	15.4	28.5	28.3	50.0	34.1	13.3
1983	7.7	16.9	21.6	27.3	36.1	50.0	59.0	57.1	46.9	34.9	24.8	-4.4	31.5	28.3	55.4	35.5	3.7
1984	-1.1	16.6	9.5	32.1	37.3	52.6	53.2	56.4	42.2	38.8	21.1	7.6	30.5	26.3	54.1	34.0	2.6
1985	-1.2	1.5	21.0	33.6	43.8	46.3	52.3	51.5	45.2	33.1	16.5	-4.6	28.3	32.8	50.0	31.6	-0.1
1986	2.0	2.2	17.8	34.3	43.2	48.7	57.0	49.6	46.3	33.8	16.6	12.2	30.3	31.8	51.8	32.2	11.4
1987	8.8	13.1	21.8	32.2	42.5	52.5	58.0	53.1	45.1	28.9	25.5	16.8	33.2	32.2	54.5	33.2	3.5
1988	-3.0	-3.2	16.7	28.8	42.4	50.9	56.4	56.7	45.4	29.0	26.0	6.3	29.4	29.3	54.7	33.5	2.7
1989	7.9	-6.1	10.6	27.2	39.3	48.1	55.7	53.0	42.9	33.8	16.7	-4.8	27.0	25.7	52.3	31.1	3.3
1990	11.0	3.7	18.8	31.7	37.9	51.2	53.9	53.2	47.2	31.8	24.8	6.2	31.0	29.5	52.8	34.6	3.9
1991	-2.0	7.4	18.0	32.5	46.8	55.0	55.4	54.8	43.4	32.0	16.4	8.9	30.7	32.4	55.1	30.6	10.5
1992	9.5	13.2	16.2	28.9	41.2	47.2	49.8	48.9	43.6	32.4	22.7	10.6	30.4	28.8	48.6	32.9	5.5
1993	2.2	3.8	14.3	26.8	41.1	48.8	55.9	54.8	39.4	30.8	19.9	12.6	29.2	27.4	53.2	30.0	0.6
1994	-10.0	-0.7	18.6	27.9	39.6	52.1	54.3	51.4	48.7	37.6	25.7	14.9	30.0	28.7	52.6	37.3	8.8
1995	7.0	4.4	19.6	24.9	39.8	54.3	56.4	59.3	42.6	36.5	13.5	4.8	30.3	28.1	56.7	30.9	0.1
1996	-5.6	1.0	8.4	23.9	38.0	52.2	52.7	53.4	46.9	33.5	16.7	9.4	27.5	23.4	52.8	32.4	6.0
1997	0.6	8.0	15.1	26.5	35.2	52.4	55.1	50.7	47.0	35.2	20.3	17.5	30.3	25.6	52.7	34.2	16.9
1998	11.1	22.2	19.4	32.8	45.5	50.6	54.9	55.0	47.6	36.4	27.6	12.6	34.6	32.6	53.5	37.2	8.7
1999	0.0	13.5	17.5	32.9	44.6	52.1	58.9	52.8	44.0	31.4	27.1	12.0	32.2	31.7	54.6	34.2	8.0
2000	1.2	10.7	24.5	28.4	43.0	49.1	54.8	54.2	44.3	36.7	24.0	-2.3	30.7	32.0	52.7	35.0	1.9
2001	7.9	0.2	14.6	32.6	43.1	51.8	55.0	55.7	44.5	33.2	32.0	17.9	32.4	30.1	54.2	36.6	15.0
2002	13.1	14.0	10.0	28.7	36.5	53.6	59.5	54.1	48.6	30.7	21.1	14.0	32.0	25.1	55.7	33.5	4.6
2003	1.7	-1.9	14.5	27.2	39.2	49.3	54.0	55.8	46.3	33.4	22.5	14.0	29.7	27.0	53.0	34.1	6.8
2004	-1.6	8.1	20.4	29.1	38.6	48.0	53.6	48.3	49.6	35.9	26.0	8.4	30.4	29.4	50.0	37.2	7.6
2005	2.4	11.9	11.2	33.0	40.2	55.8	56.8	54.5	48.7	37.1	23.4	10.7	32.1	28.1	55.7	36.4	10.8
2006	18.0	3.8	18.6	34.1	43.9	50.3	57.6	54.0	42.8	29.9	26.5	17.6	33.1	32.2	54.0	33.1	8.8
2007	9.3	-0.5	20.8	28.5	44.1	52.0	55.2	54.7	47.7	40.4	22.6	6.3	31.8	31.1	54.0	36.9	3.4
2008	4.7	-0.8	9.2	29.1	36.3	50.7	54.8	50.8	47.6	34.3	22.8	-0.6	28.2	24.9	52.1	34.9	-0.5
2009	-7.5	6.6	15.6	29.2	40.0	49.5	49.6	51.2	47.0	32.3	29.4	8.1	29.3	28.3	50.1	36.2	7.2
2010	6.6	6.9	23.0	34.3	43.0	52.3	58.8	57.7	43.0	34.8	24.5	8.8	32.8	33.4	56.3	34.1	5.5
2011	1.4	6.4	13.7	28.8	41.2	50.7	59.6	54.4	44.7	37.2	26.5	14.8	31.6	27.9	54.9	36.1	12.4
2012	8.4	14.0	32.2	30.5	44.0	52.2	59.0	51.6	41.3	32.2	23.3	15.6	33.7	35.6	54.3	32.3	7.9
2013	4.4	3.8	10.1	24.8	40.6	50.8	55.8	53.0	45.8	35.0	20.3	-0.5	28.7	25.2	53.2	33.7	-4.9
2014	-7.2	-7.0	5.4	25.5	41.7	53.4	52.8	53.5	44.6	34.4	14.9	14.6	27.2	24.2	53.2	31.3	3.9
2015	4.0	-6.8	16.7	30.0	41.8	50.0	54.8	53.4	51.7	34.8	28.1	24.0	31.9	29.5	52.7	38.2	13.5
2016	5.8	10.8	24.8	29.8	41.0	51.9	56.5	56.7	50.4	37.7	30.0	11.4	33.9	31.9	55.0	39.4	11.5
2017	8.6	14.5	17.1	32.1	39.8	51.4	54.6	50.9	48.2	37.3	20.6	5.9	31.8	29.7	52.3	35.4	3.1
2018	3.1	0.2	15.0	18.4	46.2	53.2	55.5	54.7	49.0	31.8	18.2	15.9	30.1	26.5	54.5	33.0	5.9
2019	2.4	-0.6	9.7	29.0	38.5	49.1	57.5	51.6	50.3	33.9	20.0	12.3	29.5	25.7	52.7	34.7	9.1
2020	11.1	4.0	22.2	26.4	40.8	52.0	58.1	54.4	44.3	29.3	26.5	14.1	31.9	29.8	54.8	33.4	2.8
2021	10.5	-2.8	22.7	31.5	40.6	54.6	55.0	55.4	46.1	41.4	22.4	12.9	32.5	31.6	55.0	36.6	2.4
2022	-4.6	-1.0	15.4	27.2	43.7	50.3	55.2	54.7	46.5	34.0	24.0	9.4	29.6	28.8	53.4	34.8	10.9
2023	15.1	8.3	14.6	29.1	41.8	51.4	52.9							28.5			

Multi-year Statistics

Interval/	1895	2022															
AVE	0.8	2.5	14.6	28.8	40.1	50.0	54.7	52.4	44.7	34.1	21.6	7.9	29.3	27.8	52.4	33.4	3.8
MEDIAN	0.9	2.1	14.6	29.1	40.3	50.3	54.7	52.4	44.7	33.9	22.0	8.1	29.1	27.8	52.6	33.5	3.5

Minimum Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	6.53	6.53	5.48	3.12	3.27	2.70	2.30	2.70	2.69	3.26	4.05	5.94	1.88	2.64	1.83	2.22	4.53
MAX	18.0	22.2	32.2	36.3	47.3	56.4	60.0	59.7	51.7	42.7	32.0	24.0	34.6	35.6	56.7	39.4	16.9
MIN	-18.9	-14.0	1.3	18.4	32.3	43.5	49.6	45.3	36.5	25.7	11.9	-5.5	23.9	21.6	47.0	26.3	-6.4
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	-0.1	2.4	14.5	28.6	39.8	49.7	54.5	52.1	44.2	34.0	21.2	7.1	29.0	27.6	52.1	33.1	3.2
MEDIAN	0.3	1.8	14.6	28.9	39.6	49.9	54.4	52.0	44.2	33.8	21.6	7.3	29.0	27.8	52.2	33.3	3.1
STD	6.39	6.45	5.15	3.07	3.39	2.81	2.21	2.66	2.44	3.10	3.84	5.75	1.71	2.55	1.78	2.07	4.28
MAX	12.2	22.2	26.5	36.3	47.3	56.4	60.0	59.3	49.7	42.3	28.6	18.4	34.6	34.6	56.7	38.7	16.9
MIN	-18.9	-14.0	2.8	21.8	32.3	43.5	49.8	45.3	36.5	25.7	11.9	-5.5	23.9	21.6	47.0	26.3	-6.4

Interval/	1951	2000															
AVE	-0.1	3.9	15.0	29.2	40.3	49.9	54.6	52.6	44.2	34.2	21.5	7.4	29.4	28.2	52.4	33.3	3.8
MEDIAN	0.5	3.5	15.3	29.2	40.1	50.3	54.7	52.5	44.5	33.8	22.3	7.8	29.1	27.8	52.6	33.4	3.7
STD	5.91	6.54	4.96	2.68	3.43	2.52	2.08	2.55	2.38	3.24	3.91	5.86	1.59	2.46	1.69	2.17	4.33
MAX	11.1	22.2	26.5	34.9	47.3	55.0	59.3	59.3	48.7	42.3	27.6	17.5	34.6	34.6	56.7	37.5	16.9
MIN	-12.3	-6.1	2.8	23.4	33.5	43.5	49.8	47.8	38.3	25.7	11.9	-5.5	26.5	23.4	48.6	26.3	-4.4

Interval/	1991	2020															
AVE	3.7	5.7	16.5	28.9	41.2	51.4	55.6	53.5	46.1	34.3	23.1	11.1	30.9	28.9	53.5	34.5	6.7
MEDIAN	3.6	5.4	16.5	29.0	41.1	51.9	55.3	54.1	46.6	34.4	23.1	12.2	30.7	28.7	53.4	34.2	7.0
STD	6.3	6.7	5.6	3.4	2.8	2.0	2.4	2.9	2.6	4.5	5.7	1.8	1.8	3.0	1.8	2.3	4.7
MAX	18.0	22.2	32.2	34.3	46.8	55.8	59.6	59.3	51.7	40.4	32.0	24.0	34.6	35.6	56.7	39.4	16.9
MIN	-10.0	-7.0	5.4	18.4	35.2	47.2	49.6	48.3	39.4	29.3	13.5	-2.3	27.2	23.4	48.6	30.0	-4.9

Interval/	1981	2010															
AVE	3.1	6.2	16.7	29.8	40.9	50.7	55.3	53.6	45.4	33.9	22.8	8.8	30.6	29.1	53.2	34.0	6.0
MEDIAN	2.1	5.5	17.7	29.1	40.7	51.1	55.2	54.1	45.3	33.7	23.1	9.2	30.4	29.0	53.3	34.1	5.5
STD	6.7	6.8	4.3	3.0	3.1	2.6	2.4	2.6	2.4	2.8	4.2	6.5	1.7	2.7	2.0	2.0	4.5
MAX	18.0	22.2	24.5	34.3	46.8	55.8	59.5	59.3	49.6	40.4	32.0	17.9	34.6	33.4	56.7	37.3	16.9
MIN	-10.2	-6.1	8.4	23.9	35.2	43.5	49.6	48.3	39.4	28.9	13.5	-4.8	27.0	23.4	48.6	30.0	-0.7

Interval/	1971	2000															
AVE	0.1	5.1	16.3	29.1	40.8	50.1	55.0	53.0	44.4	33.8	21.7	7.3	29.7	28.8	52.7	33.3	4.3
MEDIAN	0.7	4.1	16.5	28.9	41.2	50.8	55.2	53.2	44.8	33.4	22.8	7.9	30.0	28.3	52.8	33.4	3.8
STD	6.5	7.1	4.8	3.1	3.4	2.6	2.0	2.7	2.7	3.3	4.0	6.4	1.9	2.8	1.8	2.3	4.8
MAX	11.1	22.2	26.5	34.3	47.3	55.0	59.0	59.3	48.7	42.3	27.6	17.5	34.6	34.6	56.7	37.4	16.9
MIN	-12.3	-6.1	8.4	23.4	35.2	43.5	49.8	47.8	38.3	27.3	12.4	-5.5	26.5	23.4	48.6	26.3	-4.4

Interval/	1961	1990															
AVE	-0.9	2.5	15.4	29.3	40.2	49.5	54.7	52.2	44.2	34.2	22.0	6.3	29.1	28.3	52.1	33.4	2.6
MEDIAN	-0.4	1.8	15.6	29.6	40.0	49.6	54.7	52.0	44.8	33.6	22.5	6.7	28.8	27.7	51.9	33.5	2.8
STD	6.0	6.4	5.0	2.6	3.6	2.3	1.9	2.4	2.4	3.5	3.2	5.9	1.5	2.4	1.5	2.1	3.8
MAX	11.0	16.9	26.5	34.3	47.3	53.1	59.0	57.1	48.3	42.3	26.4	16.8	33.2	34.6	55.4	37.5	13.3
MIN	-12.3	-6.1	7.7	23.4	33.5	43.5	51.1	47.8	38.3	27.3	12.4	-5.5	26.5	24.2	50.0	26.3	-4.4

Interval/	1951	1980															
AVE	-1.4	1.9	13.6	29.1	39.8	49.5	54.3	52.0	43.8	34.5	21.4	7.1	28.8	27.5	51.9	33.2	2.6
MEDIAN	-0.6	1.6	12.5	29.2	38.7	50.0	54.2	51.6	44.1	34.2	22.3	7.0	28.7	27.4	51.9	33.4	3.3
STD	5.3	5.1	5.0	2.3	3.4	2.3	1.9	2.3	2.4	3.5	3.7	5.0	1.1	2.1	1.4	2.3	3.6
MAX	8.1	15.0	26.5	34.9	47.3	53.1	59.3	57.7	48.3	42.3	26.4	17.0	31.9	34.6	55.3	37.5	9.4
MIN	-12.3	-5.8	2.8	23.4	33.5	44.1	51.1	47.8	38.3	25.7	11.9	-5.5	26.5	24.2	49.1	26.3	-4.4

Interval/	1941	1970															
AVE	0.4	2.0	13.4	29.1	39.4	49.7	54.0	52.2	43.8	34.7	21.2	7.3	28.9	27.3	52.0	33.3	3.1
MEDIAN	0.5	1.4	12.4	29.2	38.7	50.1	53.8	51.7	43.6	34.8	21.8	7.2	28.9	27.4	52.1	33.2	2.7
STD	5.4	4.3	5.2	2.6	3.3	2.5	2.0	2.5	2.0	3.1	3.8	4.6	1.2	2.0	1.6	1.9	3.3
MAX	12.2	15.0	25.4	34.9	46.1	53.8	59.3	58.4	47.8	41.7	28.3	17.0	31.6	30.9	55.3	37.5	9.4
MIN	-8.8	-5.8	2.8	22.1	33.5	44.1	50.9	46.4	40.3	25.7	11.9	-1.0	25.5	22.5	48.7	29.8	-3.6

Interval/	1931	1960															
AVE	1.8	2.3	13.0	28.5	39.7	50.2	54.7	52.6	44.2	34.1	20.5	7.7	29.1	27.1	52.5	32.9	3.8
MEDIAN	1.2	1.8	12.1	28.9	39.1	50.5	54.6	52.6	43.9	33.9	20.4	7.4	29.0	27.5	52.7	32.8	3.7
STD	5.9	5.4	5.1	2.9	2.9	2.9	2.1	2.7	2.3	3.2	4.1	4.9	1.5	2.1	1.6	2.1	3.5
MAX	12.2	15.0	25.4	34.9	44.7	56.4	60.0	58.4	49.7	41.7	28.3	18.4	33.8	30.9	55.3	38.7	10.7
MIN	-7.6	-14.0	2.8	22.1	35.1	44.1	50.9	46.4	40.3	25.7	11.9	-1.0	25.5	22.5	48.7	29.5	-3.6

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Minimum Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	0.7	1.9	13.7	28.0	39.6	50.0	54.6	51.8	44.3	33.9	20.7	6.8	28.8	27.1	52.1	33.0	3.0
MEDIAN	0.5	2.2	14.0	28.5	39.6	50.3	54.4	52.4	44.3	33.8	19.8	7.1	28.8	27.5	52.4	32.9	2.4
STD	6.8	5.7	5.3	3.2	3.3	3.1	2.3	2.8	2.4	3.1	3.8	5.4	1.8	2.6	1.8	2.1	3.5
MAX	12.2	13.5	25.4	34.6	46.4	56.4	60.0	58.4	49.7	41.7	28.6	18.4	33.8	31.5	55.3	38.7	11.4
MIN	-13.8	-14.0	3.3	22.1	33.3	45.1	50.4	45.3	40.3	26.6	16.0	-4.1	25.5	21.6	47.6	29.5	-3.1

Interval/	1911	1940															
AVE	-0.9	1.1	13.1	27.9	39.7	49.7	54.6	51.0	44.2	33.5	20.6	7.0	28.4	26.9	51.8	32.7	2.4
MEDIAN	-1.4	1.7	13.9	28.4	40.1	49.5	54.4	51.2	44.4	33.7	19.8	7.8	28.4	27.0	52.0	32.9	2.2
STD	7.7	7.0	4.5	3.1	3.3	3.4	2.5	2.6	2.6	3.1	3.8	6.6	1.9	2.4	1.9	2.1	4.5
MAX	10.8	13.5	20.7	36.3	46.4	56.4	60.0	56.7	49.7	39.2	28.6	18.4	33.8	31.5	55.3	38.7	11.4
MIN	-18.9	-14.0	3.3	22.1	32.5	45.1	50.1	45.3	36.5	26.2	12.9	-4.4	23.9	21.6	47.0	29.4	-6.4

Interval/	1901	1930															
AVE	-1.8	0.4	14.1	28.0	39.0	49.1	53.8	50.8	44.1	33.4	21.2	6.3	28.2	27.0	51.3	32.9	1.9
MEDIAN	-0.8	-0.1	14.4	28.7	38.6	49.4	53.3	50.8	43.9	33.8	21.3	6.8	28.3	27.3	51.5	33.3	2.0
STD	6.6	6.3	5.2	3.5	3.4	3.0	2.4	2.3	2.6	2.8	3.7	6.1	1.6	2.6	1.8	1.8	4.5
MAX	9.7	13.2	24.6	36.3	46.4	56.1	59.7	55.9	49.2	39.2	28.6	17.2	32.1	31.5	55.3	36.4	11.4
MIN	-18.9	-10.9	3.3	21.8	32.3	44.7	50.1	45.3	36.5	26.2	12.9	-4.4	23.9	21.6	47.0	29.4	-6.4

Data as of 4 Aug 2023