

Wisconsin State Climatology Office

Average Temperature [degrees Fahrenheit]: Northeast Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												ANNUAL	SPRING	SUMMER	FALL	WINTER
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		MAM	JJA	SON	DJF
1895	7.3	8.8	22.6	43.4	53.7	64.1	62.6	63.5	58.7	36.9	26.6	19.1	38.9	39.9	63.4	40.7	16.5
1896	13.8	16.7	21.0	43.2	58.7	63.0	65.3	64.9	51.3	39.4	24.0	20.4	40.1	41.0	64.4	38.2	17.6
1897	13.9	18.4	22.9	39.1	49.8	58.1	69.0	60.5	60.7	47.5	27.2	13.4	40.0	37.3	62.5	45.1	15.9
1898	17.2	17.2	29.4	38.9	52.8	62.7	66.9	62.5	58.8	42.8	28.7	12.9	40.9	40.4	64.0	43.4	8.5
1899	8.5	4.2	15.7	43.0	52.4	61.9	65.4	66.0	51.9	47.5	35.2	16.4	39.0	37.0	64.4	44.9	13.6
1900	17.0	7.4	19.5	42.8	54.0	61.0	64.2	70.4	58.1	52.9	26.2	19.8	41.1	38.8	65.2	45.7	13.8
1901	12.7	8.9	23.4	42.9	52.5	63.2	69.6	64.7	54.8	46.0	27.1	14.2	40.0	39.6	65.8	42.6	14.2
1902	13.9	14.5	32.8	40.9	53.8	58.3	66.8	61.4	53.3	43.8	35.2	16.8	41.0	42.5	62.2	44.1	13.9
1903	11.0	14.0	33.0	40.4	53.8	59.0	65.4	59.3	55.3	45.4	25.8	9.9	39.4	42.4	61.2	42.2	5.9
1904	5.4	2.5	23.8	35.5	52.5	60.9	63.2	60.3	54.3	43.0	32.9	14.8	37.4	37.3	61.5	43.4	9.7
1905	6.2	8.2	27.5	39.1	50.0	60.7	64.1	64.4	58.0	42.6	29.4	21.0	39.3	38.9	63.1	43.3	17.8
1906	19.2	13.1	17.4	43.2	50.7	61.4	65.2	66.4	60.6	43.2	30.6	18.7	40.8	37.1	64.3	44.8	14.1
1907	9.6	14.0	29.1	31.8	44.2	61.6	65.1	62.1	54.6	42.1	28.8	19.8	38.6	35.0	62.9	41.8	17.2
1908	16.0	15.7	26.3	41.1	52.4	61.2	66.4	63.3	61.6	46.6	31.1	16.3	41.5	39.9	63.6	46.4	16.0
1909	14.1	17.5	24.1	33.7	50.1	63.2	65.4	66.3	55.4	41.7	34.8	14.6	40.1	36.0	65.0	44.0	12.5
1910	12.2	10.8	37.8	43.7	48.1	64.8	67.8	64.0	54.8	47.5	25.5	14.7	41.0	43.2	65.5	42.6	15.3
1911	11.9	19.4	28.5	39.6	57.0	66.9	66.2	61.9	54.9	42.1	23.2	23.2	41.2	41.7	65.0	40.1	8.8
1912	-5.9	9.2	18.9	40.9	52.2	59.6	65.6	59.2	56.6	46.0	31.2	20.8	37.9	37.3	61.5	44.6	13.8
1913	12.8	7.9	21.3	42.2	50.9	64.2	64.8	65.1	56.0	43.2	34.6	27.1	40.8	38.1	64.7	44.6	17.3
1914	18.6	6.1	24.2	37.7	55.4	60.5	68.9	63.0	56.5	50.3	30.2	12.0	40.3	39.1	64.1	45.7	14.9
1915	10.4	22.4	24.6	48.6	48.1	57.0	62.4	58.6	56.6	45.4	31.5	18.9	40.4	40.4	59.3	44.5	13.9
1916	12.6	10.2	20.0	39.4	51.2	57.2	72.5	66.0	53.7	43.7	28.2	12.0	38.9	36.9	65.2	41.9	7.4
1917	7.0	3.2	23.7	36.3	47.0	57.1	67.2	60.4	54.2	35.3	32.2	9.7	36.1	35.7	61.6	40.6	7.6
1918	1.9	11.1	31.8	38.2	54.7	60.5	64.9	65.0	49.7	45.9	33.3	24.1	40.1	41.6	63.5	43.0	20.1
1919	18.8	17.4	27.7	41.0	51.2	67.7	68.7	62.5	57.5	42.2	26.4	7.2	40.7	40.0	66.3	42.0	7.9
1920	4.1	12.5	26.2	34.8	51.3	63.6	63.3	62.6	59.0	52.1	28.8	21.2	40.0	37.4	63.2	46.6	19.7
1921	18.6	19.2	29.1	46.1	55.4	67.5	73.3	64.2	60.4	45.5	25.1	17.1	43.5	43.5	68.3	43.7	12.5
1922	9.2	11.3	26.2	39.5	58.8	62.9	64.3	64.0	58.4	45.5	34.3	14.6	40.8	41.5	63.7	46.1	11.5
1923	13.2	6.8	17.7	36.3	51.9	66.0	67.5	60.6	56.1	42.7	33.6	26.8	39.9	35.3	64.7	44.1	15.4
1924	3.1	16.3	24.9	37.7	45.2	58.1	62.5	61.4	51.7	49.5	30.4	8.7	37.5	35.9	60.7	43.9	12.5
1925	11.8	16.9	27.9	44.8	48.5	63.1	64.8	64.8	58.4	35.1	27.8	14.7	39.9	40.4	64.2	40.4	14.8
1926	13.1	16.5	19.3	35.6	53.0	57.3	65.5	63.1	52.7	41.0	24.4	12.6	37.8	36.0	62.0	39.4	13.7
1927	9.4	19.1	31.6	39.7	48.5	58.5	63.7	58.9	58.0	46.5	28.6	10.8	39.4	39.9	60.4	44.4	13.1
1928	14.0	14.6	24.1	33.7	53.4	57.3	66.1	64.1	51.5	45.4	31.2	21.3	39.7	37.1	62.5	42.7	9.3
1929	0.8	5.8	28.7	41.2	48.8	59.2	66.2	62.5	55.7	43.9	26.1	16.4	37.9	39.6	62.6	41.9	14.1
1930	6.4	19.6	25.8	41.3	54.0	63.7	67.2	65.9	57.5	43.4	33.6	18.8	41.4	40.4	65.6	44.8	21.0
1931	19.4	24.8	26.8	42.1	51.3	65.4	70.1	63.1	62.4	49.2	37.4	26.5	44.9	40.1	66.2	49.7	21.3
1932	20.5	16.9	19.4	38.0	52.8	64.5	67.6	66.1	55.4	42.0	25.9	15.8	40.4	36.7	66.1	41.1	15.6
1933	20.2	10.9	23.9	38.3	54.2	69.7	69.3	63.6	60.9	41.6	25.4	13.4	41.0	38.8	67.5	42.6	13.6
1934	18.8	8.7	21.2	37.8	58.2	65.6	67.5	61.1	54.5	46.3	33.6	14.7	40.7	39.1	64.7	44.8	13.6
1935	9.2	16.8	28.0	38.8	48.7	58.0	71.0	64.9	54.4	44.3	27.5	16.6	39.9	38.5	64.6	42.1	8.1
1936	8.0	-0.2	26.6	34.8	57.2	59.4	71.3	65.2	59.0	40.9	26.1	20.2	39.0	39.5	65.3	42.0	14.5
1937	8.8	14.5	22.3	37.8	53.6	61.8	69.5	69.8	56.4	40.6	28.0	15.0	39.8	37.9	67.0	41.7	15.0
1938	11.0	19.0	31.3	42.2	52.4	61.3	66.5	67.0	55.0	49.0	31.1	17.8	42.0	42.0	64.9	45.0	15.1
1939	17.3	10.2	24.1	37.3	56.0	63.4	67.8	64.7	57.7	43.5	31.5	25.3	41.6	39.1	65.3	44.2	17.2
1940	8.4	18.0	20.1	36.4	49.4	61.3	66.8	63.1	57.6	46.3	28.1	19.4	39.6	35.3	63.7	44.0	16.6
1941	15.2	15.3	21.7	46.0	57.0	64.4	67.9	63.9	58.4	45.3	33.3	25.0	42.8	41.6	65.4	45.7	18.9
1942	15.4	16.3	30.2	47.2	51.5	61.4	65.3	64.1	53.9	45.4	29.5	13.9	41.2	43.0	63.6	42.9	12.9
1943	9.4	15.4	19.1	37.3	51.5	65.0	68.8	65.2	51.7	44.7	26.5	19.3	39.5	36.0	66.3	41.0	20.1
1944	23.0	18.0	22.4	36.9	56.4	64.0	66.0	66.2	56.4	45.0	34.9	15.4	42.1	38.6	65.4	45.4	13.1
1945	9.0	15.0	35.9	41.3	47.7	57.6	63.7	64.5	55.3	42.9	29.5	13.6	39.7	41.6	61.9	42.6	14.0
1946	14.4	14.0	36.9	43.0	50.5	60.8	66.0	61.9	55.5	48.3	31.2	18.0	41.7	43.5	62.9	45.0	15.8
1947	16.1	13.3	24.5	37.1	47.3	58.5	66.6	71.5	57.8	54.1	26.0	17.4	40.9	36.3	65.5	46.0	12.2
1948	6.4	12.8	24.0	43.7	51.5	61.5	67.2	66.0	60.1	44.1	33.8	17.9	40.8	39.7	64.9	46.0	16.4
1949	16.4	15.0	25.5	42.8	54.2	66.5	68.9	66.1	53.4	48.5	30.0	18.1	42.1	40.8	67.2	44.0	14.2
1950	10.4	14.2	20.8	31.6	51.0	62.1	63.4	59.5	55.1	48.7	25.7	12.2	37.9	34.5	61.7	43.2	12.6
1951	10.0	15.6	23.7	39.3	56.7	58.8	65.6	60.7	53.2	44.8	22.3	15.9	38.9	39.9	61.7	40.1	16.4
1952	13.6	19.6	23.6	44.4	52.2	63.6	67.9	63.3	56.7	39.6	32.3	22.9	41.6	40.1	64.9	42.9	18.8
1953	17.7	15.9	27.8	37.6	52.6	63.4	66.5	66.2	56.8	50.2	35.8	20.8	42.6	39.3	65.4	47.6	19.2
1954	11.7	25.1	23.9	41.5	46.8	64.2	66.3	62.3	54.2	44.0	33.2	19.4	41.1	37.4	64.3	43.8	15.1
1955	11.9	14.1	22.7	46.9	56.1	62.3	71.9	69.0	56.7	46.7	26.0	13.2	41.5	41.9	67.7	43.1	14.4
1956	15.1	15.0	21.6	37.0	50.9	63.8	63.1	64.0	52.8	50.6	30.0	19.4	40.3	36.5	63.6	44.5	14.1
1957	5.8	17.1	26.6	41.6	51.6	61.9	68.0	63.9	54.2	44.0	30.0	19.3	40.3	39.9	64.6	42.7	16.5
1958	17.1	13.0	28.0	41.6	51.5	57.2	64.8	64.5	56.6	46.8	32.1	10.2	40.3	40.4	62.2	45.2	8.8
1959	5.8	10.4	23.8	40.6	56.8	64.0	66.4	68.7	57.8	40.9	21.7	24.6	40.1	40.4	66.4	40.1	19.1
1960	15.4	17.2	17.5	41.4	51.3	59.7	64.7	65.8	57.4	44.7	33.7	15.4	40.4	36.7	63.4	45.3	16.5

Average Temperature: Northeast Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	12.0	22.1	29.3	37.6	49.9	62.3	65.9	65.3	57.4	46.7	30.1	15.5	41.2	38.9	64.5	44.7	11.6
1962	8.1	11.1	25.8	39.4	56.7	61.2	63.5	64.0	52.9	46.8	31.7	16.6	39.8	40.6	62.9	43.8	9.2
1963	3.1	7.8	27.3	43.1	50.7	64.3	67.8	62.8	56.1	54.0	35.8	11.7	40.4	40.4	65.0	48.6	16.2
1964	18.4	18.4	24.7	41.4	57.4	62.2	68.6	61.3	54.5	43.6	33.9	14.2	41.6	41.2	64.0	44.0	12.1
1965	10.4	11.6	20.6	37.3	56.1	60.1	63.8	62.9	52.3	45.9	30.8	24.4	39.7	38.0	62.3	43.0	16.2
1966	6.8	17.4	30.1	37.8	48.0	64.0	69.6	63.0	55.2	44.1	29.9	17.9	40.3	38.6	65.5	43.1	13.9
1967	15.4	8.4	25.5	40.6	47.0	62.5	64.3	60.8	55.0	43.3	27.1	18.6	39.0	37.7	62.5	41.8	14.5
1968	12.0	13.0	33.5	42.8	50.0	61.8	65.8	64.2	57.5	47.8	31.1	17.3	41.4	42.1	63.9	45.5	15.5
1969	12.1	17.0	22.4	42.8	53.1	55.3	65.6	67.5	55.6	42.4	29.2	19.0	40.2	39.4	62.8	42.4	12.8
1970	6.4	12.9	23.3	42.0	52.7	64.1	69.0	65.3	56.9	47.3	30.3	17.6	40.7	39.3	66.1	44.8	12.5
1971	6.1	13.8	22.2	39.7	49.9	65.7	63.6	61.8	58.1	52.0	31.5	19.7	40.3	37.3	63.7	47.2	12.1
1972	6.3	10.4	21.7	35.6	56.3	60.3	65.1	64.2	54.5	41.2	30.1	13.8	38.3	37.9	63.2	41.9	16.1
1973	16.7	17.8	35.5	39.9	48.8	63.7	67.8	67.0	56.5	50.8	30.9	17.1	42.7	41.4	66.2	46.1	14.1
1974	12.4	12.8	26.1	42.3	49.4	58.8	68.3	63.6	50.9	44.1	32.5	22.2	40.3	39.3	63.6	42.5	17.6
1975	14.6	16.0	21.9	34.8	57.5	62.7	69.0	64.6	52.0	47.4	35.7	17.5	41.1	38.1	65.4	45.0	16.2
1976	9.0	22.0	26.1	43.8	50.4	65.1	67.6	64.0	54.2	39.7	23.7	7.4	39.4	40.1	65.6	39.2	8.9
1977	2.1	17.2	33.0	45.5	61.1	60.7	69.5	60.9	56.1	44.6	30.9	16.2	41.5	46.5	63.7	43.9	12.1
1978	9.8	10.4	24.4	38.3	55.3	61.2	64.5	65.0	58.9	44.1	29.8	13.8	39.6	39.3	63.6	44.3	8.3
1979	3.8	7.3	26.5	37.6	49.6	60.9	66.8	62.6	57.1	42.3	29.2	23.1	38.9	37.9	63.4	42.9	16.6
1980	13.3	13.4	23.5	43.1	56.0	60.5	67.9	65.7	54.9	40.3	31.8	15.8	40.5	40.9	64.7	42.3	15.9
1981	12.3	19.7	31.1	43.1	51.2	62.6	66.1	65.1	54.0	41.0	34.4	18.8	41.6	41.8	64.6	43.1	11.4
1982	2.9	12.6	25.4	36.7	58.2	56.6	67.8	62.0	54.4	46.3	30.3	24.1	39.8	40.1	62.1	43.7	22.0
1983	17.5	24.4	29.4	38.3	47.4	62.3	71.4	69.0	57.7	45.2	33.1	7.5	41.9	38.4	67.6	45.3	14.2
1984	9.3	25.7	21.5	43.3	49.9	63.9	65.8	67.0	53.8	47.6	30.9	19.2	41.5	38.2	65.6	44.1	14.5
1985	10.3	13.9	31.5	44.4	56.4	59.2	65.3	63.0	56.2	44.6	26.2	7.9	39.9	44.1	62.5	42.3	11.9
1986	12.9	14.8	28.8	46.2	56.4	61.1	68.2	61.5	56.2	44.6	26.8	21.4	41.6	43.8	63.6	42.5	21.5
1987	18.8	24.4	32.6	46.8	55.8	66.2	69.8	64.6	57.4	39.7	34.4	24.4	44.6	45.1	66.9	43.8	15.1
1988	9.1	11.8	27.7	42.1	57.2	66.2	69.9	68.5	57.2	39.8	33.1	17.5	41.7	42.3	68.2	43.4	15.7
1989	19.4	10.1	22.0	39.3	52.2	60.7	68.2	65.6	55.8	46.5	26.9	7.5	39.5	37.8	64.8	43.1	16.1
1990	22.5	18.3	30.9	45.0	50.1	62.6	65.7	64.4	57.8	43.3	35.5	18.0	42.8	42.0	64.2	45.5	16.2
1991	9.6	20.9	29.7	45.2	57.8	66.3	66.2	66.9	54.5	43.9	26.6	19.8	42.3	44.2	66.5	41.7	20.4
1992	18.8	22.7	27.2	38.7	54.1	59.5	61.4	61.3	54.5	43.8	28.9	20.2	40.9	40.0	60.7	42.4	16.5
1993	13.9	15.5	28.2	37.9	52.9	59.9	66.5	66.1	51.3	42.2	28.8	20.9	40.3	39.7	64.2	40.8	11.7
1994	3.0	11.1	29.8	41.0	53.7	64.7	65.5	62.5	59.2	47.6	35.3	25.4	41.6	41.5	64.2	47.4	19.8
1995	17.3	16.6	30.7	36.1	52.4	67.5	67.9	69.4	54.3	46.3	23.1	14.6	41.4	39.7	68.3	41.2	12.6
1996	9.4	13.7	21.0	36.5	49.8	62.6	63.7	65.6	57.4	44.5	26.2	18.6	39.1	35.8	64.0	42.7	16.7
1997	12.0	19.6	25.8	39.4	46.7	64.4	65.6	61.3	57.7	45.3	29.1	26.0	41.1	37.3	63.8	44.0	25.0
1998	19.1	29.9	29.8	45.4	59.2	62.0	67.2	67.5	61.2	47.6	36.0	24.5	45.8	44.8	65.6	48.3	19.8
1999	11.2	23.7	30.4	44.9	56.4	64.1	70.4	64.0	56.4	43.4	38.6	20.4	43.7	43.9	66.2	46.1	18.6
2000	13.2	22.2	36.7	40.7	55.4	61.2	65.1	65.0	55.7	48.6	32.1	9.5	42.1	44.3	63.8	45.5	14.5
2001	19.3	14.7	27.2	44.8	55.7	63.0	67.2	68.4	56.0	44.4	40.8	26.8	44.0	42.6	66.2	47.1	25.0
2002	23.0	25.3	22.9	40.6	48.4	64.3	71.3	65.9	60.0	40.8	30.0	23.3	43.0	37.3	67.2	43.6	15.7
2003	12.7	11.1	26.8	39.2	51.9	61.2	66.8	67.8	57.6	44.8	31.8	24.4	41.3	39.3	65.3	44.7	17.6
2004	8.9	19.6	30.8	41.9	50.7	60.2	64.7	60.8	61.8	46.3	35.0	18.5	41.6	41.1	61.9	47.7	18.0
2005	12.2	23.3	24.6	45.3	51.1	68.0	69.0	67.1	61.6	48.8	32.5	18.5	43.5	40.3	68.0	47.6	20.2
2006	25.4	16.6	29.8	46.9	54.8	63.1	70.7	65.7	55.1	41.4	35.6	26.0	44.3	43.8	66.5	44.0	19.2
2007	19.6	11.9	31.8	41.1	56.7	65.6	67.6	67.0	60.1	51.4	31.5	17.0	43.4	43.2	66.7	47.7	14.9
2008	15.2	12.6	23.2	41.7	50.4	63.2	67.6	65.0	59.0	45.0	32.0	11.8	40.6	38.4	65.3	45.3	12.2
2009	5.6	19.2	27.4	40.7	52.7	61.6	62.4	63.3	59.9	40.8	38.9	17.3	40.8	40.3	62.4	46.5	18.5
2010	17.1	21.2	36.4	48.0	56.8	63.0	69.6	69.2	54.8	48.0	33.9	18.4	44.7	47.1	67.3	45.6	16.3
2011	12.3	18.2	26.6	39.2	52.6	62.1	71.2	67.0	55.6	48.2	35.4	24.1	42.7	39.5	66.8	46.4	23.1
2012	19.5	25.6	43.0	43.2	57.9	65.5	72.0	65.4	55.6	43.9	32.9	24.7	45.8	48.0	67.6	44.1	18.9
2013	16.1	15.9	23.5	35.9	53.9	62.3	67.4	65.5	57.8	45.5	30.2	11.2	40.4	37.8	65.1	44.5	7.6
2014	5.0	6.6	18.4	37.2	53.4	64.4	64.0	64.4	56.5	44.6	24.3	22.1	38.4	36.3	64.3	41.8	13.6
2015	13.0	5.8	28.6	42.1	55.3	61.1	67.2	64.7	63.1	46.7	38.2	31.1	43.1	42.0	64.3	49.3	23.0
2016	16.3	21.6	34.4	39.5	54.6	63.6	68.3	68.3	60.8	48.0	40.0	19.8	44.6	42.8	66.7	49.6	21.2
2017	18.7	25.2	27.4	44.1	51.5	63.9	66.9	62.5	60.2	48.8	30.4	15.2	42.9	41.0	64.4	46.5	15.1
2018	14.6	15.6	27.3	32.0	60.0	63.7	68.4	66.9	59.1	41.5	26.5	24.3	41.7	39.8	66.3	42.4	16.1
2019	11.9	12.2	23.6	39.8	49.7	61.5	69.2	63.1	59.6	44.1	27.9	22.2	40.4	37.7	64.6	43.9	20.5
2020	21.5	17.9	32.3	38.0	52.1	64.2	70.4	66.6	55.5	39.6	37.4	23.8	43.3	40.8	67.1	44.2	15.6
2021	19.6	10.6	34.2	43.2	52.4	66.9	67.2	67.6	58.7	52.2	32.4	22.8	44.0	43.3	67.2	47.8	15.2
2022	8.8	14.1	27.0	37.7	55.6	63.5	67.5	65.8	58.6	45.8	34.8	19.9	41.6	40.1	65.6	46.4	21.5
2023	23.1	21.5	27.0	41.4	54.4	64.2	66.5							40.9			

Multi-year Statistics

Interval/	1895	2022															
AVE	12.4	15.1	26.4	40.5	52.8	62.3	66.9	64.4	56.4	45.0	30.6	18.0	40.9	39.9	64.5	44.0	15.2
MEDIAN	12.4	15.0	26.2	40.7	52.5	62.3	66.8	64.5	56.4	44.8	30.7	18.1	40.8	39.8	64.6	44.0	15.1

Average Temperature: Northeast Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	5.42	5.41	4.83	3.53	3.36	2.74	2.39	2.55	2.65	3.48	3.90	4.89	1.74	2.61	1.85	2.19	3.76
MAX	<b>25.4</b>	<b>29.9</b>	<b>43.0</b>	<b>48.6</b>	<b>61.1</b>	<b>69.7</b>	<b>73.3</b>	<b>71.5</b>	<b>63.1</b>	<b>54.1</b>	<b>40.8</b>	<b>31.1</b>	<b>45.8</b>	<b>48.0</b>	<b>68.3</b>	<b>49.7</b>	<b>25.0</b>
MIN	<b>-5.9</b>	<b>-0.2</b>	<b>15.7</b>	<b>31.6</b>	<b>44.2</b>	<b>55.3</b>	<b>61.4</b>	<b>58.6</b>	<b>49.7</b>	<b>35.1</b>	<b>21.7</b>	<b>7.2</b>	<b>36.1</b>	<b>34.5</b>	<b>59.3</b>	<b>38.2</b>	<b>5.9</b>
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	11.7	14.9	26.1	40.3	52.5	62.0	66.7	64.1	55.9	44.9	30.2	17.4	40.6	39.6	64.3	43.7	14.7
MEDIAN	12.0	14.9	25.8	40.5	52.3	62.1	66.5	64.1	56.1	44.7	30.3	17.6	40.4	39.6	64.3	43.7	14.5
STD	5.32	5.26	4.52	3.55	3.47	2.87	2.34	2.50	2.42	3.35	3.57	4.77	1.55	2.52	1.83	1.99	3.54
MAX	<b>23.0</b>	<b>29.9</b>	<b>37.8</b>	<b>48.6</b>	<b>61.1</b>	<b>69.7</b>	<b>73.3</b>	<b>71.5</b>	<b>62.4</b>	<b>54.1</b>	<b>38.6</b>	<b>27.1</b>	<b>45.8</b>	<b>46.5</b>	<b>68.3</b>	<b>49.7</b>	<b>25.0</b>
MIN	<b>-5.9</b>	<b>-0.2</b>	<b>17.4</b>	<b>31.6</b>	<b>44.2</b>	<b>55.3</b>	<b>61.4</b>	<b>58.6</b>	<b>49.7</b>	<b>35.1</b>	<b>21.7</b>	<b>7.2</b>	<b>36.1</b>	<b>34.5</b>	<b>59.3</b>	<b>39.2</b>	<b>5.9</b>

Interval/	1951	2000															
AVE	11.7	16.3	26.7	41.0	53.1	62.2	66.7	64.5	55.7	45.1	30.6	17.7	40.9	40.2	64.5	43.8	15.3
MEDIAN	12.0	15.8	26.3	41.2	52.7	62.3	66.5	64.3	56.1	44.6	30.9	18.3	40.8	40.0	64.2	43.7	15.6
STD	4.92	5.10	4.14	3.14	3.59	2.53	2.21	2.32	2.08	3.21	3.70	4.82	1.42	2.45	1.66	2.03	3.47
MAX	<b>22.5</b>	<b>29.9</b>	<b>36.7</b>	<b>46.9</b>	<b>61.1</b>	<b>67.5</b>	<b>71.9</b>	<b>69.4</b>	<b>61.2</b>	<b>54.0</b>	<b>38.6</b>	<b>26.0</b>	<b>45.8</b>	<b>46.5</b>	<b>68.3</b>	<b>48.6</b>	<b>25.0</b>
MIN	<b>2.1</b>	<b>7.3</b>	<b>17.5</b>	<b>34.8</b>	<b>46.7</b>	<b>55.3</b>	<b>61.4</b>	<b>60.7</b>	<b>50.9</b>	<b>39.6</b>	<b>21.7</b>	<b>7.4</b>	<b>38.3</b>	<b>35.8</b>	<b>60.7</b>	<b>39.2</b>	<b>8.3</b>

Interval/	1991	2020															
AVE	14.5	17.9	28.5	40.9	53.6	63.3	67.4	65.5	57.7	45.2	32.3	20.7	42.3	41.0	65.4	45.1	17.6
MEDIAN	14.3	18.1	27.8	40.7	53.6	63.2	67.3	65.7	57.7	44.9	32.1	20.7	42.2	40.6	65.4	45.0	17.8
STD	5.2	5.7	4.9	3.6	3.1	2.1	2.6	2.3	2.7	2.8	4.7	4.9	1.8	3.0	1.8	2.4	3.9
MAX	<b>25.4</b>	<b>29.9</b>	<b>43.0</b>	<b>48.0</b>	<b>60.0</b>	<b>68.0</b>	<b>72.0</b>	<b>69.4</b>	<b>63.1</b>	<b>51.4</b>	<b>40.8</b>	<b>31.1</b>	<b>45.8</b>	<b>48.0</b>	<b>68.3</b>	<b>49.6</b>	<b>25.0</b>
MIN	<b>3.0</b>	<b>5.8</b>	<b>18.4</b>	<b>32.0</b>	<b>46.7</b>	<b>59.5</b>	<b>61.4</b>	<b>60.8</b>	<b>51.3</b>	<b>39.6</b>	<b>23.1</b>	<b>9.5</b>	<b>38.4</b>	<b>35.8</b>	<b>60.7</b>	<b>40.8</b>	<b>7.6</b>

Interval/	1981	2010															
AVE	14.1	18.2	28.4	42.0	53.4	62.9	67.2	65.4	57.0	44.8	31.9	18.9	42.0	41.3	65.1	44.6	17.1
MEDIAN	13.1	18.8	29.1	41.8	53.3	62.8	67.2	65.6	56.8	44.7	32.1	19.0	41.6	41.3	65.3	44.1	16.4
STD	5.6	5.2	3.9	3.3	3.3	2.6	2.4	2.5	2.5	2.8	4.1	5.5	1.6	2.7	2.0	2.1	3.6
MAX	<b>25.4</b>	<b>29.9</b>	<b>36.7</b>	<b>48.0</b>	<b>59.2</b>	<b>68.0</b>	<b>71.4</b>	<b>69.4</b>	<b>61.8</b>	<b>51.4</b>	<b>40.8</b>	<b>26.8</b>	<b>45.8</b>	<b>47.1</b>	<b>68.3</b>	<b>48.3</b>	<b>25.0</b>
MIN	<b>2.9</b>	<b>10.1</b>	<b>21.0</b>	<b>36.1</b>	<b>46.7</b>	<b>56.6</b>	<b>61.4</b>	<b>60.8</b>	<b>51.3</b>	<b>39.7</b>	<b>23.1</b>	<b>7.5</b>	<b>39.1</b>	<b>35.8</b>	<b>60.7</b>	<b>40.8</b>	<b>11.4</b>

Interval/	1971	2000															
AVE	11.9	17.1	27.7	41.1	53.6	62.4	66.9	64.7	55.9	44.6	30.7	17.8	41.2	40.8	64.7	43.7	15.7
MEDIAN	12.2	16.3	28.0	40.9	53.9	62.5	67.0	64.6	56.2	44.6	30.9	18.7	41.2	40.1	64.2	43.5	16.0
STD	5.3	5.5	4.2	3.5	3.7	2.6	2.2	2.3	2.3	3.1	3.7	5.4	1.6	2.8	1.7	2.0	3.8
MAX	<b>22.5</b>	<b>29.9</b>	<b>36.7</b>	<b>46.8</b>	<b>61.1</b>	<b>67.5</b>	<b>71.4</b>	<b>69.4</b>	<b>61.2</b>	<b>52.0</b>	<b>38.6</b>	<b>26.0</b>	<b>45.8</b>	<b>46.5</b>	<b>68.3</b>	<b>48.3</b>	<b>25.0</b>
MIN	<b>2.1</b>	<b>7.3</b>	<b>21.0</b>	<b>34.8</b>	<b>46.7</b>	<b>56.6</b>	<b>61.4</b>	<b>60.9</b>	<b>50.9</b>	<b>39.7</b>	<b>23.1</b>	<b>7.4</b>	<b>38.3</b>	<b>35.8</b>	<b>60.7</b>	<b>39.2</b>	<b>8.3</b>

Interval/	1961	1990															
AVE	11.1	15.2	26.8	41.0	53.0	62.0	67.1	64.2	55.6	44.9	30.9	16.9	40.7	40.3	64.4	43.8	14.4
MEDIAN	11.2	13.9	26.1	41.7	52.5	62.3	67.7	64.2	56.0	44.6	30.9	17.5	40.4	39.8	64.1	43.7	14.5
STD	5.2	5.0	4.1	3.2	3.8	2.5	2.1	2.1	1.9	3.5	2.9	4.8	1.3	2.3	1.5	1.8	3.1
MAX	<b>22.5</b>	<b>25.7</b>	<b>35.5</b>	<b>46.8</b>	<b>61.1</b>	<b>66.2</b>	<b>71.4</b>	<b>69.0</b>	<b>58.9</b>	<b>54.0</b>	<b>35.8</b>	<b>24.4</b>	<b>44.6</b>	<b>46.5</b>	<b>68.2</b>	<b>48.6</b>	<b>22.0</b>
MIN	<b>2.1</b>	<b>7.3</b>	<b>20.6</b>	<b>34.8</b>	<b>47.0</b>	<b>55.3</b>	<b>63.5</b>	<b>60.8</b>	<b>50.9</b>	<b>39.7</b>	<b>23.7</b>	<b>7.4</b>	<b>38.3</b>	<b>37.3</b>	<b>62.1</b>	<b>39.2</b>	<b>8.3</b>

Interval/	1951	1980															
AVE	10.8	14.8	25.4	40.6	52.7	61.9	66.6	64.2	55.4	45.4	30.4	17.4	40.5	39.6	64.2	43.7	14.4
MEDIAN	11.8	14.6	24.6	41.0	51.9	62.3	66.5	64.0	55.9	44.7	30.9	17.4	40.3	39.4	64.0	43.8	14.8
STD	4.5	4.2	3.9	2.9	3.6	2.3	2.1	2.1	2.0	3.6	3.4	4.0	1.0	2.0	1.4	2.1	3.0
MAX	<b>18.4</b>	<b>25.1</b>	<b>35.5</b>	<b>46.9</b>	<b>61.1</b>	<b>65.7</b>	<b>71.9</b>	<b>69.0</b>	<b>58.9</b>	<b>54.0</b>	<b>35.8</b>	<b>24.6</b>	<b>42.7</b>	<b>46.5</b>	<b>67.7</b>	<b>48.6</b>	<b>19.2</b>
MIN	<b>2.1</b>	<b>7.3</b>	<b>17.5</b>	<b>34.8</b>	<b>46.8</b>	<b>55.3</b>	<b>63.1</b>	<b>60.7</b>	<b>50.9</b>	<b>39.6</b>	<b>21.7</b>	<b>7.4</b>	<b>38.3</b>	<b>36.5</b>	<b>61.7</b>	<b>39.2</b>	<b>8.3</b>

Interval/	1941	1970															
AVE	12.2	15.1	25.4	40.8	52.2	62.0	66.4	64.5	55.6	46.0	30.2	17.5	40.7	39.5	64.3	44.0	14.8
MEDIAN	12.0	15.0	24.3	41.4	51.5	62.3	66.2	64.2	55.6	45.4	30.2	17.8	40.5	39.8	64.4	43.9	14.5
STD	4.5	3.6	4.5	3.4	3.2	2.5	2.1	2.6	2.0	3.3	3.5	3.7	1.1	2.1	1.6	1.9	2.8
MAX	<b>23.0</b>	<b>25.1</b>	<b>36.9</b>	<b>47.2</b>	<b>57.4</b>	<b>66.5</b>	<b>71.9</b>	<b>71.5</b>	<b>60.1</b>	<b>54.1</b>	<b>35.8</b>	<b>25.0</b>	<b>42.8</b>	<b>43.5</b>	<b>67.7</b>	<b>48.6</b>	<b>20.1</b>
MIN	<b>3.1</b>	<b>7.8</b>	<b>17.5</b>	<b>31.6</b>	<b>46.8</b>	<b>55.3</b>	<b>63.1</b>	<b>59.5</b>	<b>51.7</b>	<b>39.6</b>	<b>21.7</b>	<b>10.2</b>	<b>37.9</b>	<b>34.5</b>	<b>61.7</b>	<b>40.1</b>	<b>8.8</b>

Interval/	1931	1960															
AVE	13.4	15.1	24.8	40.1	52.6	62.4	67.2	64.9	56.2	45.4	29.7	17.9	40.8	39.2	64.8	43.8	15.3
MEDIAN	14.0	15.2	23.9	40.0	51.9	62.2	67.0	64.6	56.4	44.9	30.0	17.9	40.7	39.4	64.9	43.9	15.1
STD	4.7	4.5	4.4	3.6	3.1	2.8	2.2	2.6	2.4	3.3	3.9	4.0	1.3	2.2	1.6	2.1	2.9
MAX	<b>23.0</b>	<b>25.1</b>	<b>36.9</b>	<b>47.2</b>	<b>58.2</b>	<b>69.7</b>	<b>71.9</b>	<b>71.5</b>	<b>62.4</b>	<b>54.1</b>	<b>37.4</b>	<b>26.5</b>	<b>44.9</b>	<b>43.5</b>	<b>67.7</b>	<b>49.7</b>	<b>21.3</b>
MIN	<b>5.8</b>	<b>-0.2</b>	<b>17.5</b>	<b>31.6</b>	<b>46.8</b>	<b>57.2</b>	<b>63.1</b>	<b>59.5</b>	<b>51.7</b>	<b>39.6</b>	<b>21.7</b>	<b>10.2</b>	<b>37.9</b>	<b>34.5</b>	<b>61.7</b>	<b>40.1</b>	<b>8.1</b>

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Average Temperature: Northeast Wisconsin**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	12.6	14.5	25.3	39.5	52.3	62.2	67.1	64.2	56.4	45.0	29.7	17.2	40.5	39.1	64.5	43.7	14.6
MEDIAN	12.5	15.2	24.7	38.6	52.2	62.0	67.0	64.2	56.3	45.2	29.5	16.9	40.5	39.3	64.8	43.9	14.2
STD	5.3	4.8	4.7	3.8	3.4	3.3	2.5	2.6	2.7	3.5	3.4	4.4	1.7	2.5	2.0	2.1	3.0
MAX	23.0	24.8	36.9	47.2	58.8	69.7	73.3	71.5	62.4	54.1	37.4	26.8	44.9	43.5	68.3	49.7	21.3
MIN	0.8	-0.2	17.7	31.6	45.2	57.3	62.5	58.9	51.5	35.1	24.4	8.7	37.5	34.5	60.4	39.4	8.1

Interval/	1911	1940															
AVE	11.1	13.5	24.9	39.3	52.3	61.9	67.1	63.4	56.3	44.3	29.6	17.4	40.1	38.8	64.2	43.4	14.0
MEDIAN	11.4	14.6	24.8	38.6	52.3	61.6	67.0	63.4	56.5	44.1	29.5	16.9	40.0	39.1	64.7	43.8	14.0
STD	6.3	5.9	3.9	3.3	3.4	3.6	2.8	2.5	2.8	3.8	3.5	5.4	1.7	2.1	2.1	2.2	3.8
MAX	20.5	24.8	31.8	48.6	58.8	69.7	73.3	69.8	62.4	52.1	37.4	27.1	44.9	43.5	68.3	49.7	21.3
MIN	-5.9	-0.2	17.7	33.7	45.2	57.0	62.4	58.6	49.7	35.1	23.2	7.2	36.1	35.3	59.3	39.4	7.4

Interval/	1901	1930															
AVE	10.4	12.8	25.9	39.6	51.5	61.4	66.2	62.9	55.9	44.2	29.9	16.6	39.8	39.0	63.5	43.3	13.5
MEDIAN	11.9	13.6	26.0	39.7	51.6	61.1	65.6	63.1	55.9	43.9	30.3	16.4	40.0	39.3	63.6	43.5	13.9
STD	5.7	5.1	4.7	3.8	3.3	3.2	2.5	2.3	2.7	3.5	3.3	5.1	1.5	2.5	2.0	1.8	3.8
MAX	19.2	22.4	37.8	48.6	58.8	67.7	73.3	66.4	61.6	52.1	35.2	27.1	43.5	43.5	68.3	46.6	21.0
MIN	-5.9	2.5	17.4	31.8	44.2	57.0	62.4	58.6	49.7	35.1	23.2	7.2	36.1	35.0	59.3	39.4	5.9

Data as of 4 Aug 2023