

Wisconsin State Climatology Office

Maximum Temperature [degrees Fahrenheit]: Northeast Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												ANNUAL	SPRING	SUMMER	FALL	WINTER
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		MAM	JJA	SON	DJF
1895	18.4	20.5	35.7	57.1	68.4	78.7	78.2	78.3	72.2	49.9	36.4	27.6	51.8	53.7	78.4	52.8	26.5
1896	23.3	28.5	32.8	55.1	72.1	78.2	78.4	78.0	62.1	51.2	31.6	28.7	51.7	53.3	78.2	48.3	26.9
1897	23.6	28.3	35.0	50.6	63.5	70.8	81.6	73.4	74.3	58.7	36.7	22.9	51.6	49.7	75.3	56.6	26.1
1898	27.8	27.6	40.2	51.2	67.0	76.0	81.1	75.3	71.2	51.8	37.8	23.2	52.5	52.8	77.5	53.6	19.8
1899	19.4	16.8	27.5	57.3	65.6	75.9	78.8	78.6	63.8	59.7	45.3	24.6	51.1	50.1	77.8	56.3	23.6
1900	26.3	20.0	31.1	56.2	69.1	76.1	76.5	82.7	69.4	63.9	33.5	27.5	52.7	52.1	78.4	55.6	23.8
1901	22.9	21.0	33.9	56.6	66.5	76.7	82.6	77.9	67.1	57.6	36.0	23.0	51.8	52.3	79.1	53.6	24.5
1902	24.0	26.4	44.5	53.7	67.0	70.7	79.9	73.9	64.0	55.7	43.1	25.1	52.3	55.1	74.8	54.3	24.1
1903	21.8	25.4	43.4	52.6	66.7	73.6	78.2	70.1	66.7	58.2	35.8	19.2	51.0	54.2	74.0	53.6	16.4
1904	15.4	14.7	33.6	47.4	65.8	73.7	76.6	73.0	66.0	52.6	42.4	23.4	48.7	48.9	74.4	53.7	19.9
1905	16.5	19.7	38.7	50.8	62.7	73.0	75.7	76.4	69.2	53.8	38.6	30.4	50.5	50.7	75.0	53.9	28.0
1906	28.9	24.8	29.0	56.4	64.2	74.0	78.6	78.5	72.5	54.2	36.9	26.6	52.1	49.9	77.0	54.5	24.2
1907	19.2	26.7	40.4	41.8	57.3	75.5	77.2	74.5	64.7	54.3	36.8	28.9	49.8	46.5	75.7	51.9	26.7
1908	26.1	25.2	36.6	53.8	64.8	74.8	79.2	77.5	75.9	57.8	40.2	25.0	53.1	51.7	77.2	58.0	25.1
1909	23.6	26.6	34.5	43.9	62.8	77.1	79.0	78.7	67.3	53.0	43.6	22.4	51.0	47.1	78.3	54.6	22.8
1910	23.2	22.9	51.8	57.1	62.0	80.5	83.6	77.2	66.8	59.7	32.3	23.7	53.4	57.0	80.4	52.9	25.5
1911	23.1	29.6	39.3	51.8	71.1	80.6	79.8	74.7	66.4	51.3	31.9	31.0	52.6	54.1	78.4	49.9	18.3
1912	4.4	19.6	31.4	53.8	65.3	74.2	77.6	69.3	67.4	58.1	40.1	29.9	49.3	50.2	73.7	55.2	23.8
1913	22.6	18.8	33.2	55.0	63.8	78.6	77.2	78.1	68.5	54.1	43.8	36.6	52.5	50.7	78.0	55.5	27.9
1914	27.4	19.6	35.9	49.9	69.4	73.4	81.9	75.6	68.6	62.6	39.6	20.2	52.0	51.7	77.0	56.9	23.7
1915	20.3	30.6	35.6	62.3	59.9	70.0	75.2	71.7	68.7	56.1	39.2	27.3	51.4	52.6	72.3	54.7	23.6
1916	22.8	20.7	32.1	50.3	64.2	68.3	86.6	79.6	64.8	54.6	37.1	21.5	50.2	48.9	78.2	52.2	18.4
1917	18.3	15.4	33.9	47.6	61.2	70.1	80.4	73.4	66.4	43.7	41.7	18.4	47.5	47.6	74.6	50.6	17.3
1918	10.6	23.0	44.4	52.5	67.9	74.0	77.9	77.9	61.9	57.0	41.3	30.2	51.6	54.9	76.6	53.4	27.9
1919	27.2	26.4	38.6	52.4	64.3	79.2	81.8	74.8	69.5	52.2	34.1	16.2	51.4	51.8	78.6	51.9	17.8
1920	14.3	22.9	37.6	46.1	66.6	76.7	75.9	76.2	72.6	64.6	35.9	28.3	51.5	50.1	76.3	57.7	28.3
1921	27.4	29.1	39.3	58.8	68.4	80.4	86.0	76.8	71.9	55.5	32.5	25.5	54.3	55.5	81.1	53.3	23.2
1922	20.9	23.2	37.2	50.9	71.8	75.6	75.8	76.9	71.0	57.5	41.0	23.9	52.1	53.3	76.1	56.5	22.1
1923	22.8	19.5	29.9	49.3	67.2	79.2	80.3	73.6	67.7	55.7	43.4	35.1	52.0	48.8	77.7	55.6	25.4
1924	14.5	26.6	34.9	48.4	57.1	71.2	75.3	73.2	63.2	62.8	39.8	17.9	48.7	46.8	73.2	55.3	22.3
1925	21.6	27.4	39.7	59.5	63.4	75.7	77.4	78.5	70.6	43.8	37.8	22.5	51.5	54.2	77.2	50.7	24.4
1926	23.7	26.9	30.5	48.7	68.4	70.2	78.3	73.8	62.7	50.5	31.8	22.2	49.0	49.2	74.1	48.3	24.1
1927	20.2	29.8	41.4	51.4	59.7	71.6	76.6	72.9	69.2	58.3	36.4	21.2	50.7	50.8	73.7	54.6	23.3
1928	23.1	25.6	35.7	45.4	67.5	69.6	78.0	75.9	63.0	55.3	38.5	29.2	50.6	49.5	74.5	52.3	19.8
1929	12.0	18.3	39.2	53.0	61.7	72.0	79.3	75.7	67.8	55.5	35.4	23.8	49.5	51.3	75.7	52.9	23.6
1930	16.0	30.9	36.7	55.0	66.4	76.3	81.0	81.2	71.3	52.5	44.0	26.9	53.2	52.7	79.5	55.9	30.1
1931	28.3	35.2	35.7	55.9	65.0	77.9	83.8	76.2	74.3	59.5	46.2	33.7	56.0	52.2	79.3	60.0	30.2
1932	28.6	28.4	29.4	50.3	65.6	78.4	81.5	79.9	69.4	52.1	35.1	25.1	52.0	48.4	79.9	52.2	25.9
1933	30.4	22.1	33.2	48.9	66.4	83.5	83.3	78.5	74.1	52.4	33.6	22.6	52.4	49.5	81.8	53.4	23.5
1934	27.7	20.3	31.7	48.0	74.1	79.4	80.5	74.8	65.5	57.4	41.1	23.1	52.0	51.3	78.2	54.7	23.4
1935	19.7	27.5	38.0	50.5	61.8	69.9	82.9	76.0	66.4	54.8	34.6	23.7	50.5	50.1	76.3	51.9	17.5
1936	17.1	11.8	36.3	45.4	71.6	73.9	86.4	77.9	71.4	51.8	34.6	29.5	50.6	51.1	79.4	52.6	25.4
1937	21.5	25.2	33.8	47.7	67.6	74.8	83.1	84.4	69.9	50.4	36.1	23.4	51.5	49.7	80.8	52.1	24.1
1938	20.4	28.5	42.9	54.4	64.2	73.6	78.1	79.7	66.0	61.1	39.4	25.8	52.8	53.8	77.1	55.5	24.9
1939	26.1	22.8	36.2	50.0	70.3	74.6	81.5	77.6	70.7	54.1	42.2	32.9	53.3	52.2	77.9	55.7	25.9
1940	17.5	27.3	30.3	48.3	62.2	73.6	79.7	73.2	70.0	56.6	35.6	27.3	50.1	46.9	75.5	54.1	25.5
1941	23.2	26.1	33.2	59.5	70.7	77.5	81.2	77.3	69.6	55.2	41.1	31.8	53.9	54.5	78.7	55.3	27.1
1942	23.6	25.9	38.6	61.8	64.0	73.5	77.7	75.9	65.1	58.2	39.2	20.8	52.0	54.8	75.7	54.2	22.6
1943	18.7	28.2	30.9	49.5	64.2	76.9	81.6	77.3	63.3	56.1	33.9	29.0	50.8	48.2	78.6	51.1	29.8
1944	32.7	27.8	31.7	49.4	69.2	76.6	79.1	79.4	66.8	57.9	41.5	23.3	53.0	50.1	78.4	55.4	22.6
1945	17.6	26.8	48.3	53.3	60.0	69.8	75.9	77.8	67.1	54.3	36.8	21.0	50.7	53.9	74.5	52.7	23.0
1946	23.4	24.7	48.1	56.9	64.4	73.5	79.2	75.1	68.6	60.9	40.3	27.2	53.5	56.5	75.9	56.6	25.6
1947	26.1	23.5	34.5	47.8	59.1	71.0	80.2	84.8	69.7	67.0	33.3	25.4	51.9	47.1	78.7	56.7	22.7
1948	18.0	24.7	36.1	56.3	66.3	75.0	80.2	79.0	74.7	56.5	39.6	27.0	52.8	52.9	78.1	56.9	26.0
1949	25.0	26.0	34.8	56.5	69.2	79.8	80.8	79.1	65.6	61.1	38.2	26.8	53.6	53.5	79.9	55.0	24.6
1950	21.9	25.2	31.5	41.3	65.3	75.7	76.0	72.6	66.4	60.4	34.0	20.9	49.3	46.0	74.8	53.6	22.4
1951	20.3	26.1	32.9	49.3	70.8	71.0	77.9	71.5	63.8	54.5	31.4	23.6	49.4	51.0	73.5	49.9	25.8
1952	23.4	30.3	33.6	58.4	65.9	76.2	79.5	75.4	70.4	53.3	41.5	29.2	53.1	52.6	77.0	55.1	27.1
1953	25.5	26.7	37.0	47.6	66.7	76.3	79.1	78.6	69.0	64.4	46.0	28.6	53.8	50.4	78.0	59.8	28.4
1954	21.6	35.0	34.0	54.0	58.8	76.6	78.7	74.5	63.7	53.8	41.3	27.4	51.6	48.9	76.6	52.9	24.7
1955	21.7	25.1	34.1	59.3	70.6	74.9	84.8	82.0	69.8	57.3	33.8	21.8	52.9	54.7	80.6	53.6	24.7
1956	25.4	27.0	33.4	47.9	64.7	77.1	74.0	75.0	64.8	63.5	37.8	28.0	51.6	48.7	75.4	55.4	24.1
1957	15.7	28.6	37.9	53.4	64.3	74.2	80.9	76.4	66.3	55.3	36.8	28.0	51.5	51.9	77.2	52.8	25.4
1958	25.2	22.9	37.8	55.2	66.7	71.0	77.5	77.8	68.0	57.1	40.8	20.1	51.7	53.2	75.4	55.3	19.8
1959	16.3	23.0	36.0	52.4	70.6	76.9	79.4	79.5	69.2	48.9	30.1	31.6	51.2	53.0	78.6	49.4	27.3
1960	23.4	26.8	30.6	52.3	62.9	72.9	78.3	77.7	68.4	55.7	42.1	24.3	51.3	48.6	76.3	55.4	26.5

Maximum Temperature: Northeast Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	22.0	33.1	39.0	48.4	64.4	76.2	78.0	78.1	68.1	57.6	38.6	24.3	52.3	50.6	77.4	54.8	21.2
1962	17.3	21.9	36.2	51.3	68.3	73.8	75.8	77.0	64.2	56.8	39.0	25.1	50.6	51.9	75.5	53.3	18.8
1963	11.5	19.8	39.4	57.3	64.3	78.7	81.5	75.4	68.4	67.0	44.3	20.8	52.4	53.7	78.5	59.9	26.3
1964	28.0	30.2	35.3	53.6	70.7	76.0	81.3	72.3	64.8	55.4	43.3	22.9	52.8	53.2	76.5	54.5	22.4
1965	20.3	24.0	30.5	47.3	69.1	73.4	76.7	74.4	61.9	56.8	38.8	30.6	50.3	49.0	74.8	52.5	25.2
1966	18.2	26.7	39.9	48.2	61.2	77.5	83.1	74.4	68.0	55.6	36.5	26.0	51.3	49.8	78.3	53.4	23.8
1967	24.8	20.6	37.0	52.4	60.6	74.2	76.9	73.8	68.2	52.9	34.3	27.0	50.2	50.0	75.0	51.8	24.3
1968	21.4	24.6	45.9	55.3	62.2	73.2	78.0	76.6	67.4	57.7	38.0	24.9	52.1	54.5	75.9	54.4	24.7
1969	20.7	28.4	34.8	54.9	67.0	66.0	78.0	81.7	67.5	51.0	38.0	26.8	51.2	52.2	75.2	52.2	23.2
1970	16.8	26.0	35.0	53.4	64.4	77.3	82.1	79.1	67.5	57.2	37.2	26.1	51.8	50.9	79.5	54.0	22.4
1971	16.5	24.5	33.1	52.9	64.1	78.8	75.9	74.9	68.7	60.7	38.7	27.6	51.4	50.0	76.5	56.0	22.9
1972	18.8	22.3	32.7	46.8	71.2	74.2	76.8	75.3	65.7	51.1	35.8	21.5	49.4	50.2	75.4	50.9	25.2
1973	26.5	27.5	44.6	49.7	59.3	75.3	80.2	77.8	67.4	62.0	37.9	24.9	52.8	51.2	77.8	55.8	24.0
1974	21.5	25.6	35.4	54.4	61.6	71.7	81.4	75.4	62.9	55.1	40.6	30.4	51.3	50.5	76.2	52.9	27.0
1975	24.4	26.3	33.4	46.4	71.0	73.7	81.4	77.0	63.3	59.8	45.4	26.4	52.4	50.3	77.4	56.2	26.1
1976	19.7	32.3	36.3	56.5	64.4	79.6	82.7	78.8	69.4	51.7	33.4	18.6	52.0	52.4	80.4	51.5	19.8
1977	12.8	28.0	42.9	59.0	76.2	73.4	82.2	73.2	64.9	56.3	38.8	24.2	52.7	59.4	76.3	53.3	22.3
1978	19.8	22.9	37.2	49.0	69.0	74.9	75.8	77.2	69.3	54.1	39.2	23.0	51.0	51.7	76.0	54.2	18.6
1979	13.3	19.4	35.5	48.2	61.4	73.4	79.8	73.4	69.1	51.0	36.8	32.1	49.5	48.4	75.5	52.3	26.3
1980	22.4	24.4	34.4	55.2	70.9	73.4	80.8	75.8	65.8	50.1	39.8	24.1	51.4	53.5	76.7	51.9	25.8
1981	23.9	29.3	42.1	54.3	65.8	74.1	78.6	76.4	65.4	50.5	43.8	27.1	52.6	54.1	76.4	53.2	22.2
1982	14.8	24.8	34.7	48.5	70.4	70.0	79.5	74.2	64.3	56.4	38.0	31.1	50.6	51.2	74.6	52.9	29.7
1983	25.9	32.0	36.9	48.1	59.1	75.3	83.7	80.9	68.8	55.5	40.6	16.3	51.9	48.0	80.0	55.0	23.5
1984	19.6	34.6	32.0	54.5	62.5	75.7	78.5	78.3	64.8	56.7	40.1	27.9	52.1	49.7	77.5	53.9	24.1
1985	20.3	24.2	41.9	55.9	69.4	71.6	78.5	73.6	66.1	55.4	33.4	17.3	50.6	55.7	74.6	51.6	22.2
1986	23.7	25.5	39.6	57.6	69.6	74.3	79.8	73.4	65.7	54.9	35.9	28.9	52.4	55.6	75.8	52.2	30.5
1987	27.3	35.2	44.2	60.7	69.4	79.5	81.6	75.9	69.8	49.8	42.2	31.0	55.6	58.1	79.0	53.9	24.7
1988	19.7	23.4	37.7	55.1	73.7	81.9	83.6	80.0	68.6	49.9	39.1	27.1	53.3	55.5	81.8	52.5	25.9
1989	28.8	21.7	33.5	51.2	66.0	72.7	81.6	78.0	69.6	58.6	35.2	16.9	51.2	50.2	77.4	54.5	26.6
1990	32.7	30.1	42.0	57.4	62.8	74.3	77.2	75.6	68.6	54.6	45.1	27.3	54.0	54.1	75.7	56.1	26.2
1991	19.8	31.5	40.1	57.1	68.9	78.8	76.9	79.1	64.9	54.6	35.0	28.9	53.0	55.4	78.3	51.5	28.8
1992	26.1	31.3	37.2	47.8	68.8	72.4	72.5	73.8	64.6	54.8	35.3	27.9	51.0	51.3	72.9	51.6	26.2
1993	24.2	26.6	39.7	48.5	64.7	70.9	77.0	77.1	62.1	53.0	36.6	27.4	50.7	51.0	75.0	50.6	20.8
1994	13.3	21.7	40.2	54.1	68.4	77.8	76.4	73.4	69.8	58.1	44.0	33.8	52.6	54.2	75.9	57.3	28.3
1995	24.9	26.3	41.6	46.6	65.2	80.7	79.7	78.9	66.6	55.3	31.1	23.4	51.7	51.1	79.8	51.0	23.4
1996	21.9	25.0	31.5	47.4	62.2	73.2	75.0	77.4	67.7	55.8	33.7	25.3	49.7	47.0	75.2	52.4	25.2
1997	20.6	29.6	35.8	52.0	58.1	77.1	77.2	72.4	68.7	56.0	36.7	32.7	51.4	48.6	75.6	53.8	32.0
1998	25.8	37.5	39.0	58.8	73.6	73.3	80.2	79.4	75.2	58.2	43.2	34.6	56.6	57.1	77.6	58.9	29.5
1999	20.6	33.3	42.0	57.4	68.8	76.5	82.0	75.6	69.4	54.8	49.6	28.8	54.9	56.1	78.0	57.9	28.7
2000	23.8	33.4	48.1	53.0	68.2	72.7	76.7	76.6	67.4	60.5	39.1	18.9	53.2	56.4	75.3	55.7	24.3
2001	28.7	25.2	37.7	57.0	68.0	74.2	80.1	80.8	66.7	55.3	50.1	34.2	54.8	54.2	78.4	57.4	33.5
2002	31.4	35.0	33.3	51.4	60.5	75.6	83.8	77.2	70.8	49.9	38.4	31.1	53.2	48.4	78.9	53.0	25.3
2003	21.6	23.1	38.7	51.9	65.1	74.2	79.5	80.0	68.8	56.2	39.0	32.7	52.6	51.9	77.9	54.7	27.1
2004	17.9	30.7	40.0	54.5	62.7	72.2	76.5	72.6	74.9	56.9	43.6	27.6	52.5	52.4	73.8	58.5	27.4
2005	21.3	33.3	36.9	59.3	62.8	80.3	82.4	79.2	74.3	59.5	41.1	25.1	54.6	53.0	80.6	58.3	27.9
2006	32.2	26.4	40.3	60.6	66.3	76.6	84.4	77.6	66.5	51.6	43.0	32.6	54.8	55.7	79.5	53.7	27.1
2007	27.6	21.0	43.0	53.1	70.8	79.1	80.2	79.2	72.3	61.6	39.6	26.1	54.5	55.6	79.5	57.8	24.8
2008	23.9	24.3	35.5	52.7	64.1	74.4	79.9	79.2	70.6	55.6	40.0	22.2	51.9	50.8	77.8	55.4	23.0
2009	17.1	29.8	38.6	52.4	65.6	73.4	74.5	75.1	73.3	48.7	48.2	25.3	51.8	52.2	74.3	56.7	26.9
2010	24.7	30.6	49.4	61.9	70.0	72.9	80.2	80.2	65.7	60.3	42.4	25.8	55.3	60.4	77.8	56.1	24.6
2011	20.3	27.7	37.2	49.5	63.6	73.7	82.7	79.4	66.8	59.8	43.0	32.0	53.0	50.1	78.6	56.5	32.0
2012	28.7	35.2	54.3	56.1	71.7	78.3	84.8	78.0	68.9	54.4	41.2	31.6	56.9	60.7	80.4	54.8	27.7
2013	25.6	25.9	34.0	45.3	67.0	73.6	78.7	78.0	70.4	55.6	38.0	20.0	51.0	48.8	76.8	54.7	17.8
2014	14.7	18.6	30.6	47.7	65.5	75.7	75.8	75.6	68.1	53.2	31.8	29.4	48.9	47.9	75.7	51.0	22.4
2015	20.9	16.9	40.3	54.8	68.6	73.3	79.4	75.1	74.2	57.2	47.2	36.7	53.7	54.6	75.9	59.5	30.4
2016	24.3	30.2	44.0	50.2	68.2	75.6	79.9	79.1	70.8	58.4	49.9	26.6	54.8	54.1	78.2	59.7	29.2
2017	26.1	35.0	36.6	56.0	63.0	75.5	79.0	73.6	72.0	59.3	37.9	23.3	53.1	51.9	76.0	56.4	24.6
2018	24.0	26.4	38.6	43.8	74.5	75.6	80.7	78.0	69.9	49.8	32.8	31.0	52.1	52.3	78.1	50.8	24.5
2019	20.2	22.4	36.4	50.1	60.8	73.9	81.0	75.0	68.5	53.0	34.0	29.3	50.4	49.1	76.6	51.8	29.0
2020	28.3	29.4	41.0	48.7	63.9	76.8	81.4	78.2	66.0	48.6	47.0	30.9	53.4	51.2	78.8	53.9	25.0
2021	27.3	22.2	45.6	54.5	64.6	79.3	79.4	79.1	71.1	62.0	41.7	31.4	54.9	54.9	79.3	58.3	25.2
2022	19.2	25.0	36.3	46.3	66.9	76.1	79.4	76.8	69.9	57.3	44.1	26.4	52.0	49.8	77.4	57.1	28.4
2023	27.9	30.8	37.1	52.0	68.0	77.2	78.9							52.4			

Multi-year Statistics

Interval/	1895	2022															
AVE	22.0	25.9	37.2	52.4	66.0	75.0	79.5	76.7	68.1	55.8	38.9	26.3	52.0	51.9	77.1	54.3	24.8
MEDIAN	22.2	26.1	36.5	52.5	65.8	74.9	79.5	77.0	68.2	55.6	38.8	26.5	51.9	51.7	77.2	54.1	24.7

Maximum Temperature: Northeast Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	4.85	4.70	4.82	4.42	3.88	3.03	2.70	2.73	3.13	4.10	4.27	4.38	1.65	2.89	2.00	2.44	3.21
MAX	<b>32.7</b>	<b>37.5</b>	<b>54.3</b>	<b>62.3</b>	<b>76.2</b>	<b>83.5</b>	<b>86.6</b>	<b>84.8</b>	<b>75.9</b>	<b>67.0</b>	<b>50.1</b>	<b>36.7</b>	<b>56.9</b>	<b>60.7</b>	<b>81.8</b>	<b>60.0</b>	<b>33.5</b>
MIN	<b>4.4</b>	<b>11.8</b>	<b>27.5</b>	<b>41.3</b>	<b>57.1</b>	<b>66.0</b>	<b>72.5</b>	<b>69.3</b>	<b>61.9</b>	<b>43.7</b>	<b>30.1</b>	<b>16.2</b>	<b>47.5</b>	<b>46.0</b>	<b>72.3</b>	<b>48.3</b>	<b>16.4</b>
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	21.6	25.8	36.9	52.2	65.9	74.9	79.4	76.4	67.6	55.8	38.4	25.8	51.7	51.7	76.9	54.0	24.4
MEDIAN	21.9	26.0	36.2	52.4	65.8	74.5	79.3	76.4	67.6	55.6	38.6	25.9	51.7	51.3	76.6	53.8	24.4
STD	4.87	4.54	4.57	4.40	4.00	3.20	2.77	2.77	2.95	4.05	3.85	4.37	1.54	2.80	2.06	2.26	3.10
MAX	<b>32.7</b>	<b>37.5</b>	<b>51.8</b>	<b>62.3</b>	<b>76.2</b>	<b>83.5</b>	<b>86.6</b>	<b>84.8</b>	<b>75.9</b>	<b>67.0</b>	<b>49.6</b>	<b>36.6</b>	<b>56.6</b>	<b>59.4</b>	<b>81.8</b>	<b>60.0</b>	<b>32.0</b>
MIN	<b>4.4</b>	<b>11.8</b>	<b>29.0</b>	<b>41.3</b>	<b>57.1</b>	<b>66.0</b>	<b>72.5</b>	<b>69.3</b>	<b>61.9</b>	<b>43.7</b>	<b>30.1</b>	<b>16.2</b>	<b>47.5</b>	<b>46.0</b>	<b>72.3</b>	<b>48.3</b>	<b>16.4</b>

Interval/	1951	2000															
AVE	21.5	27.1	37.3	52.7	66.4	74.9	79.1	76.4	67.1	55.7	38.7	26.1	51.9	52.1	76.8	53.8	24.9
MEDIAN	21.6	26.5	37.0	53.2	66.4	74.3	78.9	76.4	67.5	55.5	38.7	26.9	51.7	51.5	76.5	53.5	25.0
STD	4.40	4.31	4.02	3.98	4.18	2.94	2.63	2.46	2.52	3.73	4.07	4.28	1.45	2.78	1.85	2.33	2.90
MAX	<b>32.7</b>	<b>37.5</b>	<b>48.1</b>	<b>60.7</b>	<b>76.2</b>	<b>81.9</b>	<b>84.8</b>	<b>82.0</b>	<b>75.2</b>	<b>67.0</b>	<b>49.6</b>	<b>34.6</b>	<b>56.6</b>	<b>59.4</b>	<b>81.8</b>	<b>59.9</b>	<b>32.0</b>
MIN	<b>11.5</b>	<b>19.4</b>	<b>30.5</b>	<b>46.4</b>	<b>58.1</b>	<b>66.0</b>	<b>72.5</b>	<b>71.5</b>	<b>61.9</b>	<b>48.9</b>	<b>30.1</b>	<b>16.3</b>	<b>49.4</b>	<b>47.0</b>	<b>72.9</b>	<b>49.4</b>	<b>18.6</b>

Interval/	1991	2020															
AVE	23.4	28.1	39.4	52.7	66.3	75.3	79.3	77.2	69.2	55.5	40.4	28.5	52.9	52.8	77.2	55.0	26.6
MEDIAN	24.0	28.6	38.9	52.6	66.0	75.0	79.8	77.8	68.9	55.6	39.8	28.9	53.0	52.3	77.8	55.1	27.0
STD	4.4	5.1	4.9	4.6	3.8	2.5	2.9	2.4	3.2	3.4	5.4	4.4	1.9	3.4	1.9	2.8	3.4
MAX	<b>32.2</b>	<b>37.5</b>	<b>54.3</b>	<b>61.9</b>	<b>74.5</b>	<b>80.7</b>	<b>84.8</b>	<b>80.8</b>	<b>75.2</b>	<b>61.6</b>	<b>50.1</b>	<b>36.7</b>	<b>56.9</b>	<b>60.7</b>	<b>80.6</b>	<b>59.7</b>	<b>33.5</b>
MIN	<b>13.3</b>	<b>16.9</b>	<b>30.6</b>	<b>43.8</b>	<b>58.1</b>	<b>70.9</b>	<b>72.5</b>	<b>72.4</b>	<b>62.1</b>	<b>48.6</b>	<b>31.1</b>	<b>18.9</b>	<b>48.9</b>	<b>47.0</b>	<b>72.9</b>	<b>50.6</b>	<b>17.8</b>

Interval/	1981	2010															
AVE	23.5	28.5	39.1	54.0	66.4	75.2	79.3	77.0	68.4	55.3	40.1	27.2	52.8	53.2	77.2	54.6	26.3
MEDIAN	23.9	29.5	39.3	54.2	66.2	74.3	79.6	77.3	68.6	55.5	39.8	27.5	52.6	53.5	77.6	54.2	26.2
STD	4.7	4.5	4.1	4.2	3.9	3.0	2.9	2.5	3.2	3.3	4.6	5.0	1.7	3.2	2.2	2.4	2.9
MAX	<b>32.7</b>	<b>37.5</b>	<b>49.4</b>	<b>61.9</b>	<b>73.7</b>	<b>81.9</b>	<b>84.4</b>	<b>80.9</b>	<b>75.2</b>	<b>61.6</b>	<b>50.1</b>	<b>34.6</b>	<b>56.6</b>	<b>60.4</b>	<b>81.8</b>	<b>58.9</b>	<b>33.5</b>
MIN	<b>13.3</b>	<b>21.0</b>	<b>31.5</b>	<b>46.6</b>	<b>58.1</b>	<b>70.0</b>	<b>72.5</b>	<b>72.4</b>	<b>62.1</b>	<b>48.7</b>	<b>31.1</b>	<b>16.3</b>	<b>49.7</b>	<b>47.0</b>	<b>72.9</b>	<b>50.6</b>	<b>20.8</b>

Interval/	1971	2000															
AVE	21.8	27.7	38.2	52.8	66.8	75.0	79.1	76.3	67.2	55.2	38.8	26.2	52.1	52.6	76.8	53.7	25.4
MEDIAN	21.7	26.5	37.5	53.6	68.3	74.3	79.6	76.2	67.4	55.2	38.8	27.2	51.9	51.5	76.3	53.3	25.5
STD	4.6	4.5	4.2	4.2	4.5	3.0	2.7	2.2	2.7	3.3	4.1	4.9	1.6	3.2	1.9	2.2	3.1
MAX	<b>32.7</b>	<b>37.5</b>	<b>48.1</b>	<b>60.7</b>	<b>76.2</b>	<b>81.9</b>	<b>83.7</b>	<b>80.9</b>	<b>75.2</b>	<b>62.0</b>	<b>49.6</b>	<b>34.6</b>	<b>56.6</b>	<b>59.4</b>	<b>81.8</b>	<b>58.9</b>	<b>32.0</b>
MIN	<b>12.8</b>	<b>19.4</b>	<b>31.5</b>	<b>46.4</b>	<b>58.1</b>	<b>70.0</b>	<b>72.5</b>	<b>72.4</b>	<b>62.1</b>	<b>49.8</b>	<b>31.1</b>	<b>16.3</b>	<b>49.4</b>	<b>47.0</b>	<b>72.9</b>	<b>50.6</b>	<b>18.6</b>

Interval/	1961	1990															
AVE	21.1	26.3	37.4	52.8	66.3	74.8	79.7	76.3	66.8	55.4	38.9	25.3	51.8	52.2	76.9	53.7	24.2
MEDIAN	20.5	25.6	36.6	53.5	65.9	74.3	79.8	75.9	67.5	55.5	38.8	26.1	51.9	51.5	76.5	53.4	24.2
STD	4.9	4.2	4.0	3.9	4.4	3.1	2.4	2.3	2.2	3.9	3.2	4.2	1.3	2.7	1.8	1.8	2.7
MAX	<b>32.7</b>	<b>35.2</b>	<b>45.9</b>	<b>60.7</b>	<b>76.2</b>	<b>81.9</b>	<b>83.7</b>	<b>81.7</b>	<b>69.8</b>	<b>67.0</b>	<b>45.4</b>	<b>32.1</b>	<b>55.6</b>	<b>59.4</b>	<b>81.8</b>	<b>59.9</b>	<b>30.5</b>
MIN	<b>11.5</b>	<b>19.4</b>	<b>30.5</b>	<b>46.4</b>	<b>59.1</b>	<b>66.0</b>	<b>75.8</b>	<b>72.3</b>	<b>61.9</b>	<b>49.8</b>	<b>33.4</b>	<b>16.3</b>	<b>49.4</b>	<b>48.0</b>	<b>74.6</b>	<b>50.9</b>	<b>18.6</b>

Interval/	1951	1980															
AVE	20.5	26.0	36.2	52.3	66.1	74.7	79.3	76.3	66.9	56.1	38.5	25.7	51.6	51.5	76.8	53.8	24.1
MEDIAN	21.1	26.1	35.5	52.7	65.3	74.6	79.3	76.1	67.5	55.7	38.7	25.6	51.5	51.1	76.5	53.5	24.7
STD	4.1	3.7	3.6	3.8	4.2	2.7	2.5	2.5	2.3	4.2	3.7	3.3	1.1	2.3	1.6	2.3	2.5
MAX	<b>28.0</b>	<b>35.0</b>	<b>45.9</b>	<b>59.3</b>	<b>76.2</b>	<b>79.6</b>	<b>84.8</b>	<b>82.0</b>	<b>70.4</b>	<b>67.0</b>	<b>46.0</b>	<b>32.1</b>	<b>53.8</b>	<b>59.4</b>	<b>80.6</b>	<b>59.9</b>	<b>28.4</b>
MIN	<b>11.5</b>	<b>19.4</b>	<b>30.5</b>	<b>46.4</b>	<b>58.8</b>	<b>66.0</b>	<b>74.0</b>	<b>71.5</b>	<b>61.9</b>	<b>48.9</b>	<b>30.1</b>	<b>18.6</b>	<b>49.4</b>	<b>48.4</b>	<b>73.5</b>	<b>49.4</b>	<b>18.6</b>

Interval/	1941	1970															
AVE	21.7	26.2	36.3	52.8	65.6	74.8	79.1	77.0	67.2	57.3	38.3	25.7	51.8	51.5	77.0	54.3	24.4
MEDIAN	21.8	26.1	35.2	53.4	65.0	75.4	79.1	77.2	67.5	56.8	38.4	26.1	51.8	51.9	76.8	54.3	24.7
STD	4.2	3.2	4.5	4.5	3.5	2.9	2.3	2.9	2.6	4.1	3.7	3.2	1.2	2.5	1.8	2.3	2.4
MAX	<b>32.7</b>	<b>35.0</b>	<b>48.3</b>	<b>61.8</b>	<b>70.8</b>	<b>79.8</b>	<b>84.8</b>	<b>84.8</b>	<b>74.7</b>	<b>67.0</b>	<b>46.0</b>	<b>31.8</b>	<b>53.9</b>	<b>56.5</b>	<b>80.6</b>	<b>59.9</b>	<b>29.8</b>
MIN	<b>11.5</b>	<b>19.8</b>	<b>30.5</b>	<b>41.3</b>	<b>58.8</b>	<b>66.0</b>	<b>74.0</b>	<b>71.5</b>	<b>61.9</b>	<b>48.9</b>	<b>30.1</b>	<b>20.1</b>	<b>49.3</b>	<b>46.0</b>	<b>73.5</b>	<b>49.4</b>	<b>18.8</b>

Interval/	1931	1960															
AVE	22.9	26.0	35.4	52.1	66.1	75.2	80.1	77.5	68.3	56.7	37.9	26.1	52.0	51.2	77.6	54.3	24.9
MEDIAN	23.3	26.1	34.3	51.4	65.8	75.0	80.0	77.7	68.5	56.3	38.0	26.3	51.9	51.2	78.0	54.4	25.1
STD	4.2	4.1	4.5	4.6	3.8	3.0	2.7	3.0	3.0	4.1	4.0	3.7	1.4	2.6	2.0	2.4	2.6
MAX	<b>32.7</b>	<b>35.2</b>	<b>48.3</b>	<b>61.8</b>	<b>74.1</b>	<b>83.5</b>	<b>86.4</b>	<b>84.8</b>	<b>74.7</b>	<b>67.0</b>	<b>46.2</b>	<b>33.7</b>	<b>56.0</b>	<b>56.5</b>	<b>81.8</b>	<b>60.0</b>	<b>30.2</b>
MIN	<b>15.7</b>	<b>11.8</b>	<b>29.4</b>	<b>41.3</b>	<b>58.8</b>	<b>69.8</b>	<b>74.0</b>	<b>71.5</b>	<b>63.3</b>	<b>48.9</b>	<b>30.1</b>	<b>20.1</b>	<b>49.3</b>	<b>46.0</b>	<b>73.5</b>	<b>49.4</b>	<b>17.5</b>

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Maximum Temperature: Northeast Wisconsin**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	22.3	25.5	36.0	51.7	65.8	75.0	80.0	77.2	68.4	56.2	37.9	25.6	51.8	51.2	77.4	54.2	24.4
MEDIAN	22.4	26.1	35.7	50.4	66.0	74.9	80.2	77.1	68.9	55.9	38.0	25.3	52.0	51.2	77.8	54.4	24.1
STD	4.7	4.2	4.7	4.8	4.0	3.5	2.8	3.0	3.3	4.4	3.6	4.1	1.7	2.8	2.3	2.3	2.7
MAX	32.7	35.2	48.3	61.8	74.1	83.5	86.4	84.8	74.7	67.0	46.2	35.1	56.0	56.5	81.8	60.0	30.2
MIN	12.0	11.8	29.4	41.3	57.1	69.6	75.3	72.6	62.7	43.8	31.8	17.9	48.7	46.0	73.2	48.3	17.5

Interval/	1911	1940															
AVE	21.0	24.4	35.8	51.4	65.8	74.9	80.1	76.3	68.4	55.1	38.1	25.8	51.4	51.0	77.1	53.9	23.7
MEDIAN	21.6	25.4	35.8	50.4	66.0	74.4	80.1	76.1	68.7	55.4	38.2	25.3	51.5	51.0	77.2	53.7	23.7
STD	5.9	5.1	3.8	4.0	3.9	3.8	3.2	3.0	3.2	4.7	3.8	5.0	1.7	2.3	2.4	2.4	3.4
MAX	30.4	35.2	44.4	62.3	74.1	83.5	86.6	84.4	74.3	64.6	46.2	36.6	56.0	55.5	81.8	60.0	30.2
MIN	4.4	11.8	29.4	45.4	57.1	68.3	75.2	69.3	61.9	43.7	31.8	16.2	47.5	46.8	72.3	48.3	17.3

Interval/	1901	1930															
AVE	20.5	23.9	37.1	51.9	64.8	74.6	79.1	75.6	67.8	55.3	38.4	25.2	51.2	51.3	76.4	53.8	23.4
MEDIAN	22.2	25.0	36.7	52.1	65.1	74.1	78.5	75.8	67.6	55.5	38.6	24.5	51.4	51.1	76.4	53.8	23.7
STD	5.5	4.3	4.8	4.6	3.6	3.5	2.9	2.7	3.2	4.5	3.7	4.8	1.5	2.7	2.2	2.2	3.4
MAX	28.9	30.9	51.8	62.3	71.8	80.6	86.6	81.2	75.9	64.6	44.0	36.6	54.3	57.0	81.1	58.0	30.1
MIN	4.4	14.7	29.0	41.8	57.1	68.3	75.2	69.3	61.9	43.7	31.8	16.2	47.5	46.5	72.3	48.3	16.4

Data as of 4 Aug 2023