

Wisconsin State Climatology Office

Minimum Temperature [degrees Fahrenheit]: Northeast Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												ANNUAL	SEASONAL			
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		MAM	JJA	FALL	WINTER
1895	-3.8	-2.9	9.5	29.6	39.0	49.4	46.9	48.7	45.1	23.9	16.8	10.6	26.1	26.0	48.3	28.6	6.6
1896	4.3	4.9	9.2	31.3	45.2	47.9	52.2	51.8	40.4	27.7	16.4	12.0	28.6	28.6	50.6	28.2	8.3
1897	4.2	8.6	10.9	27.6	36.0	45.4	56.3	47.6	47.0	36.3	17.8	3.9	28.5	24.8	49.8	33.7	5.8
1898	6.8	6.8	18.6	26.6	38.4	49.4	52.6	49.7	46.4	33.8	19.5	2.6	29.3	27.9	50.6	33.2	-2.8
1899	-2.5	-8.4	3.9	28.7	39.2	48.0	52.0	53.3	40.0	35.4	25.1	8.2	26.9	23.9	51.1	33.5	3.6
1900	7.8	-5.2	8.0	29.4	39.0	46.0	52.0	58.1	46.9	42.0	19.0	12.2	29.6	25.5	52.0	36.0	3.9
1901	2.6	-3.2	12.8	29.2	38.5	49.8	56.7	51.6	42.4	34.2	18.1	5.4	28.2	26.8	52.7	31.6	4.0
1902	3.9	2.6	21.0	28.0	40.6	45.8	53.8	48.9	42.5	31.8	27.3	8.5	29.6	29.9	49.5	33.9	3.8
1903	0.2	2.6	22.7	28.1	40.8	44.4	52.6	48.4	43.9	32.6	15.9	0.6	27.7	30.5	48.5	30.8	-4.5
1904	-4.5	-9.7	14.0	23.5	39.2	48.1	49.8	47.6	42.7	33.5	23.4	6.2	26.2	25.6	48.5	33.2	-0.4
1905	-4.1	-3.4	16.2	27.4	37.4	48.3	52.5	52.4	46.7	31.4	20.3	11.6	28.1	27.0	51.1	32.8	7.6
1906	9.6	1.5	5.9	30.0	37.3	48.8	51.9	54.2	48.6	32.2	24.2	10.8	29.6	24.4	51.6	35.0	4.1
1907	0.0	1.4	17.9	21.7	31.1	47.6	53.1	49.8	44.5	30.0	20.8	10.8	27.4	23.6	50.2	31.8	7.6
1908	5.8	6.2	16.0	28.4	40.1	47.5	53.6	49.1	47.4	35.5	22.0	7.5	29.9	28.2	50.1	35.0	6.8
1909	4.5	8.4	13.7	23.4	37.4	49.2	51.7	53.8	43.4	30.4	26.1	6.8	29.1	24.8	51.6	33.3	2.3
1910	1.3	-1.3	23.8	30.4	34.2	49.0	52.0	50.8	42.8	35.4	18.8	5.7	28.6	29.5	50.6	32.3	5.2
1911	0.7	9.2	17.8	27.3	43.0	53.1	52.7	49.0	43.4	32.8	14.5	15.4	29.9	29.4	51.6	30.2	-0.7
1912	-16.2	-1.3	6.4	28.0	39.1	45.0	53.5	49.0	45.9	33.8	22.3	11.8	26.4	24.5	49.2	34.0	4.0
1913	3.1	-3.0	9.3	29.5	38.0	49.9	52.3	52.1	43.6	32.3	25.5	17.6	29.2	25.6	51.4	33.8	6.7
1914	9.8	-7.4	12.5	25.4	41.4	47.6	55.9	50.4	44.4	37.9	20.7	3.7	28.5	26.4	51.3	34.3	6.1
1915	0.4	14.2	13.7	35.0	36.2	44.0	49.6	45.6	44.5	34.6	23.9	10.5	29.4	28.3	46.4	34.3	4.2
1916	2.4	-0.3	7.8	28.4	38.2	46.2	58.3	52.3	42.7	32.9	19.4	2.5	27.6	24.8	52.3	31.7	-3.6
1917	-4.3	-8.9	13.4	25.1	32.9	44.2	54.1	47.5	41.9	26.8	22.7	1.0	24.7	23.8	48.6	30.5	-2.2
1918	-6.8	-0.8	19.1	23.9	41.4	47.0	51.8	52.0	37.4	34.8	25.4	17.9	28.6	28.1	50.3	32.5	12.2
1919	10.4	8.3	16.8	29.6	38.1	56.2	55.5	50.1	45.5	32.2	18.7	-1.8	30.0	28.2	53.9	32.1	-1.9
1920	-6.2	2.2	14.8	23.5	36.0	50.6	50.7	48.8	45.5	39.6	21.7	14.1	28.4	24.8	50.0	35.6	11.1
1921	9.8	9.3	18.9	33.5	42.4	54.6	60.5	51.6	48.8	35.5	17.7	8.6	32.6	31.6	55.6	34.0	1.8
1922	-2.4	-0.7	15.2	28.2	45.8	50.2	52.8	51.2	45.7	33.6	27.6	5.2	29.4	29.7	51.4	35.6	1.0
1923	3.6	-5.8	5.5	23.3	36.6	52.8	54.8	47.6	44.6	29.7	23.6	18.4	27.9	21.8	51.7	32.6	5.4
1924	-8.3	6.0	14.9	26.9	33.2	45.0	49.7	49.7	40.1	36.2	21.0	-0.4	26.2	25.0	48.1	32.4	2.7
1925	2.0	6.4	16.0	30.0	33.7	50.5	52.2	51.2	46.2	26.4	17.9	6.9	28.3	26.6	51.3	30.2	5.2
1926	2.5	6.1	8.0	22.6	37.6	44.4	52.7	52.4	42.7	31.5	17.0	3.1	26.7	22.7	49.8	30.4	3.4
1927	-1.3	8.3	21.6	28.0	37.2	45.4	50.7	44.8	46.7	34.8	20.7	0.4	28.1	28.9	47.0	34.1	3.0
1928	5.0	3.5	12.5	22.1	39.2	45.0	54.2	52.2	39.9	35.5	24.0	13.5	28.9	24.6	50.5	33.1	-1.2
1929	-10.4	-6.7	18.3	29.4	35.9	46.3	53.0	49.3	43.5	32.4	16.8	9.0	26.4	27.9	49.5	30.9	4.7
1930	-3.3	8.3	14.8	27.6	41.6	51.0	53.4	50.6	43.7	34.2	23.3	10.6	29.7	28.0	51.7	33.7	11.9
1931	10.6	14.4	17.9	28.3	37.6	52.9	56.5	50.0	50.4	39.0	28.7	19.4	33.8	27.9	53.1	39.4	12.4
1932	12.5	5.4	9.5	25.7	40.0	50.7	53.8	52.3	41.5	31.8	16.7	6.5	28.9	25.1	52.3	30.0	5.4
1933	10.0	-0.3	14.6	27.6	42.0	55.8	55.3	48.8	47.7	30.8	17.3	4.1	29.5	28.1	53.3	31.9	3.7
1934	9.9	-2.9	10.6	27.6	42.3	51.8	54.5	47.4	43.4	35.2	26.0	6.4	29.4	26.8	51.2	34.9	3.7
1935	-1.2	6.0	17.9	27.0	35.7	46.1	59.1	53.8	42.4	33.7	20.4	9.6	29.2	26.9	53.0	32.2	-1.2
1936	-1.0	-12.3	16.9	24.2	43.0	44.8	56.1	52.6	46.7	29.9	17.6	11.0	27.5	28.0	51.2	31.4	3.7
1937	-3.8	3.8	10.9	27.9	39.5	48.8	55.8	55.1	43.0	30.7	19.9	6.6	28.2	26.1	53.2	31.2	5.9
1938	1.6	9.4	19.6	30.1	40.7	49.0	55.0	54.4	43.9	37.0	22.8	9.8	31.1	30.1	52.8	34.6	5.3
1939	8.5	-2.3	12.0	24.6	41.7	52.2	54.1	51.7	44.7	33.0	20.8	17.7	29.9	26.1	52.7	32.8	8.6
1940	-0.7	8.7	9.9	24.5	36.7	49.0	54.0	53.1	45.2	36.0	20.7	11.5	29.1	23.7	52.0	34.0	7.7
1941	7.2	4.4	10.2	32.6	43.2	51.3	54.5	50.5	47.2	35.4	25.4	18.4	31.7	28.7	52.1	36.0	10.8
1942	7.2	6.7	21.9	32.5	39.0	49.4	52.9	52.3	42.7	32.7	19.9	7.0	30.4	31.1	51.5	31.8	3.3
1943	0.1	2.7	7.2	25.1	38.8	53.1	56.0	53.1	40.0	33.3	19.0	9.5	28.2	23.7	54.1	30.8	10.3
1944	13.2	8.1	13.0	24.4	43.6	51.4	52.9	52.9	46.1	32.1	28.4	7.5	31.1	27.0	52.4	35.5	3.6
1945	0.3	3.1	23.4	29.3	35.4	45.5	51.5	51.1	43.5	31.4	22.1	6.1	28.6	29.4	49.4	32.3	5.0
1946	5.5	3.4	25.7	29.1	36.5	48.0	52.7	48.7	42.4	35.7	22.1	8.8	29.9	30.4	49.8	33.4	6.1
1947	6.2	3.2	14.5	26.4	35.4	46.0	53.1	58.2	45.9	41.3	18.7	9.4	29.9	25.4	52.4	35.3	1.7
1948	-5.2	0.9	11.9	31.1	36.7	48.1	54.1	53.0	45.4	31.6	27.9	8.9	28.7	26.6	51.7	35.0	6.9
1949	7.8	4.0	16.2	29.2	39.3	53.1	57.0	53.0	41.1	35.8	21.9	9.4	30.7	28.2	54.4	32.9	3.8
1950	-1.1	3.2	10.0	22.0	36.8	48.4	50.7	46.5	43.8	37.0	17.4	3.5	26.5	22.9	48.5	32.7	2.7
1951	-0.4	5.0	14.5	29.4	42.7	46.5	53.4	49.9	42.5	35.2	13.3	8.1	28.3	28.9	49.9	30.3	6.9
1952	3.7	9.0	13.6	30.3	38.6	51.0	56.2	51.1	42.9	25.8	23.1	16.6	30.2	27.5	52.8	30.6	10.5
1953	9.9	5.1	18.5	27.6	38.6	50.6	53.8	53.9	44.4	36.0	25.6	13.0	31.4	28.2	52.8	35.3	10.0
1954	1.7	15.2	13.8	29.0	34.8	51.7	54.0	50.2	44.6	34.1	25.0	11.4	30.5	25.9	52.0	34.6	5.5
1955	2.2	3.0	11.3	34.4	41.6	49.7	59.0	56.0	43.6	36.0	18.1	4.6	30.0	29.1	54.9	32.6	4.1
1956	4.8	3.0	9.8	26.0	37.0	50.6	52.2	52.9	40.8	37.6	22.3	10.9	29.0	24.3	51.9	33.6	4.1
1957	-4.0	5.5	15.3	29.9	38.8	49.7	55.2	51.4	42.1	32.6	23.2	10.6	29.2	28.0	52.1	32.6	7.5
1958	8.9	3.1	18.2	28.2	36.2	43.5	52.1	51.2	45.1	36.4	23.3	0.2	28.9	27.5	48.9	34.9	-2.3
1959	-4.7	-2.3	11.6	28.8	43.0	51.0	53.4	57.9	46.4	32.8	13.5	17.6	29.1	27.8	54.1	30.9	10.9
1960	7.4	7.7	4.4	30.5	39.7	46.4	51.2	53.8	46.4	33.8	25.3	6.5	29.4	24.9	50.5	35.2	6.5

Minimum Temperature: Northeast Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	1.9	11.0	19.6	27.0	35.3	48.4	53.8	52.5	46.7	35.8	21.6	6.7	30.0	27.3	51.6	34.7	2.0
1962	-1.1	0.4	15.4	27.4	45.1	48.7	51.3	50.9	41.7	36.8	24.3	8.1	29.1	29.3	50.3	34.3	-0.5
1963	-5.4	-4.1	15.1	28.9	37.1	49.9	54.1	50.2	43.9	41.0	27.3	2.5	28.4	27.0	51.4	37.4	6.0
1964	8.8	6.6	14.1	29.3	44.1	48.4	55.8	50.2	44.2	31.8	24.6	5.6	30.3	29.2	51.5	33.5	1.8
1965	0.5	-0.6	10.8	27.2	43.0	46.7	51.0	51.4	42.7	35.1	22.9	18.3	29.1	27.0	49.7	33.6	7.2
1966	-4.6	8.0	20.2	27.4	34.8	50.5	56.0	51.6	42.4	32.6	23.3	9.8	29.3	27.5	52.7	32.8	4.0
1967	5.9	-3.8	14.0	28.7	33.4	50.8	51.7	47.7	41.8	33.8	20.0	10.3	27.9	25.4	50.1	31.9	4.7
1968	2.5	1.4	21.1	30.3	37.9	50.4	53.6	51.8	47.6	38.0	24.2	9.7	30.7	29.8	51.9	36.6	6.3
1969	3.5	5.6	9.9	30.7	39.2	44.6	53.3	53.2	43.7	33.8	20.3	11.1	29.1	26.6	50.4	32.6	2.3
1970	-4.0	-0.2	11.7	30.6	41.0	50.9	55.8	51.4	46.4	37.3	23.4	9.0	29.4	27.8	52.7	35.7	2.6
1971	-4.4	3.2	11.3	26.4	35.6	52.7	51.3	48.8	47.5	43.4	24.4	11.8	29.3	24.4	50.9	38.4	1.4
1972	-6.2	-1.5	10.8	24.4	41.5	46.4	53.4	53.2	43.2	31.3	24.5	6.0	27.3	25.6	51.0	33.0	7.0
1973	6.8	8.2	26.4	30.1	38.3	52.0	55.3	56.2	45.5	39.7	24.0	9.3	32.7	31.6	54.5	36.4	4.2
1974	3.3	0.0	16.8	30.2	37.2	45.8	55.3	51.9	38.8	33.1	24.5	14.0	29.2	28.1	51.0	32.1	8.2
1975	4.8	5.8	10.4	23.0	44.1	51.7	56.6	52.2	40.6	35.1	26.1	8.6	29.9	25.8	53.5	33.9	6.2
1976	-1.8	11.7	15.9	31.2	36.4	50.6	52.5	49.2	39.1	27.7	14.0	-3.8	26.9	27.8	50.8	26.9	-2.0
1977	-8.6	6.3	23.1	32.0	46.0	47.9	56.8	48.6	47.4	32.9	23.1	8.2	30.3	33.7	51.1	34.5	1.9
1978	-0.2	-2.2	11.5	27.7	41.6	47.5	53.3	52.9	48.4	34.1	20.3	4.5	28.3	26.9	51.2	34.3	-2.0
1979	-5.7	-4.8	17.5	27.0	37.6	48.4	53.7	51.8	45.0	33.5	21.7	14.0	28.3	27.4	51.3	33.4	6.9
1980	4.2	2.4	12.6	31.0	41.0	47.6	55.0	55.6	44.0	30.4	23.7	7.6	29.6	28.2	52.7	32.7	6.1
1981	0.6	10.2	20.2	31.8	36.7	51.1	53.6	53.8	42.7	31.6	25.0	10.5	30.7	29.6	52.8	33.1	0.7
1982	-9.0	0.5	16.0	25.0	45.9	43.1	56.0	49.8	44.6	36.1	22.7	17.2	29.0	29.0	49.6	34.5	14.4
1983	9.2	16.7	21.9	28.5	35.6	49.2	59.1	57.1	46.7	35.0	25.6	-1.3	31.9	28.7	55.1	35.8	4.8
1984	-1.0	16.8	11.0	32.1	37.3	52.2	53.1	55.7	42.7	38.5	21.8	10.4	30.9	26.8	53.7	34.3	4.7
1985	0.3	3.5	21.1	32.8	43.4	46.7	52.1	52.3	46.4	33.9	19.0	-1.6	29.2	32.4	50.4	33.1	1.6
1986	2.2	4.2	18.1	34.7	43.2	47.9	56.6	49.5	46.6	34.2	17.7	13.8	30.7	32.0	51.3	32.8	12.6
1987	10.4	13.6	21.1	33.0	42.2	52.9	57.9	53.3	45.1	29.7	26.6	17.9	33.6	32.1	54.7	33.8	5.5
1988	-1.6	0.3	17.7	29.1	40.6	50.5	56.3	57.1	45.9	29.8	27.2	7.9	30.1	29.1	54.6	34.3	5.4
1989	9.8	-1.4	10.5	27.4	38.4	48.6	54.9	53.2	42.0	34.4	18.6	-2.0	27.9	25.4	52.2	31.7	5.6
1990	12.3	6.6	19.7	32.5	37.4	51.0	54.1	53.1	46.9	32.0	25.9	8.6	31.7	29.9	52.7	34.9	6.1
1991	-0.5	10.3	19.2	33.4	46.7	53.8	55.4	54.6	44.1	33.2	18.3	10.8	31.6	33.1	54.6	31.9	12.1
1992	11.6	14.0	17.2	29.6	39.5	46.6	50.2	48.7	44.2	32.8	22.6	12.4	30.8	28.8	48.5	33.2	6.8
1993	3.6	4.4	16.6	27.2	41.1	49.0	56.1	55.1	40.4	31.4	21.0	14.5	30.0	28.3	53.4	30.9	2.6
1994	-7.2	0.5	19.3	27.9	38.9	51.7	54.5	51.7	48.6	37.0	26.5	17.1	30.5	28.7	52.6	37.4	11.3
1995	9.8	7.0	19.8	25.5	39.6	54.2	56.0	59.9	42.0	37.3	15.1	5.8	31.0	28.3	56.7	31.5	1.7
1996	-3.1	2.4	10.6	25.5	37.5	52.1	52.5	53.8	47.0	33.2	18.7	12.0	28.5	24.5	52.8	33.0	8.3
1997	3.4	9.6	15.8	26.7	35.2	51.6	54.1	50.2	46.7	34.6	21.6	19.3	30.7	25.9	52.0	34.3	18.0
1998	12.3	22.4	20.6	32.1	44.7	50.8	54.2	55.5	47.3	36.9	28.7	14.3	35.0	32.5	53.5	37.6	10.1
1999	1.8	14.1	18.8	32.4	43.9	51.6	58.8	52.5	43.4	31.9	27.5	12.0	32.4	31.7	54.3	34.3	8.6
2000	2.6	11.1	25.4	28.4	42.5	49.8	53.4	53.5	44.1	36.8	25.2	0.1	31.1	32.1	52.2	35.4	4.7
2001	9.8	4.3	16.7	32.6	43.4	51.7	54.4	56.0	45.3	33.5	31.4	19.4	33.2	30.9	54.0	36.7	16.5
2002	14.6	15.6	12.6	29.7	36.2	53.1	58.8	54.5	49.2	31.6	21.6	15.6	32.8	26.2	55.5	34.1	6.2
2003	3.8	-0.9	14.9	26.6	38.7	48.3	54.1	55.6	46.4	33.4	24.6	16.0	30.1	26.7	52.7	34.8	8.2
2004	-0.1	8.6	21.5	29.2	38.8	48.2	53.0	49.0	48.8	35.7	26.4	9.4	30.7	29.8	50.1	37.0	8.6
2005	3.0	13.3	12.2	31.3	39.5	55.8	55.5	55.0	48.8	38.2	23.9	11.9	32.4	27.7	55.4	37.0	12.4
2006	18.6	6.8	19.4	33.2	43.4	49.6	56.9	53.8	43.7	31.1	28.2	19.4	33.7	32.0	53.4	34.3	11.3
2007	11.6	2.8	20.6	29.1	42.7	52.0	54.9	54.9	47.8	41.2	23.4	8.0	32.4	30.8	53.9	37.5	5.2
2008	6.6	0.9	11.0	30.7	36.8	52.1	55.4	50.7	47.4	34.4	24.0	1.5	29.3	26.2	52.7	35.3	1.4
2009	-5.8	8.6	16.2	28.9	39.9	49.8	50.2	51.6	46.5	32.9	29.7	9.2	29.8	28.3	50.5	36.4	10.2
2010	9.6	11.8	23.3	34.0	43.7	53.0	59.1	58.1	43.8	35.8	25.5	11.0	34.1	33.7	56.7	35.0	8.0
2011	4.3	8.7	16.0	28.9	41.5	50.6	59.6	54.6	44.4	36.7	27.7	16.3	32.4	28.8	54.9	36.3	14.2
2012	10.3	16.1	31.7	30.4	44.0	52.6	59.2	52.8	42.3	33.3	24.5	17.8	34.6	35.4	54.9	33.4	10.1
2013	6.7	5.9	13.0	26.5	40.8	50.9	56.0	53.0	45.1	35.3	22.5	2.4	29.8	26.8	53.3	34.3	-2.5
2014	-4.6	-5.4	6.3	26.7	41.3	53.2	52.3	53.3	45.0	35.8	16.7	14.8	28.0	24.8	52.9	32.5	4.9
2015	5.1	-5.2	16.8	29.4	41.9	48.9	54.9	54.4	51.9	36.2	29.2	25.6	32.4	29.4	52.7	39.1	15.7
2016	8.4	13.0	24.7	28.8	41.0	51.6	56.7	57.4	50.7	37.6	30.2	13.0	34.4	31.5	55.2	39.5	13.2
2017	11.2	15.5	18.3	32.1	40.0	52.2	54.7	51.5	48.4	38.3	23.0	7.2	32.7	30.1	52.8	36.6	5.7
2018	5.2	4.8	16.0	20.3	45.4	51.9	56.2	55.8	48.4	33.2	20.1	17.6	31.2	27.2	54.6	33.9	7.7
2019	3.7	1.9	10.8	29.4	38.6	49.2	57.3	51.3	50.6	35.2	21.9	15.0	30.4	26.3	52.6	35.9	12.0
2020	14.6	6.4	23.6	27.3	40.4	51.5	59.3	54.9	45.0	30.6	27.8	16.7	33.2	30.4	55.2	34.5	6.1
2021	11.8	-1.0	22.8	31.8	40.3	54.4	55.0	56.1	46.2	42.4	23.1	14.3	33.1	31.6	55.2	37.2	5.3
2022	-1.6	3.2	17.6	29.0	44.3	50.9	55.6	54.7	47.3	34.3	25.5	13.4	31.2	30.3	53.7	35.7	14.6
2023	18.3	12.2	17.0	30.8	40.8	51.1	54.2							29.5			

Multi-year Statistics

Interval/	1895	2022															
AVE	2.8	4.2	15.5	28.5	39.5	49.5	54.3	52.1	44.7	34.2	22.4	9.8	29.8	27.8	52.0	33.8	5.7
MEDIAN	2.8	4.1	15.6	28.8	39.2	49.7	54.1	52.2	44.6	34.0	22.8	9.7	29.5	27.9	52.0	33.8	5.4

Minimum Temperature: Northeast Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	6.17	6.26	5.09	2.94	3.20	2.82	2.42	2.82	2.65	3.26	3.80	5.56	1.96	2.57	2.00	2.21	4.40
MAX	18.6	22.4	31.7	35.0	46.7	56.2	60.5	59.9	51.9	43.4	31.4	25.6	35.0	35.4	56.7	39.5	18.0
MIN	-16.2	-12.3	3.9	20.3	31.1	43.1	46.9	44.8	37.4	23.9	13.3	-3.8	24.7	21.8	46.4	26.9	-4.5
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	1.9	4.0	15.3	28.3	39.2	49.2	54.0	51.7	44.3	34.0	22.0	9.0	29.4	27.6	51.7	33.4	5.0
MEDIAN	2.0	3.5	15.3	28.3	38.9	49.2	53.8	51.8	44.1	33.8	22.3	9.2	29.3	27.8	51.6	33.4	4.9
STD	5.95	6.12	4.74	2.99	3.28	2.85	2.21	2.72	2.42	3.04	3.60	5.33	1.69	2.47	1.88	1.99	4.07
MAX	13.2	22.4	26.4	35.0	46.7	56.2	60.5	59.9	50.4	43.4	28.7	19.4	35.0	33.7	56.7	39.4	18.0
MIN	-16.2	-12.3	4.4	21.7	31.1	43.1	49.6	44.8	37.4	25.8	13.3	-3.8	24.7	21.8	46.4	26.9	-4.5

Interval/	1951	2000															
AVE	1.9	5.5	16.0	29.2	39.8	49.5	54.4	52.6	44.3	34.4	22.5	9.4	30.0	28.3	52.2	33.7	5.7
MEDIAN	2.1	5.1	16.0	29.1	39.4	50.2	54.1	52.4	44.2	34.1	23.3	10.1	29.9	28.1	52.0	33.7	5.6
STD	5.66	6.02	4.53	2.61	3.37	2.50	2.07	2.60	2.37	3.14	3.63	5.53	1.54	2.35	1.73	2.07	4.13
MAX	12.3	22.4	26.4	34.7	46.7	54.2	59.1	59.9	48.6	43.4	28.7	19.3	35.0	33.7	56.7	38.4	18.0
MIN	-9.0	-4.8	4.4	23.0	33.4	43.1	50.2	47.7	38.8	25.8	13.3	-3.8	26.9	24.3	48.5	26.9	-2.3

Interval/	1991	2020															
AVE	5.7	7.6	17.6	29.1	40.9	51.2	55.5	53.8	46.2	34.8	24.3	12.9	31.6	29.2	53.5	35.1	8.6
MEDIAN	5.2	7.8	17.0	29.2	40.9	51.6	55.4	54.1	46.5	34.9	24.3	13.7	31.4	28.8	53.4	34.9	8.5
STD	6.2	6.4	5.1	2.9	2.7	2.0	2.5	2.5	2.7	2.5	4.0	5.6	1.8	2.7	1.8	2.1	4.6
MAX	18.6	22.4	31.7	34.0	46.7	55.8	59.6	59.9	51.9	41.2	31.4	25.6	35.0	35.4	56.7	39.5	18.0
MIN	-7.2	-5.4	6.3	20.3	35.2	46.6	50.2	48.7	40.4	30.6	15.1	0.1	28.0	24.5	48.5	30.9	-2.5

Interval/	1981	2010															
AVE	4.6	8.0	17.6	30.0	40.4	50.6	55.0	53.7	45.5	34.3	23.8	10.7	31.2	29.4	53.1	34.5	7.8
MEDIAN	3.5	7.8	18.5	29.7	39.8	51.1	54.9	53.8	46.2	34.1	24.3	11.5	30.8	29.1	53.1	34.3	7.4
STD	6.7	6.1	3.9	2.7	3.1	2.6	2.3	2.7	2.2	2.7	3.8	6.2	1.7	2.5	2.0	1.8	4.4
MAX	18.6	22.4	25.4	34.7	46.7	55.8	59.1	59.9	49.2	41.2	31.4	19.4	35.0	33.7	56.7	37.6	18.0
MIN	-9.0	-1.4	10.5	25.0	35.2	43.1	50.2	48.7	40.4	29.7	15.1	-2.0	27.9	24.5	48.5	30.9	0.7

Interval/	1971	2000															
AVE	2.0	6.5	17.2	29.3	40.3	49.8	54.7	53.0	44.6	34.1	22.7	9.3	30.3	28.9	52.5	33.8	6.1
MEDIAN	2.0	6.1	17.6	29.4	40.1	50.6	54.7	53.2	44.8	33.7	23.4	10.5	30.4	28.7	52.7	33.9	5.9
STD	6.2	6.5	4.4	3.0	3.3	2.6	2.1	2.7	2.6	3.2	3.6	6.1	1.8	2.6	1.8	2.2	4.5
MAX	12.3	22.4	26.4	34.7	46.7	54.2	59.1	59.9	48.6	43.4	28.7	19.3	35.0	33.7	56.7	38.4	18.0
MIN	-9.0	-4.8	10.4	23.0	35.2	43.1	50.2	48.6	38.8	27.7	14.0	-3.8	26.9	24.4	48.5	26.9	-2.0

Interval/	1961	1990															
AVE	1.1	4.1	16.2	29.2	39.7	49.1	54.4	52.2	44.3	34.4	22.9	8.4	29.7	28.4	51.9	33.9	4.5
MEDIAN	0.6	3.4	16.0	29.2	38.8	49.0	54.1	52.1	44.4	34.0	23.6	8.8	29.4	28.0	51.4	33.9	4.8
STD	5.7	5.9	4.5	2.7	3.5	2.4	2.0	2.4	2.5	3.4	3.0	5.5	1.5	2.3	1.5	2.0	3.6
MAX	12.3	16.8	26.4	34.7	46.0	52.9	59.1	57.1	48.4	43.4	27.3	18.3	33.6	33.7	55.1	38.4	14.4
MIN	-9.0	-4.8	9.9	23.0	33.4	43.1	51.0	47.7	38.8	27.7	14.0	-3.8	26.9	24.4	49.6	26.9	-2.0

Interval/	1951	1980															
AVE	1.0	3.6	14.6	28.8	39.4	49.0	54.0	52.0	44.0	34.6	22.4	9.0	29.4	27.6	51.7	33.6	4.6
MEDIAN	1.8	3.2	14.1	29.0	38.7	49.7	53.8	51.7	44.0	34.1	23.3	9.2	29.3	27.5	51.4	33.6	5.1
STD	5.0	4.9	4.5	2.3	3.3	2.3	1.9	2.3	2.5	3.5	3.5	4.7	1.1	2.0	1.4	2.2	3.5
MAX	9.9	15.2	26.4	34.4	46.0	52.7	59.0	57.9	48.4	43.4	27.3	18.3	32.7	33.7	54.9	38.4	10.9
MIN	-8.6	-4.8	4.4	23.0	33.4	43.5	51.0	47.7	38.8	25.8	13.3	-3.8	26.9	24.3	48.9	26.9	-2.3

Interval/	1941	1970															
AVE	2.6	3.9	14.6	28.8	38.9	49.1	53.7	52.0	43.9	34.8	22.2	9.3	29.5	27.4	51.6	33.6	5.1
MEDIAN	2.4	3.3	14.1	29.1	38.7	49.7	53.5	51.5	43.8	35.2	23.0	9.2	29.4	27.5	51.8	33.6	4.9
STD	5.0	4.1	4.8	2.5	3.2	2.4	1.9	2.5	2.0	3.0	3.6	4.3	1.1	1.9	1.6	1.8	3.2
MAX	13.2	15.2	25.7	34.4	45.1	53.1	59.0	58.2	47.6	41.3	28.4	18.4	31.7	31.1	54.9	37.4	10.9
MIN	-5.4	-4.1	4.4	22.0	33.4	43.5	50.7	46.5	40.0	25.8	13.3	0.2	26.5	22.9	48.5	30.3	-2.3

Interval/	1931	1960															
AVE	3.9	4.1	14.2	28.1	39.2	49.5	54.3	52.2	44.2	34.1	21.5	9.7	29.6	27.1	52.0	33.3	5.8
MEDIAN	4.3	3.9	13.7	28.3	38.9	49.7	54.1	52.5	43.9	34.0	22.0	9.4	29.4	27.5	52.2	32.9	5.5
STD	5.3	5.1	4.7	2.8	2.7	2.8	2.0	2.6	2.3	3.0	4.0	4.6	1.4	2.0	1.6	2.1	3.4
MAX	13.2	15.2	25.7	34.4	43.6	55.8	59.1	58.2	50.4	41.3	28.7	19.4	33.8	31.1	54.9	39.4	12.4
MIN	-5.2	-12.3	4.4	22.0	34.8	43.5	50.7	46.5	40.0	25.8	13.3	0.2	26.5	22.9	48.5	30.0	-2.3

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Minimum Temperature: Northeast Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	2.8	3.5	14.7	27.4	38.9	49.4	54.1	51.3	44.3	33.8	21.4	8.9	29.2	27.0	51.6	33.2	4.9
MEDIAN	2.3	3.9	14.7	27.6	38.9	49.2	54.1	51.7	43.9	33.7	20.8	8.9	29.1	26.9	51.7	32.9	4.3
STD	6.0	5.4	4.9	3.0	3.1	3.2	2.3	2.7	2.5	3.0	3.6	4.8	1.7	2.5	1.9	2.0	3.3
MAX	13.2	14.4	25.7	33.5	45.8	55.8	60.5	58.2	50.4	41.3	28.7	19.4	33.8	31.6	55.6	39.4	12.4
MIN	-10.4	-12.3	5.5	22.0	33.2	44.4	49.7	44.8	39.9	26.4	16.7	-0.4	26.2	21.8	47.0	30.0	-1.2

Interval/	1911	1940															
AVE	1.2	2.6	13.9	27.2	38.9	49.0	54.1	50.6	44.2	33.5	21.2	9.0	28.8	26.7	51.2	33.0	4.3
MEDIAN	1.2	3.7	14.7	27.6	38.7	49.0	54.1	50.9	44.2	33.7	20.8	9.3	28.9	26.7	51.4	32.7	4.1
STD	6.9	6.7	4.2	2.9	3.1	3.6	2.5	2.4	2.6	3.0	3.4	5.9	1.8	2.3	2.0	2.0	4.2
MAX	12.5	14.4	21.6	35.0	45.8	56.2	60.5	55.1	50.4	39.6	28.7	19.4	33.8	31.6	55.6	39.4	12.4
MIN	-16.2	-12.3	5.5	22.1	32.9	44.0	49.6	44.8	37.4	26.4	14.5	-1.8	24.7	21.8	46.4	30.0	-3.6

Interval/	1901	1930															
AVE	0.3	1.7	14.7	27.2	38.1	48.3	53.2	50.1	44.1	33.2	21.4	8.1	28.4	26.7	50.5	32.9	3.7
MEDIAN	1.0	1.9	14.9	28.0	38.1	47.9	52.8	50.3	43.8	33.2	21.4	8.0	28.5	26.7	50.5	33.0	4.0
STD	6.1	6.0	4.8	3.2	3.2	3.1	2.4	2.2	2.4	2.8	3.4	5.5	1.5	2.4	1.9	1.6	4.2
MAX	10.4	14.2	23.8	35.0	45.8	56.2	60.5	54.2	48.8	39.6	27.6	18.4	32.6	31.6	55.6	35.6	12.2
MIN	-16.2	-9.7	5.5	21.7	31.1	44.0	49.6	44.8	37.4	26.4	14.5	-1.8	24.7	21.8	46.4	30.2	-4.5

Data as of 4 Aug 2023