

Wisconsin State Climatology Office

Maximum Temperature [degrees Fahrenheit]: Southwest Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	National Centers for Environmental Information													SPRING	SUMMER	FALL	WINTER
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1895	20.0	23.0	42.0	63.7	72.6	82.5	85.6	84.6	77.9	54.7	40.3	30.8	56.5	59.4	84.2	57.6	30.3
1896	28.4	31.7	37.6	62.8	76.7	80.5	83.2	81.8	66.6	57.2	37.4	33.3	56.4	59.0	81.8	53.7	29.4
1897	23.6	31.4	37.8	56.2	70.2	78.1	86.1	77.7	79.5	66.2	40.9	25.4	56.1	54.7	80.6	62.2	28.5
1898	29.8	30.2	45.6	56.2	69.6	80.7	86.1	80.8	75.5	54.5	40.9	25.0	56.2	57.1	82.5	57.0	23.6
1899	25.6	20.1	31.7	60.2	70.5	79.6	82.9	83.5	70.8	65.8	49.3	28.2	55.7	54.1	82.0	62.0	26.7
1900	29.4	22.4	34.5	61.2	73.2	79.6	81.0	86.3	73.2	68.0	37.6	31.2	56.5	56.3	82.3	59.6	27.3
1901	28.1	22.6	38.1	59.8	70.9	82.0	92.6	84.1	70.9	63.2	42.0	25.2	56.6	56.3	86.2	58.7	26.2
1902	28.0	25.4	45.2	57.2	71.0	72.6	81.2	76.4	68.3	61.8	47.6	25.7	55.0	57.8	76.7	59.2	26.8
1903	25.8	28.9	46.4	58.3	71.6	75.0	81.9	75.6	70.4	61.3	40.1	24.1	55.0	58.8	77.5	57.3	21.6
1904	19.4	21.4	38.6	52.9	69.7	77.8	80.0	78.2	72.8	60.5	47.8	28.2	53.9	53.7	78.7	60.4	22.5
1905	18.2	21.2	44.2	56.1	66.7	77.7	79.2	80.6	74.0	57.6	44.3	33.5	54.4	55.7	79.2	58.6	31.2
1906	30.5	29.5	31.3	62.3	69.9	77.2	81.8	81.9	75.8	59.5	40.0	30.4	55.8	54.5	80.3	58.4	28.7
1907	23.8	31.9	47.3	49.6	61.9	74.9	81.2	77.7	68.8	57.2	42.0	32.8	54.1	52.9	77.9	56.0	30.9
1908	30.0	29.8	43.4	57.1	68.7	75.5	82.1	80.6	78.6	59.9	46.3	31.1	56.9	56.4	79.4	61.6	29.9
1909	26.4	32.1	37.3	49.6	67.7	77.5	82.5	84.2	70.8	56.7	50.7	21.1	54.7	51.5	81.4	59.4	23.3
1910	24.0	24.9	56.9	63.7	65.0	82.1	88.6	82.2	70.9	63.6	34.9	26.1	56.9	61.9	84.3	56.5	27.9
1911	25.5	32.2	46.5	53.1	75.1	83.3	85.3	78.9	72.0	54.5	34.6	33.4	56.2	58.2	82.5	53.7	21.0
1912	7.2	22.4	32.7	59.7	70.6	77.0	82.4	76.5	71.5	60.8	45.7	35.2	53.5	54.3	78.6	59.3	29.4
1913	27.5	25.5	39.1	59.7	67.2	81.2	83.4	81.8	72.5	56.9	48.1	37.8	56.7	55.3	82.1	59.2	30.3
1914	31.8	21.3	40.6	58.0	72.3	77.7	84.7	81.3	73.0	64.6	46.5	22.3	56.2	57.0	81.2	61.4	25.9
1915	22.0	33.5	37.0	67.3	61.8	73.4	77.4	74.7	71.9	61.4	46.0	29.0	54.6	55.4	75.2	59.8	26.6
1916	26.9	23.9	39.6	55.5	67.9	72.1	91.3	85.2	71.2	59.0	42.6	25.6	55.1	54.3	82.9	57.6	23.3
1917	23.2	21.1	40.0	53.8	65.8	73.6	82.3	79.1	70.7	48.1	45.9	20.6	52.0	53.2	78.3	54.9	20.9
1918	12.7	29.3	49.6	52.6	73.2	76.9	81.4	83.5	67.2	63.4	46.0	36.2	56.0	58.5	80.6	58.9	33.0
1919	31.3	31.5	44.5	57.1	67.3	81.4	86.9	79.8	75.0	58.6	39.2	19.2	56.0	56.3	82.7	57.6	21.4
1920	18.6	26.3	43.3	49.9	68.7	79.8	81.0	79.9	74.9	68.1	39.4	31.4	55.1	54.0	80.2	60.8	32.8
1921	31.8	35.2	48.7	62.6	71.8	83.8	88.9	81.0	75.3	59.4	37.0	32.3	59.0	61.0	84.6	57.2	29.6
1922	26.2	30.3	42.8	57.0	74.0	80.1	79.7	82.7	76.2	65.2	46.6	29.7	57.5	57.9	80.8	62.7	27.6
1923	28.5	24.5	36.0	54.8	70.9	82.4	86.9	79.8	71.1	57.2	45.9	38.7	56.4	53.9	83.0	58.1	29.2
1924	19.0	29.8	36.0	56.5	61.3	73.1	79.2	78.4	66.3	67.8	43.8	21.4	52.7	51.3	76.9	59.3	27.1
1925	26.4	33.6	47.0	66.2	68.4	78.8	81.1	81.3	76.6	46.7	41.8	25.1	56.1	60.5	80.4	55.0	28.7
1926	27.6	33.3	35.4	54.9	73.2	74.2	82.2	79.0	68.7	56.4	37.2	25.5	54.0	54.5	78.5	54.1	28.2
1927	23.3	35.9	47.0	54.9	64.8	74.8	82.8	78.0	75.0	62.8	43.2	25.7	55.7	55.6	78.5	60.3	28.8
1928	27.6	33.2	44.2	52.4	73.1	73.5	82.7	80.8	69.2	61.6	42.3	32.1	56.1	56.6	79.0	57.7	23.1
1929	15.8	21.3	45.2	58.2	66.2	76.2	83.9	81.0	72.2	58.6	38.5	29.1	53.9	56.5	80.4	56.4	28.8
1930	18.7	38.6	43.4	60.2	69.2	78.3	86.6	85.6	76.2	55.8	47.2	29.6	57.5	57.6	83.5	59.7	33.6
1931	31.9	39.3	39.7	61.0	66.4	83.6	89.8	83.7	78.9	62.0	49.8	37.3	60.3	55.7	85.7	63.6	34.2
1932	29.3	35.9	32.7	56.9	71.9	81.2	85.8	81.6	72.1	56.3	38.8	28.6	55.9	53.8	82.9	55.7	31.4
1933	37.4	28.3	40.1	54.6	67.7	88.3	84.8	81.1	77.5	58.2	41.9	30.3	57.5	54.1	84.7	59.2	30.1
1934	32.1	28.0	39.7	56.2	81.0	87.0	86.8	80.5	69.6	64.0	46.3	24.8	58.0	59.0	84.8	60.0	26.3
1935	23.9	30.2	45.1	53.4	62.8	72.5	86.7	80.9	72.9	60.2	38.6	25.2	54.4	53.8	80.0	57.2	18.6
1936	16.8	13.9	43.7	51.6	75.6	77.8	92.7	86.8	73.6	56.2	41.0	34.1	55.3	57.0	85.8	56.9	28.0
1937	23.5	26.4	37.2	53.2	69.4	76.6	86.0	87.4	75.4	56.6	40.7	25.7	54.8	53.3	83.3	57.6	27.7
1938	24.1	33.4	50.6	57.5	67.2	76.3	82.7	82.8	71.6	66.1	43.7	29.4	57.1	58.4	80.6	60.5	29.8
1939	31.2	28.7	43.0	54.3	75.6	79.9	85.3	81.0	78.9	61.9	46.8	38.1	58.7	57.6	82.1	62.5	28.1
1940	16.5	29.8	34.5	55.2	66.7	80.1	85.4	77.5	73.5	64.1	39.5	30.9	54.5	52.1	81.0	59.0	28.8
1941	27.3	28.1	36.1	62.7	74.6	78.3	84.7	83.6	74.5	60.3	46.6	36.5	57.8	57.8	82.2	60.5	30.2
1942	26.2	27.8	44.2	65.1	67.2	77.4	82.4	79.8	68.4	62.0	44.0	24.3	55.7	58.8	79.9	58.1	26.1
1943	22.3	31.8	37.5	56.1	65.9	79.9	84.2	81.2	67.7	60.2	38.4	33.0	54.9	53.2	81.8	55.4	34.0
1944	35.8	33.3	35.9	53.1	73.1	79.9	82.1	82.0	72.2	62.0	44.6	25.3	56.6	54.0	81.3	59.6	25.7
1945	21.4	30.3	54.5	56.8	63.1	72.0	80.6	80.5	70.3	59.5	41.4	22.7	54.4	58.1	77.7	57.1	28.1
1946	29.4	32.2	52.8	63.8	67.2	77.6	83.7	78.4	71.6	65.0	44.6	34.5	58.4	61.3	79.9	60.4	29.9
1947	30.6	24.5	37.1	53.6	62.8	74.4	81.5	87.8	74.5	69.9	35.4	30.3	55.2	51.2	81.2	59.9	26.9
1948	21.7	28.7	41.6	63.1	67.0	77.2	84.0	82.1	76.9	59.9	43.2	30.3	56.3	57.2	81.1	60.0	28.5
1949	26.6	28.6	40.4	59.4	71.4	81.5	84.4	82.2	68.0	64.9	45.3	32.6	57.1	57.1	82.7	59.4	30.0
1950	28.9	28.4	34.9	49.5	69.2	77.0	79.3	75.9	71.0	65.8	38.5	22.4	53.4	51.2	77.4	58.4	24.2
1951	21.7	28.6	34.6	51.3	71.7	73.8	80.1	75.5	67.9	59.1	34.8	27.0	52.2	52.5	76.5	53.9	29.4
1952	27.3	33.9	36.5	60.1	67.4	80.0	84.3	78.0	74.1	57.7	46.2	30.5	56.3	54.7	80.8	59.3	30.1
1953	28.0	31.9	41.6	50.6	68.4	81.0	82.1	82.2	74.6	69.0	48.6	33.0	57.6	53.5	81.8	64.1	33.3
1954	26.2	40.8	39.6	60.1	63.1	80.7	83.0	78.9	73.2	58.7	45.5	29.8	56.6	54.3	80.9	59.1	27.6
1955	24.8	28.2	39.9	64.4	72.7	75.4	88.6	86.7	76.9	60.9	37.8	25.1	56.8	59.0	83.6	58.5	27.2
1956	26.7	29.8	37.5	55.0	68.8	82.4	79.7	80.2	71.0	68.0	42.0	31.9	56.1	53.8	80.8	60.3	28.9
1957	20.6	34.2	42.3	57.4	65.5	77.1	83.7	79.5	69.6	57.4	39.8	34.9	55.2	55.1	80.1	55.6	28.7
1958	26.7	24.5	40.5	58.1	71.9	73.2	79.2	82.2	72.7	63.8	45.9	23.8	55.2	56.8	78.2	60.8	23.1
1959	19.3	26.1	38.8	56.6	72.5	79.2	81.0	82.3	72.5	53.0	34.3	36.0	54.3	56.0	80.8	53.3	30.4
1960	27.2	28.1	31.6	58.8	66.2	74.6	80.5	80.5	73.4	60.2	46.2	28.9	54.7	52.2	78.5	59.9	30.6

Maximum Temperature: Southwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	25.5	37.3	41.3	51.0	67.4	79.4	80.8	81.4	70.5	61.1	42.5	26.2	55.4	53.2	80.5	58.0	24.1
1962	20.4	25.7	37.1	55.7	72.7	76.9	77.3	80.1	68.4	61.6	44.0	29.1	54.1	55.2	78.1	58.0	22.6
1963	13.8	24.8	45.3	60.6	67.7	82.6	83.9	79.1	72.4	71.4	48.2	20.0	55.8	57.9	81.9	64.0	29.2
1964	31.9	35.8	39.6	58.0	74.0	79.3	85.2	78.2	70.1	59.7	48.0	25.8	57.1	57.2	80.9	59.3	25.6
1965	23.7	27.3	32.0	53.2	73.0	77.4	81.6	77.7	67.0	60.5	44.3	36.6	54.5	52.7	78.9	57.3	28.3
1966	18.7	29.7	46.1	52.9	65.4	79.0	84.4	79.2	71.4	61.4	44.2	29.2	55.1	54.8	80.9	59.0	27.9
1967	29.2	25.2	42.4	56.9	65.0	77.7	80.1	76.4	70.8	57.4	38.7	31.4	54.3	54.8	78.1	55.6	28.4
1968	25.7	28.2	51.8	60.6	65.8	77.7	80.6	80.3	70.8	60.9	41.7	28.4	56.0	59.4	79.5	57.8	26.4
1969	20.7	30.2	37.5	59.1	69.9	70.6	80.9	83.1	72.1	56.5	42.8	28.5	54.3	55.5	78.2	57.1	25.1
1970	17.0	29.9	39.2	58.8	70.6	78.5	83.6	81.5	70.8	60.2	41.1	29.9	55.1	56.2	81.2	57.4	25.4
1971	19.3	26.9	37.2	59.2	67.6	82.5	78.7	79.9	74.5	66.5	43.1	32.0	55.6	54.7	80.4	61.4	26.6
1972	22.2	25.7	37.8	52.6	73.2	78.0	79.5	78.8	70.7	55.0	38.1	24.6	53.0	54.5	78.8	54.6	28.5
1973	29.0	32.0	50.0	53.1	64.1	79.1	82.5	81.4	69.7	65.4	43.7	27.5	56.5	55.7	81.0	59.6	27.5
1974	25.1	29.8	41.4	59.9	63.9	74.9	84.6	77.8	68.1	60.6	44.1	31.8	55.2	55.1	79.1	57.6	29.1
1975	27.5	28.1	34.8	49.7	72.4	77.6	82.9	81.1	67.3	65.2	49.4	31.8	55.7	52.3	80.5	60.6	31.8
1976	25.3	38.3	44.7	60.9	67.5	80.8	86.0	81.4	73.2	55.7	37.8	24.2	56.3	57.7	82.7	55.6	23.0
1977	12.6	32.1	49.1	65.5	78.3	77.9	84.9	75.9	69.8	58.0	41.4	25.2	55.9	64.3	79.6	56.4	22.1
1978	18.2	22.8	39.3	56.6	68.7	78.1	79.2	81.0	76.6	58.1	43.2	26.9	54.1	54.9	79.4	59.3	20.5
1979	13.4	21.3	38.8	52.6	68.8	77.9	81.6	77.6	74.5	58.2	41.6	37.0	53.6	53.4	79.0	58.1	29.6
1980	25.2	26.5	37.7	58.3	72.6	78.4	85.1	80.5	71.6	55.4	45.2	29.6	55.5	56.2	81.3	57.4	31.0
1981	29.3	34.0	48.2	60.9	68.0	78.1	80.8	78.4	70.0	57.2	46.2	28.4	56.6	59.0	79.1	57.8	24.4
1982	16.4	28.3	38.5	53.1	71.3	73.6	82.5	77.9	69.5	61.5	42.4	36.5	54.3	54.3	78.0	57.8	33.1
1983	28.2	34.5	42.3	51.2	63.0	79.5	86.3	85.9	72.2	59.2	43.6	17.6	55.3	52.2	83.9	58.3	26.5
1984	23.4	38.6	35.7	55.9	65.2	79.4	81.6	84.0	72.0	61.9	44.5	33.4	56.3	52.3	81.7	59.5	27.2
1985	21.8	26.4	46.9	63.3	74.0	76.4	84.2	77.2	70.5	59.2	36.1	20.4	54.7	61.4	79.3	55.3	24.6
1986	26.6	26.7	46.4	62.2	70.1	79.0	83.5	76.5	70.3	59.2	39.3	30.9	55.9	59.6	79.7	56.3	33.2
1987	29.0	39.7	47.2	63.4	73.3	82.4	85.3	77.6	71.5	54.9	47.1	32.8	58.7	61.3	81.8	57.8	27.1
1988	21.9	26.6	44.9	59.3	76.4	85.8	88.3	86.0	75.2	54.8	44.2	31.8	57.9	60.2	86.7	58.1	29.6
1989	33.5	23.6	39.3	56.2	68.6	77.4	84.7	79.7	70.4	62.9	41.0	21.3	54.9	54.7	80.6	58.1	31.0
1990	36.1	35.6	46.6	58.7	64.6	77.6	80.6	79.7	74.1	59.2	50.2	28.6	57.6	56.6	79.3	61.2	28.6
1991	22.4	34.8	46.0	60.2	72.4	82.0	82.1	80.8	70.0	59.0	37.3	32.6	56.6	59.5	81.6	55.4	33.1
1992	30.5	36.2	43.9	52.8	71.3	76.6	75.7	75.9	69.2	58.9	37.7	29.9	54.9	56.0	76.1	55.3	28.2
1993	27.0	27.7	38.5	52.7	68.4	74.5	78.8	79.5	64.8	58.3	41.6	30.6	53.5	53.2	77.6	54.9	24.1
1994	17.2	24.4	44.8	58.9	70.5	80.4	78.7	75.8	73.0	61.8	47.4	35.1	55.7	58.1	78.3	60.7	30.6
1995	25.5	31.2	46.1	52.1	67.0	81.0	82.9	84.4	70.0	60.4	35.6	27.6	55.3	55.1	82.8	55.3	26.7
1996	23.9	28.6	38.0	54.4	63.2	76.2	79.2	80.0	71.4	60.8	35.1	27.4	53.2	51.9	78.5	55.8	27.2
1997	22.0	32.2	42.9	54.9	63.4	80.0	80.1	75.5	71.9	60.5	39.0	33.8	54.7	53.7	78.5	57.1	34.7
1998	29.7	40.5	41.6	59.3	75.1	75.9	82.2	80.4	77.2	60.9	48.1	38.5	59.1	58.7	79.5	62.1	33.5
1999	23.1	38.8	45.2	59.4	71.0	78.8	85.5	78.0	72.1	61.3	54.2	34.0	58.5	58.5	80.8	62.5	33.7
2000	28.3	38.8	52.2	58.3	70.8	75.2	79.6	80.2	72.6	64.3	40.7	18.8	56.7	60.4	78.3	59.2	25.1
2001	29.4	27.1	39.3	62.2	69.8	75.9	84.3	81.8	69.7	58.3	56.0	37.7	57.6	57.1	80.7	61.3	37.7
2002	36.0	39.4	39.6	56.6	65.8	79.4	85.2	80.5	75.6	54.0	43.0	35.3	57.5	54.0	81.7	57.5	29.8
2003	25.4	28.8	43.1	58.7	67.4	77.2	81.5	85.5	73.0	61.8	44.2	35.2	56.8	56.4	81.4	59.7	30.3
2004	23.5	32.3	46.4	61.1	68.9	75.7	79.0	75.2	77.3	60.4	47.7	32.5	56.7	58.8	76.6	61.8	31.3
2005	25.5	35.9	42.1	63.8	66.1	83.2	84.1	81.2	77.9	62.9	46.8	25.3	57.9	57.3	82.8	62.5	31.9
2006	37.9	32.4	43.6	63.1	68.6	78.5	85.4	80.7	68.7	55.5	47.6	37.4	58.3	58.4	81.5	57.3	30.3
2007	31.5	22.0	48.1	56.1	74.7	80.2	83.1	80.6	75.6	65.0	43.8	27.0	57.3	59.6	81.3	61.5	25.5
2008	24.8	24.7	38.8	56.2	67.3	77.9	82.3	80.5	73.4	59.5	44.3	26.1	54.7	54.1	80.2	59.1	26.4
2009	19.3	33.9	45.4	57.6	69.0	77.4	75.2	76.9	74.4	52.1	51.0	28.0	55.0	57.3	76.5	59.2	27.1
2010	23.0	30.3	50.8	64.8	70.9	78.4	83.3	83.0	71.1	65.5	46.5	24.7	57.7	62.2	81.6	61.0	25.7
2011	22.7	29.7	41.5	54.3	67.9	78.2	86.2	81.9	69.3	64.0	47.4	36.7	56.7	54.6	82.1	60.2	35.4
2012	32.6	36.9	60.0	59.4	75.5	82.4	90.6	81.9	73.8	58.4	46.4	35.4	61.1	65.0	85.0	59.5	31.2
2013	29.5	28.7	34.9	51.6	70.0	76.7	81.7	81.3	76.2	59.6	42.0	24.4	54.7	52.2	79.9	59.3	21.6
2014	19.8	20.5	36.0	55.3	69.4	79.8	77.7	80.7	72.4	58.2	36.4	33.0	53.3	53.6	79.4	55.7	26.5
2015	26.0	20.6	44.5	61.2	69.8	77.0	80.4	79.0	78.1	62.0	50.4	40.2	57.4	58.5	78.8	63.5	33.2
2016	25.8	33.6	49.0	57.9	70.5	80.3	81.5	81.2	74.9	63.4	53.7	27.5	58.3	59.1	81.0	64.0	32.6
2017	28.6	41.7	43.2	61.0	66.8	80.1	81.8	77.1	76.8	62.0	43.5	29.7	57.7	57.0	79.7	60.8	28.9
2018	27.3	29.7	44.0	48.0	76.0	79.1	82.6	80.7	74.0	56.0	35.9	34.7	55.7	56.0	80.8	55.3	28.1
2019	23.6	26.1	39.5	56.9	64.9	77.1	84.2	78.4	74.2	55.8	36.7	36.8	54.5	53.8	79.9	55.6	33.3
2020	30.9	32.1	45.7	55.1	66.4	80.7	84.6	82.0	69.3	54.6	51.7	34.0	57.3	55.7	82.4	58.5	28.3
2021	28.8	21.5	49.8	59.0	68.0	83.3	81.6	82.3	76.0	64.7	45.6	37.6	58.2	58.9	82.4	62.1	29.5
2022	21.7	29.3	43.3	51.3	70.8	79.5	82.4	79.4	72.7	61.4	47.4	27.6	55.6	55.1	80.4	60.5	31.0
2023	30.4	35.0	41.9	59.2	72.3	82.4	82.6							57.8			

Multi-year Statistics

Interval/	1895	2022															
AVE	25.2	29.6	41.9	57.3	69.3	78.4	83.0	80.5	72.4	60.3	43.2	29.7	55.9	56.2	80.6	58.6	28.2
MEDIAN	25.7	29.6	41.6	57.1	69.1	78.2	82.7	80.6	72.2	60.3	43.6	29.8	55.9	56.0	80.7	58.8	28.5

Maximum Temperature: Southwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	5.35	5.26	5.38	4.14	3.74	3.10	3.13	2.77	3.04	4.08	4.48	4.94	1.60	2.78	2.21	2.41	3.48
MAX	37.9	41.7	60.0	67.3	81.0	88.3	92.7	87.8	79.5	71.4	56.0	40.2	61.1	65.0	86.7	64.1	37.7
MIN	7.2	13.9	31.3	48.0	61.3	70.6	75.2	74.7	64.8	46.7	34.3	17.6	52.0	51.2	75.2	53.3	18.6
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	24.7	29.7	41.7	57.0	69.2	78.1	83.0	80.4	72.0	60.4	42.8	29.2	55.7	56.0	80.5	58.4	27.9
MEDIAN	25.5	29.4	41.4	57.0	68.8	77.9	82.5	80.5	71.8	60.3	43.2	29.6	55.7	55.6	80.5	58.4	28.2
STD	5.47	5.12	5.25	4.13	3.89	3.29	3.19	2.84	2.88	4.02	4.13	4.89	1.55	2.75	2.29	2.30	3.43
MAX	37.4	40.8	56.9	67.3	81.0	88.3	92.7	87.8	79.5	71.4	54.2	38.7	60.3	64.3	86.7	64.1	34.7
MIN	7.2	13.9	31.3	49.5	61.3	70.6	75.7	74.7	64.8	46.7	34.3	17.6	52.0	51.2	75.2	53.3	18.6

Interval/	1951	2000															
AVE	24.2	30.6	41.6	57.1	69.3	78.2	82.2	79.8	71.5	60.3	42.7	29.3	55.6	56.0	80.1	58.1	28.1
MEDIAN	25.2	29.8	41.4	58.1	68.8	78.1	82.1	79.8	71.4	60.2	43.0	29.7	55.4	55.1	79.9	58.0	28.3
STD	5.05	5.08	4.79	3.87	3.71	2.80	2.72	2.67	2.50	3.63	4.35	4.76	1.44	2.83	1.92	2.43	3.31
MAX	36.1	40.8	52.2	65.5	78.3	85.8	88.6	86.7	77.2	71.4	54.2	38.5	59.1	64.3	86.7	64.1	34.7
MIN	12.6	21.3	31.6	49.7	63.0	70.6	75.7	75.5	64.8	53.0	34.3	17.6	52.2	51.9	76.1	53.3	20.5

Interval/	1991	2020															
AVE	26.4	31.3	43.8	57.5	69.3	78.5	82.0	80.0	72.9	59.8	44.4	31.7	56.5	56.9	80.2	59.1	29.7
MEDIAN	25.7	31.7	43.8	57.8	69.2	78.5	82.2	80.6	73.0	60.4	44.3	32.8	56.7	57.1	80.5	59.2	30.1
STD	4.6	5.7	5.0	3.9	3.2	2.2	3.2	2.5	3.2	3.3	5.9	5.0	1.8	3.0	2.0	2.7	3.7
MAX	37.9	41.7	60.0	64.8	76.0	83.2	90.6	85.5	78.1	65.5	56.0	40.2	61.1	65.0	85.0	64.0	37.7
MIN	17.2	20.5	34.9	48.0	63.2	74.5	75.2	75.2	64.8	52.1	35.1	18.8	53.2	51.9	76.1	54.9	21.6

Interval/	1981	2010															
AVE	26.4	31.8	43.7	58.2	69.2	78.5	82.2	80.0	72.2	59.7	44.1	30.0	56.3	57.1	80.2	58.6	29.3
MEDIAN	25.5	32.3	44.4	58.7	69.0	78.3	82.4	80.1	72.0	60.0	44.2	30.8	56.6	57.3	80.4	58.2	29.1
STD	5.2	5.3	3.9	3.8	3.5	2.7	3.0	3.0	2.8	3.1	5.1	5.5	1.6	2.9	2.3	2.4	3.5
MAX	37.9	40.5	52.2	64.8	76.4	85.8	88.3	86.0	77.9	65.5	56.0	38.5	59.1	62.2	86.7	62.5	37.7
MIN	16.4	22.0	35.7	51.2	63.0	73.6	75.2	75.2	64.8	52.1	35.1	17.6	53.2	51.9	76.1	54.9	24.1

Interval/	1971	2000															
AVE	24.5	31.0	42.9	57.2	69.5	78.5	82.3	79.6	71.5	59.8	42.6	29.4	55.7	56.5	80.1	58.0	28.4
MEDIAN	25.2	30.5	43.4	58.3	69.5	78.1	82.4	79.7	71.5	59.2	42.8	30.3	55.6	55.9	79.5	57.8	28.4
STD	5.4	5.5	4.5	4.0	4.0	2.6	2.8	2.8	2.6	3.1	4.5	5.2	1.6	3.2	2.1	2.2	3.7
MAX	36.1	40.5	52.2	65.5	78.3	85.8	88.3	86.0	77.2	66.5	54.2	38.5	59.1	64.3	86.7	62.5	34.7
MIN	12.6	21.3	34.8	49.7	63.0	73.6	75.7	75.5	64.8	54.8	35.1	17.6	53.0	51.9	76.1	54.6	20.5

Interval/	1961	1990															
AVE	23.7	29.7	42.0	57.3	69.4	78.5	82.7	79.8	71.2	60.0	43.3	28.6	55.5	56.2	80.3	58.1	27.3
MEDIAN	24.4	28.3	41.4	58.2	68.8	78.1	82.7	79.7	70.8	59.5	43.4	28.9	55.4	55.3	80.0	57.9	27.3
STD	5.8	4.9	4.9	4.1	3.9	2.7	2.5	2.5	2.2	3.7	3.3	4.7	1.3	3.0	1.8	1.9	3.1
MAX	36.1	39.7	51.8	65.5	78.3	85.8	88.3	86.0	76.6	71.4	50.2	37.0	58.7	64.3	86.7	64.0	33.2
MIN	12.6	21.3	32.0	49.7	63.0	70.6	77.3	75.9	67.0	54.8	36.1	17.6	53.0	52.2	78.0	54.6	20.5

Interval/	1951	1980															
AVE	23.1	29.5	40.2	56.9	69.2	78.1	82.2	79.9	71.5	60.6	42.8	29.2	55.3	55.4	80.1	58.3	27.4
MEDIAN	25.0	28.4	39.5	57.7	68.8	78.1	81.9	80.2	71.2	60.2	43.2	29.2	55.3	55.0	80.5	58.1	28.1
STD	4.9	4.5	4.7	4.0	3.6	2.7	2.5	2.3	2.5	4.3	3.8	4.0	1.2	2.5	1.5	2.5	3.0
MAX	31.9	40.8	51.8	65.5	78.3	82.6	88.6	86.7	76.9	71.4	49.4	37.0	57.6	64.3	83.6	64.1	33.3
MIN	12.6	21.3	31.6	49.7	63.1	70.6	77.3	75.5	67.0	53.0	34.3	20.0	52.2	52.2	76.5	53.3	20.5

Interval/	1941	1970															
AVE	24.8	29.8	40.3	57.4	68.7	77.7	82.3	80.6	71.5	61.6	42.6	29.3	55.6	55.5	80.2	58.6	27.9
MEDIAN	26.0	28.7	39.6	57.7	68.1	77.7	82.1	80.4	71.2	60.7	43.6	29.5	55.3	55.1	80.8	58.8	28.2
STD	4.6	3.8	5.4	4.2	3.4	2.9	2.3	2.7	2.5	4.0	3.9	4.3	1.4	2.5	1.7	2.4	2.7
MAX	35.8	40.8	54.5	65.1	74.6	82.6	88.6	87.8	76.9	71.4	48.6	36.6	58.4	61.3	83.6	64.1	34.0
MIN	13.8	24.5	31.6	49.5	62.8	70.6	77.3	75.5	67.0	53.0	34.3	20.0	52.2	51.2	76.5	53.3	22.6

Interval/	1931	1960															
AVE	26.2	29.8	40.1	57.0	69.1	78.5	83.8	81.4	72.8	61.4	42.3	29.9	56.0	55.4	81.3	58.9	28.5
MEDIAN	26.7	28.7	39.7	56.7	68.1	78.1	83.9	81.2	72.8	60.6	42.6	30.3	56.0	54.9	81.1	59.3	28.7
STD	4.9	4.8	5.3	4.2	4.2	3.8	3.1	3.0	3.0	4.0	4.1	4.5	1.7	2.6	2.3	2.5	3.1
MAX	37.4	40.8	54.5	65.1	81.0	88.3	92.7	87.8	78.9	69.9	49.8	38.1	60.3	61.3	85.8	64.1	34.2
MIN	16.5	13.9	31.6	49.5	62.8	72.0	79.2	75.5	67.7	53.0	34.3	22.4	52.2	51.2	76.5	53.3	18.6

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Maximum Temperature: Southwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	26.1	30.1	41.6	57.2	69.3	78.5	84.2	81.5	72.9	60.9	42.4	29.5	56.2	56.0	81.4	58.7	28.4
MEDIAN	26.5	30.0	41.0	56.4	68.8	78.1	84.1	81.1	72.6	61.0	42.8	29.7	56.1	56.6	81.2	59.1	28.6
STD	5.4	5.0	5.6	4.2	4.5	3.9	3.0	2.8	3.4	4.5	3.6	4.7	1.8	2.8	2.4	2.2	3.1
MAX	37.4	39.3	54.5	66.2	81.0	88.3	92.7	87.8	78.9	69.9	49.8	38.7	60.3	61.3	85.8	63.6	34.2
MIN	15.8	13.9	32.7	49.5	61.3	72.0	79.2	75.9	66.3	46.7	35.4	21.4	52.7	51.2	76.9	54.1	18.6

Interval/	1911	1940															
AVE	24.6	29.2	41.5	56.6	69.6	78.5	84.5	81.1	73.0	59.8	42.8	29.5	55.9	55.9	81.4	58.5	27.7
MEDIAN	25.9	29.8	41.7	55.9	69.0	78.1	84.8	81.0	72.7	59.8	42.9	29.5	56.0	55.6	81.1	59.0	28.5
STD	6.6	5.7	4.8	3.9	4.4	4.2	3.4	2.8	3.1	4.9	3.8	5.3	1.8	2.4	2.5	2.4	3.8
MAX	37.4	39.3	50.6	67.3	81.0	88.3	92.7	87.4	78.9	68.1	49.8	38.7	60.3	61.0	85.8	63.6	34.2
MIN	7.2	13.9	32.7	49.9	61.3	72.1	77.4	74.7	66.3	46.7	34.6	19.2	52.0	51.3	75.2	53.7	18.6

Interval/	1901	1930															
AVE	24.2	28.3	42.2	57.0	68.9	77.5	83.4	80.3	72.3	59.6	43.1	28.6	55.5	56.0	80.4	58.3	27.3
MEDIAN	26.0	29.4	43.4	57.1	69.0	77.4	82.4	80.6	72.0	59.7	43.5	29.1	55.8	56.0	80.3	58.7	28.1
STD	5.8	5.0	5.5	4.4	3.6	3.4	3.5	2.7	3.0	4.7	4.1	5.1	1.5	2.5	2.5	2.2	3.6
MAX	31.8	38.6	56.9	67.3	75.1	83.8	92.6	85.6	78.6	68.1	50.7	38.7	59.0	61.9	86.2	62.7	33.6
MIN	7.2	21.1	31.3	49.6	61.3	72.1	77.4	74.7	66.3	46.7	34.6	19.2	52.0	51.3	75.2	53.7	20.9

Data as of 4 Aug 2023

Maximum Temperature: Southwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	--------	-----	-----	-----	-----