

Wisconsin State Climatology Office

Minimum Temperature [degrees Fahrenheit]: Southwest Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												ANNUAL	SPRING	SUMMER	FALL	WINTER
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1895	-2.0	-1.5	19.2	37.9	46.6	56.8	57.3	58.7	54.1	30.2	22.7	16.7	33.1	34.6	57.6	35.7	13.7
1896	11.0	13.4	17.7	40.5	53.8	56.7	60.2	59.0	46.2	32.7	19.5	20.0	35.9	37.3	58.6	32.8	13.8
1897	6.4	15.0	20.5	36.6	44.3	54.6	62.7	55.0	54.9	40.9	20.9	6.9	34.9	33.8	57.4	38.9	10.5
1898	12.5	12.1	25.5	34.2	46.7	58.2	59.1	57.2	51.5	36.9	21.3	6.2	35.1	35.5	58.2	36.6	3.4
1899	6.1	-2.0	12.6	36.9	46.9	57.3	60.8	59.0	47.0	41.9	30.1	11.0	34.0	32.1	59.0	39.7	8.6
1900	14.2	0.5	16.9	37.0	48.3	54.4	59.0	64.1	51.1	46.0	22.0	16.1	35.8	34.1	59.2	39.7	8.7
1901	9.5	0.5	21.8	35.8	46.4	56.4	65.0	57.0	49.0	39.4	21.5	11.1	34.5	34.7	59.5	36.6	8.3
1902	9.0	4.7	27.2	33.5	49.8	53.2	61.0	55.8	46.5	39.5	31.6	9.8	35.1	36.8	56.7	39.2	9.1
1903	9.4	8.1	28.4	36.1	48.7	51.4	58.7	56.4	48.3	37.6	21.5	3.6	34.0	37.7	55.5	35.8	1.1
1904	-0.7	0.4	22.9	30.1	45.4	53.7	57.9	53.0	50.2	39.4	26.4	9.8	32.4	32.8	54.9	38.7	3.0
1905	-2.0	1.1	27.2	34.6	45.5	55.1	59.0	59.6	52.3	37.0	25.3	16.1	34.2	35.8	57.9	38.2	12.2
1906	12.0	8.5	16.5	37.2	44.8	54.6	57.6	61.0	53.8	36.5	26.0	15.6	35.3	32.8	57.7	38.8	10.8
1907	7.2	9.5	27.5	28.8	38.4	53.5	60.3	56.8	49.5	35.4	25.3	17.7	34.2	31.6	56.9	36.7	13.6
1908	10.5	12.6	25.2	34.6	47.1	54.1	59.8	55.6	52.3	39.1	25.9	14.2	35.9	35.6	56.5	39.1	12.3
1909	9.6	13.1	21.8	30.8	44.7	56.1	58.3	61.6	47.9	35.3	31.1	6.4	34.7	32.4	58.7	38.1	5.1
1910	5.6	3.3	32.0	36.9	42.0	54.5	59.7	58.4	49.1	40.5	21.3	10.5	34.5	37.0	57.5	37.0	11.6
1911	6.8	17.6	24.5	34.3	51.3	60.3	60.0	56.2	51.0	38.0	19.7	20.0	36.6	36.7	58.8	36.2	4.8
1912	-10.1	4.4	12.4	35.7	46.9	52.5	59.9	57.2	52.0	39.6	26.6	17.5	32.9	31.7	56.5	39.4	10.1
1913	7.8	4.9	18.4	35.8	46.0	56.7	59.9	59.5	49.7	37.7	31.1	21.9	35.8	33.4	58.7	39.5	12.9
1914	15.8	1.0	21.8	34.8	48.0	57.0	61.7	58.2	50.1	43.4	26.8	6.4	35.4	34.9	59.0	40.1	9.6
1915	3.3	19.0	19.7	41.8	42.5	50.3	56.8	52.1	51.2	39.5	27.1	14.2	34.8	34.7	53.1	39.3	9.7
1916	7.8	7.0	19.1	35.0	46.0	51.8	65.6	59.7	48.6	37.7	23.0	4.6	33.8	33.4	59.0	36.4	0.5
1917	-0.5	-2.6	20.5	33.5	39.3	51.8	60.2	54.2	47.2	30.0	27.6	5.3	30.5	31.1	55.4	34.9	2.6
1918	-5.4	7.8	25.9	30.0	49.9	55.3	58.1	60.0	42.0	39.9	29.0	21.5	34.5	35.3	57.8	37.0	16.5
1919	13.7	14.3	22.4	35.8	43.9	61.0	61.4	55.5	52.4	39.4	22.9	1.7	35.4	34.0	59.3	38.2	3.4
1920	-0.1	8.5	22.4	30.9	43.6	57.4	57.8	54.6	52.6	42.7	25.5	17.5	34.5	32.3	56.6	40.3	17.1
1921	17.1	16.6	28.2	39.1	49.0	61.3	64.6	58.2	53.6	40.1	23.3	15.0	38.8	38.8	61.4	39.0	9.9
1922	4.3	10.5	25.2	35.4	52.1	57.1	58.4	58.6	52.2	39.6	33.5	11.9	36.6	37.6	58.0	41.8	9.9
1923	13.6	4.2	14.2	32.6	44.6	59.7	62.0	56.8	51.0	35.6	28.0	24.3	35.6	30.5	59.5	38.2	12.0
1924	-2.1	13.9	21.7	35.2	39.9	53.4	56.6	57.5	45.6	41.2	25.8	5.3	32.8	32.3	55.8	37.5	9.2
1925	7.2	15.1	23.9	39.0	39.8	57.7	59.7	57.7	55.0	31.0	23.2	6.9	34.7	34.2	58.4	36.4	11.3
1926	8.9	18.2	17.2	29.8	46.3	50.6	60.3	59.8	51.5	37.1	21.6	9.0	34.2	31.1	56.9	36.7	11.4
1927	6.3	18.9	27.8	36.4	45.2	53.0	57.8	50.1	53.9	40.2	28.2	7.2	35.4	36.5	53.6	40.8	11.4
1928	11.8	15.1	23.7	30.6	46.6	51.7	61.2	59.1	46.3	41.2	29.8	18.0	36.3	33.6	57.3	39.1	4.1
1929	-5.8	0.1	25.8	37.9	43.0	53.1	60.2	56.1	49.0	37.6	21.3	14.5	32.7	35.6	56.5	36.0	11.2
1930	-1.0	20.2	23.0	35.2	47.0	56.4	60.9	58.4	50.4	38.7	26.3	16.2	36.0	35.1	58.6	38.5	18.6
1931	17.1	22.4	23.5	35.2	43.4	61.1	62.9	57.1	56.7	44.8	33.2	25.6	40.3	34.0	60.4	44.9	19.4
1932	16.7	15.9	15.8	33.5	46.3	58.4	61.0	58.6	46.1	36.7	21.1	11.8	35.2	31.9	59.3	34.6	12.7
1933	19.0	7.3	22.8	34.3	48.6	62.2	61.4	55.7	54.4	36.1	23.5	14.4	36.6	35.2	59.8	38.0	13.4
1934	16.8	9.0	19.6	34.9	50.5	61.2	63.0	56.3	49.2	41.4	32.0	10.4	37.0	35.0	60.2	40.9	10.7
1935	5.3	16.3	26.2	34.6	42.1	53.4	65.5	59.3	49.6	37.2	24.4	12.3	35.5	34.3	59.4	37.1	2.0
1936	0.1	-6.5	25.5	30.3	50.9	53.7	63.1	60.8	53.5	37.0	22.5	15.9	33.9	35.6	59.2	37.7	8.6
1937	2.2	7.6	20.1	34.9	47.9	55.8	61.5	62.5	49.5	36.7	21.4	11.6	34.3	34.3	59.9	35.9	13.4
1938	9.3	19.4	28.7	37.2	46.8	56.1	62.2	61.8	51.7	42.9	26.6	15.0	38.1	37.6	60.0	40.4	12.9
1939	17.2	6.4	21.5	32.5	49.8	58.1	61.2	58.0	52.4	38.3	25.5	21.6	36.9	34.6	59.1	38.7	12.0
1940	0.4	14.0	18.5	33.0	44.0	56.9	62.0	59.0	49.9	41.4	22.2	16.9	34.9	31.8	59.3	37.8	12.7
1941	13.2	7.9	17.5	40.0	49.9	57.3	60.3	58.3	52.2	40.6	29.0	20.7	37.2	35.8	58.6	40.6	13.8
1942	8.8	12.0	27.3	37.8	44.8	56.2	59.7	57.8	48.2	37.1	25.6	8.9	35.4	36.6	57.9	37.0	6.5
1943	2.1	8.5	15.3	32.2	44.7	60.2	61.9	59.9	45.9	36.4	22.0	13.9	33.6	30.7	60.7	34.8	14.3
1944	15.5	13.5	19.6	31.6	51.0	59.4	57.8	58.7	52.4	37.8	32.1	9.4	36.6	34.1	58.6	40.8	8.3
1945	4.3	11.2	31.0	35.5	41.0	51.5	56.9	57.7	49.0	35.4	24.9	8.0	33.9	35.8	55.4	36.4	10.0
1946	10.2	11.8	31.0	36.6	43.1	54.8	59.4	54.8	48.3	41.5	26.2	15.8	36.1	36.9	56.3	38.7	11.5
1947	12.4	6.4	20.2	33.5	41.4	53.2	58.6	64.6	52.0	46.9	21.5	13.7	35.4	31.7	58.8	40.1	8.1
1948	2.2	8.4	19.6	38.6	43.6	54.5	60.7	59.1	52.1	35.2	30.8	14.1	34.9	33.9	58.1	39.4	10.3
1949	8.7	8.2	22.6	32.4	47.2	58.1	63.4	58.5	43.7	40.1	26.6	14.2	35.3	34.1	60.0	36.8	10.1
1950	6.8	9.4	17.6	28.7	45.1	54.6	55.9	54.0	48.9	41.6	20.0	4.7	32.3	30.5	54.8	36.8	5.1
1951	2.1	8.5	18.2	33.1	48.8	52.8	58.4	55.9	45.9	38.7	16.2	9.8	32.4	33.4	55.7	33.6	11.9
1952	7.5	18.4	19.2	35.1	45.0	57.6	61.6	56.1	47.1	28.4	25.2	18.1	34.9	33.1	58.4	33.6	14.9
1953	12.8	13.8	24.1	31.7	45.8	57.4	60.2	58.2	47.8	40.5	27.9	17.1	36.4	33.9	58.6	38.7	15.8
1954	7.1	23.1	20.2	37.2	40.7	59.0	61.1	56.9	51.2	38.1	27.2	16.0	36.5	32.7	59.0	38.8	11.3
1955	8.9	9.0	18.8	40.4	48.0	53.6	65.1	61.3	48.8	39.2	20.5	7.5	35.1	35.7	60.0	36.2	8.1
1956	7.9	8.8	18.6	30.9	45.4	58.3	57.6	58.4	45.7	42.0	24.9	16.4	34.6	31.6	58.1	37.5	11.8
1957	1.8	17.3	22.2	36.8	45.0	55.8	62.3	58.1	47.8	35.5	26.4	17.8	35.6	34.7	58.7	36.6	11.6
1958	11.4	5.6	23.0	34.6	44.1	51.4	57.4	57.5	50.0	40.4	26.8	6.1	34.0	33.9	55.4	39.1	3.2
1959	-0.3	3.8	18.5	34.4	50.8	56.6	58.1	63.4	51.6	37.5	17.0	23.3	34.6	34.6	59.4	35.4	16.5
1960	13.4	12.8	9.0	37.3	45.6	52.7	57.4	59.6	52.8	38.0	27.3	11.4	34.8	30.6	56.6	39.4	12.2

Minimum Temperature: Southwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	6.8	18.4	25.9	30.5	41.7	54.6	58.6	58.3	50.7	40.3	26.8	10.2	35.2	32.7	57.2	39.3	7.9
1962	3.8	9.6	19.5	33.6	52.0	55.5	57.2	56.6	45.4	41.8	26.3	11.7	34.4	35.0	56.4	37.8	3.9
1963	-3.3	3.2	24.2	35.7	43.6	55.8	59.6	55.6	49.6	46.6	30.3	2.7	33.6	34.5	57.0	42.2	10.3
1964	14.2	14.1	20.6	36.0	51.1	56.0	61.8	55.4	49.5	34.2	28.4	10.4	36.0	35.9	57.7	37.4	7.5
1965	5.4	6.6	16.3	33.9	49.4	53.4	58.1	56.9	49.4	39.1	27.5	22.1	34.8	33.2	56.1	38.7	10.2
1966	-1.3	9.9	25.7	32.8	40.1	55.2	60.7	54.8	46.4	36.2	26.9	14.2	33.5	32.9	56.9	36.5	9.1
1967	11.0	2.1	24.0	36.2	40.1	56.9	56.6	52.6	46.4	38.4	24.6	17.1	33.8	33.4	55.4	36.5	11.9
1968	9.8	8.9	27.3	36.1	43.4	55.8	59.2	58.7	49.6	40.4	27.2	12.5	35.7	35.6	57.9	39.1	10.5
1969	5.0	13.9	16.2	36.7	46.2	50.2	61.0	58.2	49.1	36.6	23.7	13.9	34.2	33.0	56.5	36.5	7.0
1970	-1.0	8.2	20.3	36.3	48.6	56.8	60.4	57.1	50.8	41.1	27.3	11.9	34.8	35.1	58.1	39.7	6.8
1971	-1.0	9.4	19.6	32.6	41.3	60.0	56.1	54.5	52.2	45.8	27.5	18.8	34.7	31.2	56.9	41.8	9.1
1972	2.2	6.4	18.9	31.4	48.0	51.7	58.6	60.1	51.2	36.7	27.1	8.9	33.4	32.8	56.8	38.3	12.9
1973	13.4	16.4	32.0	35.1	43.7	57.8	62.0	60.7	51.4	44.1	27.4	12.5	38.0	36.9	60.2	41.0	10.5
1974	9.8	9.2	24.3	36.8	43.8	51.8	61.4	55.8	44.5	38.2	28.4	18.3	35.2	35.0	56.3	37.0	13.5
1975	11.0	11.1	14.7	30.1	48.9	57.0	60.2	59.0	45.2	38.5	30.2	17.1	35.3	31.2	58.7	38.0	12.8
1976	4.1	17.3	25.6	36.5	42.6	55.4	59.1	54.9	45.3	32.3	16.6	0.8	32.5	34.9	56.5	31.4	1.2
1977	-8.3	11.2	30.7	40.2	51.9	54.2	62.6	55.5	51.6	37.2	24.9	8.9	35.1	40.9	57.4	37.9	1.9
1978	-2.6	-0.7	17.6	34.6	46.9	54.6	60.3	57.8	53.4	36.9	24.4	10.3	32.8	33.0	57.6	38.2	1.3
1979	-5.7	-0.8	22.1	31.9	43.7	55.0	58.5	58.0	49.5	37.4	26.2	17.7	32.8	32.6	57.2	37.7	11.4
1980	9.5	7.1	18.4	35.4	46.0	54.1	62.1	60.2	50.6	34.4	26.8	13.6	34.9	33.3	58.8	37.3	12.5
1981	9.3	14.5	24.7	38.0	43.4	55.7	60.0	58.1	48.0	35.8	27.8	12.8	35.7	35.4	57.9	37.2	5.3
1982	-4.8	7.9	21.1	30.0	51.8	49.7	61.2	57.2	49.4	39.3	25.8	21.2	34.2	34.3	56.0	38.2	18.9
1983	15.5	20.1	26.4	32.4	43.1	56.3	63.6	62.6	50.0	39.4	29.8	1.1	36.7	34.0	60.8	39.7	9.2
1984	5.4	21.0	18.6	36.3	42.6	57.5	57.7	59.2	47.3	41.7	25.5	15.1	35.7	32.5	58.1	38.2	8.3
1985	1.6	8.2	27.7	40.7	48.9	52.1	58.1	54.9	51.5	39.0	21.5	-1.6	33.6	39.1	55.0	37.3	5.8
1986	7.7	11.2	26.1	38.5	48.0	55.7	62.6	53.6	52.3	39.4	21.2	17.9	36.2	37.5	57.3	37.6	17.5
1987	13.9	20.7	28.1	37.8	48.9	58.4	63.6	59.0	50.2	32.5	31.4	21.5	38.8	38.3	60.3	38.0	9.6
1988	1.4	5.8	24.5	33.8	46.7	55.3	60.8	62.2	50.2	31.5	27.9	13.1	34.4	35.0	59.4	36.5	11.5
1989	17.6	3.9	20.9	33.1	44.2	53.8	61.3	57.6	46.5	37.4	22.0	3.1	33.5	32.7	57.6	35.3	12.1
1990	18.4	14.8	28.2	35.6	43.5	56.8	60.4	59.0	52.2	35.6	29.9	10.1	37.0	35.8	58.7	39.2	9.6
1991	2.8	15.9	26.2	38.2	52.4	59.7	60.4	59.0	48.2	37.2	20.0	16.0	36.3	38.9	59.7	35.1	18.6
1992	17.1	22.8	25.8	34.7	44.4	52.1	56.6	52.4	48.1	36.2	27.3	15.8	36.1	35.0	53.7	37.2	12.2
1993	9.5	11.2	22.0	32.4	47.6	54.4	61.2	60.6	45.7	35.5	24.9	18.1	35.3	34.0	58.7	35.4	6.2
1994	-2.1	2.7	24.0	34.8	43.8	57.4	59.0	55.4	53.5	41.8	30.1	19.8	35.0	34.2	57.3	41.8	14.8
1995	11.2	13.4	25.2	32.0	44.7	58.6	61.8	66.3	46.8	38.5	19.6	12.2	35.9	34.0	62.2	35.0	8.9
1996	4.1	10.5	16.6	30.8	44.3	57.1	57.3	57.5	49.6	37.9	20.9	12.8	33.3	30.6	57.3	36.1	11.2
1997	4.7	16.2	24.4	31.7	40.5	56.2	60.3	56.4	50.6	38.6	25.7	21.5	35.6	32.2	57.6	38.3	22.6
1998	18.1	28.3	26.3	37.7	50.6	55.7	60.3	61.1	52.8	41.1	31.4	19.3	40.2	38.2	59.0	41.8	16.4
1999	6.2	23.6	23.1	38.7	48.6	57.2	64.9	57.9	47.2	35.8	29.8	16.6	37.5	36.8	60.0	37.6	15.6
2000	10.2	20.1	30.2	34.3	48.1	55.1	60.2	60.0	50.6	41.3	26.9	1.1	36.5	37.5	58.4	39.6	7.4
2001	11.1	10.0	21.7	38.8	48.7	55.5	60.7	60.5	48.4	38.0	36.1	21.9	37.6	36.4	58.9	40.8	20.7
2002	19.3	21.0	19.8	36.8	42.6	58.6	63.7	58.4	51.8	36.0	25.4	18.1	37.6	33.1	60.2	37.7	11.0
2003	8.1	6.8	22.8	34.0	44.5	53.5	60.1	60.3	49.1	36.8	27.7	19.3	35.3	33.8	58.0	37.9	13.8
2004	7.7	14.4	30.1	35.3	46.1	54.6	59.0	54.3	51.6	39.8	31.0	16.0	36.7	37.2	56.0	40.8	15.4
2005	9.2	21.0	22.2	37.7	44.0	60.4	61.0	58.5	53.4	39.8	27.6	11.4	37.2	34.6	60.0	40.3	16.1
2006	24.0	12.9	25.8	39.0	47.8	55.6	63.6	60.5	48.4	35.5	30.2	22.4	38.8	37.5	59.9	38.0	14.1
2007	15.0	4.9	28.4	34.7	49.4	57.0	59.4	61.6	51.4	45.5	26.4	11.8	37.1	37.5	59.3	41.1	7.9
2008	6.8	5.2	19.3	36.1	42.9	57.0	60.5	56.7	52.3	37.8	28.5	4.6	34.0	32.8	58.1	39.5	5.7
2009	-1.5	14.1	24.1	34.0	46.5	56.7	55.3	56.8	51.4	37.0	32.9	13.4	35.1	34.9	56.3	40.4	11.2
2010	7.5	12.8	28.3	40.1	48.5	58.4	64.3	63.1	50.5	38.9	28.1	8.7	37.4	39.0	61.9	39.2	9.5
2011	7.7	12.1	23.5	35.3	46.0	57.7	65.5	59.0	48.5	39.3	30.0	21.3	37.2	34.9	60.7	39.3	18.9
2012	14.1	21.2	39.1	36.3	50.0	57.0	65.8	56.7	46.2	36.2	27.6	19.7	39.2	41.8	59.8	36.7	14.0
2013	10.4	12.0	17.7	32.7	47.4	57.0	60.1	58.3	51.6	38.2	24.3	6.4	34.7	32.6	58.5	38.0	1.1
2014	-1.4	-1.6	16.0	33.3	46.8	59.6	57.1	59.6	49.0	38.1	20.4	22.1	33.3	32.0	58.8	35.8	10.9
2015	10.8	-0.2	20.4	35.0	49.2	55.7	59.0	57.5	56.2	40.0	31.8	28.8	37.0	34.9	57.4	42.7	19.3
2016	10.8	18.3	30.3	36.1	46.0	57.0	61.8	61.6	55.4	43.2	33.7	15.2	39.1	37.5	60.1	44.1	17.9
2017	16.2	22.4	25.6	39.2	45.6	57.0	60.7	55.8	52.3	43.2	25.7	14.2	38.2	36.8	57.8	40.4	11.4
2018	9.1	10.9	23.2	25.8	53.3	60.4	60.8	60.7	53.3	37.8	24.0	21.8	36.8	34.1	60.6	38.4	12.1
2019	6.9	7.5	19.6	36.0	45.5	55.9	64.2	57.2	56.6	37.8	23.7	20.6	36.0	33.7	59.1	39.4	16.8
2020	17.2	12.5	29.9	32.7	45.7	57.4	63.8	58.1	49.3	34.6	31.2	17.6	37.5	36.1	59.8	38.4	9.2
2021	14.8	1.6	29.1	37.1	46.4	60.0	61.3	59.9	51.4	46.2	26.6	21.2	38.0	37.5	60.4	41.4	10.4
2022	1.1	8.9	24.6	32.6	49.4	55.9	60.8	59.3	52.4	36.1	28.2	13.8	35.3	35.5	58.7	38.9	16.3
2023	19.7	15.3	23.8	35.4	46.1	54.7	58.6							35.1			

Multi-year Statistics

Interval/	1895	2022															
AVE	7.5	10.7	22.7	34.9	46.1	55.9	60.4	58.1	50.1	38.5	26.0	13.8	35.4	34.6	58.1	38.2	10.7
MEDIAN	7.8	10.5	22.8	35.1	46.0	56.0	60.3	58.2	50.2	38.3	26.4	14.2	35.3	34.5	58.3	38.2	11.1

Minimum Temperature: Southwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	6.61	6.68	4.73	2.88	3.22	2.62	2.28	2.61	2.78	3.32	3.82	5.90	1.70	2.22	1.70	2.14	4.51
MAX	24.0	28.3	39.1	41.8	53.8	62.2	65.8	66.3	56.7	46.9	36.1	28.8	40.3	41.8	62.2	44.9	22.6
MIN	-10.1	-6.5	9.0	25.8	38.4	49.7	55.3	50.1	42.0	28.4	16.2	-1.6	30.5	30.5	53.1	31.4	0.5
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	6.8	10.8	22.6	34.7	45.8	55.6	60.2	57.8	49.7	38.5	25.7	13.2	35.1	34.4	57.9	38.0	10.3
MEDIAN	7.4	9.8	22.7	34.9	45.6	55.7	60.3	58.0	49.7	38.5	26.3	13.9	35.1	34.3	58.0	38.0	10.6
STD	6.62	6.53	4.48	2.83	3.33	2.74	2.20	2.66	2.70	3.20	3.65	5.76	1.61	2.17	1.72	2.06	4.40
MAX	19.0	28.3	32.0	41.8	52.4	62.2	65.6	66.3	56.7	46.9	33.5	25.6	40.3	40.9	62.2	44.9	22.6
MIN	-10.1	-6.5	9.0	28.7	38.4	49.7	55.9	50.1	42.0	28.4	16.2	-1.6	30.5	30.5	53.1	31.4	0.5

Interval/	1951	2000															
AVE	6.5	11.9	22.5	34.9	46.0	55.4	60.1	57.9	49.2	38.2	25.7	13.3	35.1	34.5	57.8	37.7	10.6
MEDIAN	7.0	11.2	23.1	35.0	45.5	55.7	60.3	58.0	49.6	38.3	26.8	13.8	35.0	34.1	57.7	37.8	10.9
STD	6.51	6.55	4.47	2.73	3.34	2.35	2.11	2.69	2.39	3.34	3.65	5.97	1.55	2.24	1.61	2.13	4.52
MAX	18.4	28.3	32.0	40.7	52.4	60.0	65.1	66.3	53.5	46.6	31.4	23.3	40.2	40.9	62.2	42.2	22.6
MIN	-8.3	-0.8	9.0	30.0	40.1	49.7	56.1	52.4	44.5	28.4	16.2	-1.6	32.4	30.6	53.7	31.4	1.2

Interval/	1991	2020															
AVE	9.7	13.4	24.4	35.1	46.7	56.9	60.9	58.7	50.7	38.6	27.4	16.3	36.6	35.4	58.8	38.9	13.0
MEDIAN	9.4	12.9	24.1	35.2	46.3	57.0	60.6	58.5	50.6	38.1	27.6	17.1	36.7	34.9	59.0	38.8	13.0
STD	6.1	7.2	4.8	3.0	2.8	1.9	2.6	2.7	2.8	2.5	4.1	5.8	1.7	2.4	1.7	2.2	4.8
MAX	24.0	28.3	39.1	40.1	53.3	60.4	65.8	66.3	56.6	45.5	36.1	28.8	40.2	41.8	62.2	44.1	22.6
MIN	-2.1	-1.6	16.0	25.8	40.5	52.1	55.3	52.4	45.7	34.6	19.6	1.1	33.3	30.6	53.7	35.0	1.1

Interval/	1981	2010															
AVE	9.2	13.9	24.4	35.6	46.2	56.1	60.6	58.7	50.0	38.0	27.1	13.8	36.1	35.4	58.5	38.4	12.2
MEDIAN	8.7	13.8	24.6	35.5	46.3	56.3	60.5	58.8	50.2	38.0	27.7	15.5	36.1	35.0	58.6	38.1	11.4
STD	6.8	6.5	3.4	2.8	3.0	2.3	2.3	3.0	2.1	2.8	3.9	6.6	1.6	2.3	1.9	1.9	4.6
MAX	24.0	28.3	30.2	40.7	52.4	60.4	64.9	66.3	53.5	45.5	36.1	22.4	40.2	39.1	62.2	41.8	22.6
MIN	-4.8	2.7	16.6	30.0	40.5	49.7	55.3	52.4	45.7	31.5	19.6	-1.6	33.3	30.6	53.7	35.0	5.3

Interval/	1971	2000															
AVE	6.7	12.6	23.8	34.9	46.1	55.5	60.4	58.2	49.5	37.9	26.0	13.1	35.4	34.9	58.1	37.8	11.0
MEDIAN	7.0	11.2	24.5	34.8	45.4	55.7	60.4	58.1	50.1	37.7	26.9	14.4	35.3	34.6	57.8	37.8	11.3
STD	7.3	7.1	4.2	3.0	3.2	2.4	2.1	2.9	2.5	3.2	3.7	6.5	1.8	2.6	1.7	2.2	5.1
MAX	18.4	28.3	32.0	40.7	52.4	60.0	64.9	66.3	53.5	45.8	31.4	21.5	40.2	40.9	62.2	41.8	22.6
MIN	-8.3	-0.8	14.7	30.0	40.5	49.7	56.1	52.4	44.5	31.5	16.6	-1.6	32.5	30.6	53.7	31.4	1.2

Interval/	1961	1990															
AVE	5.6	10.3	23.0	35.0	45.8	55.1	60.1	57.5	49.3	38.3	26.4	12.3	34.9	34.6	57.6	38.0	9.3
MEDIAN	5.4	9.5	24.1	35.5	45.1	55.5	60.4	57.7	49.6	38.3	27.0	12.7	34.8	34.4	57.4	37.9	9.6
STD	7.1	5.8	4.4	2.7	3.5	2.3	1.9	2.4	2.4	3.6	3.1	6.1	1.5	2.2	1.4	2.0	4.1
MAX	18.4	21.0	32.0	40.7	52.0	60.0	63.6	62.6	53.4	46.6	31.4	22.1	38.8	40.9	60.8	42.2	18.9
MIN	-8.3	-0.8	14.7	30.0	40.1	49.7	56.1	52.6	44.5	31.5	16.6	-1.6	32.5	31.2	55.0	31.4	1.2

Interval/	1951	1980															
AVE	5.2	10.1	21.2	34.8	45.7	55.2	59.8	57.5	49.0	38.5	25.6	13.2	34.7	33.9	57.5	37.7	9.6
MEDIAN	6.1	9.3	20.3	35.1	45.5	55.5	59.9	57.7	49.5	38.3	26.8	13.1	34.8	33.4	57.3	37.9	10.5
STD	6.0	5.7	4.7	2.6	3.4	2.3	2.1	2.3	2.5	3.6	3.5	5.2	1.2	2.0	1.3	2.3	4.0
MAX	14.2	23.1	32.0	40.4	52.0	60.0	65.1	63.4	53.4	46.6	30.3	23.3	38.0	40.9	60.2	42.2	16.5
MIN	-8.3	-0.8	9.0	30.1	40.1	50.2	56.1	52.6	44.5	28.4	16.2	0.8	32.4	30.6	55.4	31.4	1.2

Interval/	1941	1970															
AVE	6.9	10.4	21.1	34.9	45.6	55.5	59.6	57.8	48.9	38.9	25.6	13.1	34.9	33.9	57.6	37.8	10.0
MEDIAN	7.3	9.2	20.2	35.3	45.1	55.8	59.5	58.0	49.1	38.9	26.5	13.8	34.9	33.9	57.9	37.7	10.3
STD	5.0	4.6	4.6	2.8	3.4	2.4	2.1	2.5	2.4	3.5	3.6	4.8	1.2	1.7	1.5	2.0	3.2
MAX	15.5	23.1	31.0	40.4	52.0	60.2	65.1	64.6	52.8	46.9	32.1	23.3	37.2	36.9	60.7	42.2	16.5
MIN	-3.3	2.1	9.0	28.7	40.1	50.2	55.9	52.6	43.7	28.4	16.2	2.7	32.3	30.5	54.8	33.6	3.2

Interval/	1931	1960															
AVE	8.7	11.0	21.2	34.6	46.0	56.4	60.6	58.6	49.8	38.8	25.0	14.1	35.4	34.0	58.5	37.9	11.1
MEDIAN	8.8	9.2	20.2	34.6	45.5	56.4	61.1	58.4	49.6	38.2	25.4	14.2	35.2	34.1	58.9	37.8	11.7
STD	5.7	5.9	4.6	2.8	3.0	2.9	2.4	2.4	2.9	3.4	4.1	4.9	1.6	1.8	1.6	2.4	3.7
MAX	19.0	23.1	31.0	40.4	51.0	62.2	65.5	64.6	56.7	46.9	33.2	25.6	40.3	37.6	60.7	44.9	19.4
MIN	-0.3	-6.5	9.0	28.7	40.7	51.4	55.9	54.0	43.7	28.4	16.2	4.7	32.3	30.5	54.8	33.6	2.0

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Minimum Temperature: Southwest Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	8.3	11.4	22.5	34.6	45.9	56.4	60.7	58.2	50.5	38.9	25.7	13.6	35.5	34.3	58.4	38.4	10.8
MEDIAN	8.8	11.5	22.7	34.9	45.8	56.3	61.0	58.4	50.7	38.5	25.6	14.0	35.4	34.3	58.7	38.1	11.3
STD	6.6	6.1	4.5	2.9	3.3	3.2	2.3	2.6	3.0	3.2	3.9	5.1	1.7	2.2	1.8	2.2	3.6
MAX	19.0	22.4	31.0	40.0	52.1	62.2	65.5	64.6	56.7	46.9	33.5	25.6	40.3	38.8	61.4	44.9	19.4
MIN	-5.8	-6.5	14.2	28.7	39.8	50.6	55.9	50.1	43.7	31.0	20.0	4.7	32.3	30.5	53.6	34.6	2.0

Interval/	1911	1940															
AVE	6.8	10.9	22.0	34.6	46.0	56.2	60.9	57.6	50.6	38.8	25.8	13.8	35.3	34.2	58.2	38.4	10.5
MEDIAN	7.0	12.2	22.4	34.9	46.3	56.6	61.1	58.1	51.0	39.1	25.7	14.5	35.4	34.3	58.9	38.2	11.3
STD	7.8	7.2	4.0	2.7	3.4	3.5	2.2	2.6	3.0	3.2	3.7	6.1	1.9	2.0	1.9	2.2	4.6
MAX	19.0	22.4	28.7	41.8	52.1	62.2	65.6	62.5	56.7	44.8	33.5	25.6	40.3	38.8	61.4	44.9	19.4
MIN	-10.1	-6.5	12.4	29.8	39.3	50.3	56.6	50.1	42.0	30.0	19.7	1.7	30.5	30.5	53.1	34.6	0.5

Interval/	1901	1930															
AVE	5.7	9.2	22.9	34.6	45.5	55.0	60.0	57.2	50.1	38.3	25.9	12.5	34.7	34.3	57.4	38.1	9.4
MEDIAN	7.2	8.5	23.0	35.1	45.8	54.6	59.9	57.4	50.3	39.3	26.0	13.1	34.7	34.5	57.6	38.2	10.0
STD	6.7	6.6	4.4	3.0	3.4	3.0	2.2	2.6	2.8	2.8	3.4	5.9	1.5	2.2	1.8	1.6	4.5
MAX	17.1	20.2	32.0	41.8	52.1	61.3	65.6	61.6	55.0	43.4	33.5	24.3	38.8	38.8	61.4	41.8	18.6
MIN	-10.1	-2.6	12.4	28.8	38.4	50.3	56.6	50.1	42.0	30.0	19.7	1.7	30.5	30.5	53.1	34.9	0.5

Data as of 4 Aug 2023