

Wisconsin State Climatology Office

Minimum Temperature [degrees Fahrenheit]: South central Wisconsin

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												ANNUAL	SPRING SUMMER FALL WINTER			
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		MAM	JJA	SON	DJF
1895	0.1	0.9	19.1	35.9	46.2	56.9	55.9	57.9	53.5	30.2	22.8	17.5	33.1	33.7	56.9	35.5	15.0
1896	13.5	14.0	19.2	41.3	54.6	57.3	60.9	59.4	47.1	34.0	23.0	20.2	37.0	38.4	59.2	34.7	15.9
1897	10.2	17.2	21.1	36.0	44.6	54.0	63.0	55.4	53.8	41.7	23.5	9.0	35.8	33.9	57.5	39.7	12.1
1898	13.3	14.0	26.4	34.2	46.0	57.8	59.6	57.5	52.2	38.2	22.6	8.0	35.8	35.5	58.3	37.7	5.7
1899	7.5	1.5	14.8	36.9	47.0	57.3	60.7	58.8	47.7	42.2	30.4	14.0	34.9	32.9	58.9	40.1	10.7
1900	15.9	2.2	17.7	36.5	47.8	54.1	59.1	64.0	51.5	45.1	23.7	18.3	36.3	34.0	59.1	40.1	9.7
1901	10.5	0.2	22.3	35.4	45.6	56.5	65.3	57.9	49.7	40.2	22.7	12.6	34.9	34.4	59.9	37.5	9.8
1902	11.0	5.7	28.0	33.7	48.9	53.1	61.0	55.4	47.2	39.4	32.4	12.7	35.7	36.9	56.5	39.7	10.9
1903	10.0	10.0	29.1	36.4	48.4	51.9	59.8	56.6	49.3	38.6	22.8	5.2	34.8	38.0	56.1	36.9	1.7
1904	-0.4	0.3	23.2	30.4	45.6	53.6	57.8	53.4	50.4	39.3	27.6	10.7	32.7	33.1	54.9	39.1	4.0
1905	0.7	0.6	26.2	34.8	45.1	54.2	58.9	58.8	51.7	35.8	25.3	16.9	34.1	35.4	57.3	37.6	13.7
1906	14.5	9.6	17.1	36.7	44.8	54.3	57.6	60.8	54.0	38.1	27.4	17.0	36.0	32.9	57.6	39.8	11.8
1907	8.6	9.7	27.6	27.9	38.2	53.6	60.3	55.3	49.7	35.6	25.3	18.1	34.2	31.2	56.4	36.9	14.2
1908	12.4	12.0	25.7	34.9	47.2	53.6	59.5	55.4	52.5	38.9	25.4	14.0	36.0	35.9	56.2	38.9	13.2
1909	10.8	14.7	23.3	30.9	44.0	55.1	58.4	60.2	48.8	34.1	31.9	7.0	34.9	32.7	57.9	38.3	5.7
1910	6.0	4.1	31.4	35.9	41.2	53.7	60.3	57.8	49.2	40.9	22.1	11.1	34.5	36.2	57.3	37.4	12.7
1911	8.7	18.3	24.5	33.9	51.0	59.3	60.0	56.2	51.3	38.6	20.4	20.8	36.9	36.5	58.5	36.8	5.3
1912	-9.3	4.5	12.9	35.0	46.3	52.3	59.4	56.7	51.8	38.6	27.5	18.7	32.9	31.4	56.1	39.3	10.8
1913	8.8	5.0	17.6	35.3	45.0	55.8	59.6	58.6	49.3	38.1	31.6	23.2	35.7	32.6	58.0	39.7	13.8
1914	17.5	0.6	21.7	34.1	47.6	55.1	60.9	57.8	49.9	43.6	26.3	7.0	35.2	34.5	57.9	39.9	10.6
1915	4.5	20.2	20.9	40.9	42.0	50.0	56.4	51.8	51.4	39.6	27.7	15.7	35.1	34.6	52.7	39.6	11.2
1916	10.5	7.3	18.2	34.2	45.7	51.2	64.2	59.6	47.6	37.3	24.8	6.9	34.0	32.7	58.3	36.6	2.2
1917	1.6	-1.8	21.9	32.9	40.4	52.0	60.8	54.5	47.1	30.7	28.1	7.0	31.3	31.7	55.8	35.3	4.0
1918	-3.7	8.7	26.0	31.1	48.7	54.3	57.5	60.3	43.2	40.7	30.0	24.2	35.1	35.3	57.4	38.0	18.1
1919	15.2	14.8	23.6	36.0	42.8	60.4	61.4	56.3	52.5	39.8	24.1	3.6	35.9	34.1	59.4	38.8	4.1
1920	0.2	8.5	22.8	30.9	43.2	56.7	57.0	54.5	53.0	44.2	26.7	19.0	34.7	32.3	56.1	41.3	18.2
1921	17.6	17.9	28.3	39.6	48.9	60.8	65.3	58.4	54.6	40.6	24.4	16.1	39.4	38.9	61.5	39.9	10.9
1922	5.9	10.6	26.1	35.0	51.8	56.5	58.6	57.9	51.9	40.2	32.6	12.7	36.7	37.6	57.7	41.6	10.1
1923	13.0	4.5	14.8	32.5	43.3	59.2	60.9	56.2	50.7	36.2	28.8	24.6	35.4	30.2	58.8	38.6	12.8
1924	-0.8	14.7	22.1	34.6	40.0	52.6	56.2	56.9	45.4	41.2	25.8	6.2	32.9	32.2	55.2	37.5	9.4
1925	7.0	15.0	23.7	37.4	39.8	57.0	58.8	57.0	54.8	30.8	22.4	8.4	34.3	33.6	57.6	36.0	11.5
1926	8.9	17.1	16.2	29.1	45.0	50.2	59.3	58.5	50.4	37.1	21.7	10.3	33.7	30.1	56.0	36.4	12.0
1927	6.9	18.9	28.0	35.4	43.7	51.9	57.7	51.5	53.3	41.4	28.3	9.6	35.6	35.7	53.7	41.0	12.6
1928	12.2	15.9	23.0	30.6	46.4	51.6	60.8	59.0	45.9	41.6	30.2	19.1	36.4	33.3	57.1	39.2	4.9
1929	-5.8	1.3	26.2	38.0	42.4	52.4	60.1	55.6	49.0	38.6	21.9	15.7	33.0	35.5	56.0	36.5	12.2
1930	1.0	19.8	22.9	35.4	47.3	56.2	60.4	58.4	50.5	38.4	27.1	16.3	36.1	35.2	58.3	38.7	18.8
1931	17.5	22.5	24.2	34.9	42.8	60.0	62.8	57.4	56.5	44.8	34.4	25.7	40.3	34.0	60.1	45.2	20.5
1932	19.0	16.8	16.5	33.0	45.8	58.0	60.8	58.4	47.3	37.5	21.9	13.5	35.7	31.8	59.1	35.6	14.3
1933	20.7	8.6	23.6	34.4	48.3	61.9	60.9	55.5	54.4	36.5	23.7	14.8	36.9	35.4	59.4	38.2	13.6
1934	17.8	8.2	19.6	33.5	48.8	59.5	62.0	55.5	49.3	41.3	32.6	11.8	36.7	34.0	59.0	41.1	11.4
1935	6.5	16.0	26.2	33.7	41.5	52.5	64.9	59.5	49.8	38.2	25.6	13.5	35.7	33.8	59.0	37.9	3.3
1936	1.7	-5.3	25.8	30.3	50.3	52.0	62.1	60.2	53.3	36.8	23.2	17.2	34.0	35.5	58.1	37.8	11.3
1937	6.6	10.2	20.8	34.5	46.6	55.1	61.1	61.6	49.2	36.4	22.7	12.4	34.8	34.0	59.3	36.1	14.1
1938	9.7	20.2	29.4	36.9	45.9	55.2	61.2	60.9	51.2	42.5	28.2	16.0	38.1	37.4	59.1	40.6	13.9
1939	17.6	8.0	22.0	32.2	48.9	58.0	60.8	57.7	52.2	39.2	27.0	22.6	37.2	34.4	58.8	39.5	12.9
1940	1.5	14.5	18.3	32.2	43.5	56.0	60.6	58.8	49.5	41.7	23.8	17.9	34.9	31.3	58.5	38.3	13.8
1941	14.3	9.3	18.2	40.2	49.3	56.8	59.8	57.9	52.5	42.0	30.2	22.6	37.8	35.9	58.2	41.6	15.0
1942	10.2	12.3	28.4	38.0	45.2	56.6	60.1	58.1	49.3	38.4	27.0	9.8	36.1	37.2	58.3	38.2	8.2
1943	4.9	9.9	16.5	32.8	44.6	59.7	61.8	60.1	46.5	37.6	23.4	14.6	34.4	31.3	60.5	35.8	14.7
1944	15.8	13.8	20.2	32.0	51.2	59.3	58.6	58.8	52.8	37.2	32.4	9.6	36.8	34.5	58.9	40.8	9.1
1945	5.4	12.2	32.7	36.0	41.3	51.6	57.0	57.7	49.9	35.8	26.2	9.1	34.6	36.7	55.4	37.3	11.1
1946	11.9	12.4	31.2	36.0	43.2	54.6	59.0	54.9	49.0	41.4	27.3	16.2	36.4	36.8	56.2	39.2	12.0
1947	13.7	6.2	20.6	33.7	41.2	53.0	58.5	64.4	52.1	46.7	22.1	15.2	35.6	31.8	58.6	40.3	8.9
1948	2.7	8.8	20.2	39.0	43.2	54.1	60.6	58.7	52.3	36.4	31.7	15.9	35.3	34.1	57.8	40.1	12.6
1949	11.2	10.6	23.3	32.9	46.1	58.1	63.1	58.7	44.7	41.1	26.9	15.8	36.0	34.1	60.0	37.6	12.5
1950	9.8	11.8	18.5	29.2	44.6	55.0	56.6	53.8	49.2	42.3	20.8	5.0	33.1	30.8	55.1	37.4	6.3
1951	3.6	10.3	20.2	34.4	48.3	52.6	58.4	55.9	47.0	39.5	17.9	10.5	33.2	34.3	55.6	34.8	13.0
1952	9.7	18.8	20.5	36.5	45.5	58.3	62.0	56.6	47.7	29.8	26.9	19.7	36.0	34.2	59.0	34.8	16.5
1953	14.1	15.7	24.8	32.8	45.4	57.2	60.6	58.2	48.5	40.9	28.9	18.8	37.2	34.3	58.7	39.4	17.1
1954	9.4	23.1	21.0	37.1	41.0	58.4	60.6	57.0	51.4	39.4	27.8	16.8	36.9	33.0	58.7	39.5	12.6
1955	9.7	11.2	19.9	40.1	47.4	53.7	64.5	61.8	48.8	40.0	21.2	10.1	35.7	35.8	60.0	36.7	10.7
1956	10.9	11.2	19.7	31.2	44.4	57.8	58.3	58.5	46.6	42.0	27.1	17.2	35.4	31.8	58.2	38.6	12.4
1957	2.3	17.7	22.5	37.0	44.7	55.9	60.8	57.5	47.6	35.6	27.2	19.0	35.7	34.7	58.1	36.8	11.9
1958	11.0	5.7	24.2	34.5	44.0	50.3	57.5	57.3	49.9	41.5	27.8	7.2	34.2	34.2	55.0	39.7	4.2
1959	0.3	5.1	19.3	35.0	50.7	56.5	58.0	63.5	51.9	38.4	18.4	23.6	35.1	35.0	59.3	36.2	17.0
1960	14.4	13.0	8.8	37.7	45.1	53.2	57.2	59.1	53.4	38.4	28.5	11.8	35.1	30.5	56.5	40.1	12.7

Minimum Temperature: South central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	7.3	19.0	26.6	31.8	41.7	54.2	59.1	57.8	51.8	40.8	27.2	11.3	35.7	33.4	57.0	39.9	8.3
1962	3.5	10.0	21.1	33.8	51.3	54.9	57.2	57.0	45.9	42.5	26.9	11.7	34.7	35.4	56.4	38.4	4.2
1963	-2.3	3.2	23.2	35.6	43.2	55.6	60.1	55.7	48.8	46.6	31.1	3.1	33.7	34.0	57.1	42.2	10.9
1964	15.3	14.2	21.7	36.5	50.4	55.5	61.2	55.4	49.5	34.6	28.9	11.7	36.2	36.2	57.4	37.7	9.3
1965	7.5	8.6	17.2	33.8	49.2	52.8	57.4	56.7	50.3	39.8	28.1	22.8	35.4	33.4	55.6	39.4	11.9
1966	1.0	12.0	26.3	33.1	39.8	55.3	60.6	55.1	47.3	36.5	28.0	14.7	34.1	33.1	57.0	37.3	10.7
1967	12.5	5.0	24.2	35.7	39.8	57.1	56.6	52.5	47.1	38.6	25.2	18.1	34.4	33.2	55.4	37.0	12.4
1968	10.5	8.5	27.3	35.8	43.2	56.0	58.5	58.1	50.3	40.6	28.1	14.2	35.9	35.4	57.5	39.7	12.3
1969	6.8	16.0	18.0	35.9	45.3	50.2	60.4	58.4	49.1	37.0	24.4	15.0	34.7	33.1	56.3	36.8	8.4
1970	1.0	9.2	21.0	36.0	47.7	56.0	60.1	57.4	51.3	41.5	27.6	13.4	35.2	34.9	57.8	40.1	8.7
1971	1.2	11.4	20.2	32.7	41.1	58.9	56.4	54.6	52.8	46.3	27.6	19.9	35.3	31.3	56.6	42.2	10.7
1972	4.1	8.1	19.4	30.9	47.2	51.6	58.6	59.6	51.0	37.0	28.8	10.6	33.9	32.5	56.6	38.9	14.3
1973	15.5	16.7	32.3	35.5	44.0	57.8	61.6	60.4	52.0	44.4	28.0	14.8	38.6	37.3	59.9	41.5	11.8
1974	11.0	9.7	24.9	36.9	43.8	52.3	60.6	55.7	44.6	38.6	29.3	19.1	35.5	35.2	56.2	37.5	14.8
1975	12.4	12.8	16.7	30.3	49.6	57.0	59.9	59.4	45.7	39.2	32.2	17.4	36.1	32.2	58.8	39.0	13.7
1976	5.5	18.1	27.1	36.6	42.5	55.7	58.8	54.3	45.0	32.6	17.8	1.8	33.0	35.4	56.3	31.8	2.7
1977	-6.0	12.3	31.0	39.6	50.9	52.6	61.8	55.2	52.5	37.6	27.4	11.1	35.5	40.5	56.5	39.2	4.8
1978	1.4	2.0	18.0	33.6	46.4	54.6	59.6	57.5	52.9	37.1	26.1	11.6	33.4	32.7	57.2	38.7	3.2
1979	-3.2	1.3	22.5	32.3	44.1	54.9	58.4	57.2	48.9	37.5	27.0	19.2	33.3	33.0	56.8	37.8	12.4
1980	10.4	7.7	19.4	35.2	46.0	53.5	61.4	60.4	50.5	34.4	27.6	14.6	35.1	33.5	58.4	37.5	13.3
1981	9.5	15.7	24.8	37.8	42.3	56.5	59.4	57.8	48.5	36.4	28.6	14.8	36.0	35.0	57.9	37.8	7.1
1982	-2.8	9.3	21.7	30.6	51.7	49.6	61.0	56.0	48.7	39.0	27.4	22.5	34.6	34.7	55.5	38.4	19.8
1983	16.5	20.4	26.2	33.3	42.4	55.8	63.5	61.4	49.0	40.2	30.5	2.8	36.8	34.0	60.2	39.9	10.3
1984	6.0	22.0	19.6	36.0	42.9	57.5	58.1	58.9	47.6	41.9	26.4	17.1	36.2	32.8	58.2	38.6	9.2
1985	1.8	8.7	28.4	41.0	48.5	52.5	58.8	55.6	52.0	38.9	24.6	0.9	34.3	39.3	55.6	38.5	6.9
1986	7.8	12.0	25.6	38.8	47.9	54.7	62.6	54.2	52.9	40.0	22.4	18.8	36.5	37.4	57.2	38.4	18.2
1987	15.0	20.7	27.7	37.9	48.8	58.7	63.6	59.0	50.0	32.5	31.8	21.9	39.0	38.1	60.4	38.1	11.2
1988	3.8	8.0	24.8	34.3	46.5	55.2	61.0	62.1	50.0	32.3	30.1	14.9	35.3	35.2	59.4	37.5	12.9
1989	19.2	4.7	20.8	33.1	44.5	54.0	60.7	57.6	46.5	37.8	23.2	3.7	33.8	32.8	57.4	35.8	12.9
1990	19.6	15.3	28.3	36.6	43.2	56.5	60.1	59.1	52.1	35.6	30.4	12.1	37.4	36.0	58.6	39.4	11.3
1991	4.6	17.1	26.6	38.2	52.6	58.3	59.9	58.3	48.5	38.4	22.2	16.9	36.8	39.1	58.8	36.4	19.2
1992	18.3	22.4	25.4	34.2	44.4	52.0	56.8	52.5	48.5	36.4	28.7	16.6	36.4	34.7	53.8	37.9	13.8
1993	12.3	12.4	22.6	32.8	47.7	54.5	61.4	60.6	46.1	35.4	26.2	19.0	35.9	34.4	58.8	35.9	7.1
1994	-1.6	3.9	24.7	35.4	43.3	57.0	59.2	55.2	53.4	41.3	30.8	20.6	35.3	34.5	57.1	41.8	14.9
1995	10.8	13.3	25.6	31.8	45.0	58.6	62.2	66.0	46.4	39.2	19.7	12.4	35.9	34.1	62.3	35.1	9.9
1996	5.9	11.3	17.1	30.9	43.6	56.9	56.9	57.7	50.0	38.0	21.0	15.5	33.7	30.5	57.2	36.3	12.7
1997	6.3	16.3	25.0	32.0	40.4	56.3	59.3	55.8	49.9	38.7	26.6	22.1	35.7	32.5	57.1	38.4	22.9
1998	18.4	28.2	27.0	37.3	51.0	56.3	60.4	61.0	52.7	41.3	31.7	21.1	40.5	38.4	59.2	41.9	17.5
1999	7.6	23.8	23.5	38.3	48.6	57.3	64.8	57.2	47.0	36.5	30.7	17.9	37.8	36.8	59.8	38.1	16.6
2000	11.4	20.4	30.5	33.8	48.4	56.1	59.5	59.4	50.7	42.1	28.0	1.9	36.9	37.6	58.3	40.3	8.9
2001	12.5	12.2	22.6	39.0	48.8	55.7	61.2	61.2	48.9	38.8	36.1	23.4	38.4	36.8	59.4	41.3	21.5
2002	19.8	21.3	20.3	36.6	42.5	58.1	63.1	58.6	52.0	37.2	26.4	18.6	37.9	33.1	59.9	38.5	12.0
2003	8.6	8.8	22.5	32.8	44.8	53.4	59.4	60.2	49.7	37.0	29.0	20.8	35.6	33.4	57.7	38.6	14.6
2004	7.8	15.1	30.1	34.7	45.3	54.6	58.7	54.4	51.8	40.5	32.1	16.6	36.8	36.7	55.9	41.5	16.5
2005	11.1	21.7	21.8	37.0	43.9	60.6	60.8	59.2	54.1	40.3	28.6	12.3	37.6	34.2	60.2	41.0	16.9
2006	24.7	13.8	25.4	38.6	47.9	55.2	63.0	60.0	48.9	35.7	31.3	22.1	38.9	37.3	59.4	38.6	14.8
2007	16.1	6.2	28.1	34.6	49.4	57.0	59.1	61.7	51.7	46.1	26.8	12.8	37.5	37.4	59.3	41.5	9.8
2008	9.5	7.2	20.6	36.9	42.1	57.7	60.4	56.9	52.6	38.6	28.5	6.0	34.8	33.2	58.3	39.9	7.2
2009	1.1	14.6	23.8	34.1	47.3	56.3	55.4	56.9	50.6	37.5	33.2	15.6	35.5	35.1	56.2	40.4	14.0
2010	10.7	15.6	27.5	39.8	49.2	58.3	64.3	62.6	50.6	38.9	29.3	11.2	38.2	38.8	61.7	39.6	11.3
2011	9.1	13.6	23.3	35.5	45.7	57.0	64.8	58.7	48.9	39.7	30.8	22.1	37.4	34.8	60.2	39.8	19.8
2012	15.6	21.6	38.6	35.6	49.8	57.0	66.2	57.3	47.2	37.0	27.6	22.5	39.7	41.3	60.2	37.3	15.2
2013	11.5	11.5	18.1	33.4	47.2	56.5	60.3	57.7	50.9	38.6	25.4	8.1	34.9	32.9	58.2	38.3	3.0
2014	-0.4	1.4	15.4	32.9	46.8	58.9	56.8	59.0	48.7	38.8	21.2	22.4	33.5	31.7	58.2	36.2	11.5
2015	11.2	1.0	20.7	35.3	48.6	55.1	58.4	58.3	56.6	41.2	32.3	29.7	37.4	34.9	57.3	43.4	20.7
2016	12.6	19.8	29.8	34.8	45.9	57.1	61.9	62.0	56.3	44.4	34.2	16.1	39.6	36.8	60.3	45.0	18.6
2017	17.2	22.4	25.3	38.9	44.6	57.2	60.3	56.2	52.4	44.4	26.6	14.7	38.4	36.3	57.9	41.1	12.5
2018	10.4	12.4	23.2	26.1	52.1	59.1	60.7	60.9	53.7	38.8	24.9	21.8	37.0	33.8	60.2	39.1	13.5
2019	8.5	10.1	20.4	35.4	44.6	55.3	64.0	57.5	56.8	39.4	23.8	22.0	36.5	33.5	58.9	40.0	18.5
2020	18.8	14.6	30.0	33.3	45.6	57.5	64.3	59.0	50.5	35.8	32.9	19.2	38.5	36.3	60.3	39.7	11.5
2021	15.5	3.5	29.0	37.6	46.5	60.4	60.7	60.5	52.1	47.1	27.0	22.9	38.6	37.7	60.5	42.1	12.8
2022	4.0	11.4	25.6	33.7	50.5	56.5	61.2	59.5	52.7	37.2	29.4	16.8	36.5	36.6	59.1	39.8	18.9
2023	22.5	17.3	24.9	35.9	46.0	55.0	60.3							35.6			

Multi-year Statistics

Interval/	1895	2022															
AVE	8.8	11.6	23.2	34.9	45.8	55.6	60.2	57.9	50.2	39.0	26.9	15.0	35.8	34.6	57.9	38.7	11.9
MEDIAN	9.7	11.9	23.2	35.0	45.6	55.9	60.3	57.9	50.2	38.8	27.2	15.7	35.7	34.4	58.1	38.6	12.1

Minimum Temperature: South central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	6.45	6.39	4.54	2.78	3.21	2.58	2.22	2.51	2.67	3.31	3.67	5.76	1.69	2.21	1.70	2.08	4.39
MAX	24.7	28.2	38.6	41.3	54.6	61.9	66.2	66.0	56.8	47.1	36.1	29.7	40.5	41.3	62.3	45.2	22.9
MIN	-9.3	-5.3	8.8	26.1	38.2	49.6	55.4	51.5	43.2	29.8	17.8	0.9	31.3	30.1	52.7	31.8	1.7
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	8.1	11.6	23.1	34.7	45.5	55.3	60.0	57.7	49.9	38.8	26.6	14.3	35.5	34.4	57.6	38.4	11.4
MEDIAN	8.9	11.4	23.2	34.7	45.2	55.3	60.1	57.8	49.9	38.7	27.2	14.9	35.5	34.3	57.7	38.4	11.9
STD	6.48	6.33	4.37	2.73	3.26	2.67	2.07	2.53	2.58	3.19	3.55	5.65	1.57	2.17	1.68	1.97	4.26
MAX	20.7	28.2	32.7	41.0	52.6	61.9	65.3	66.0	56.5	46.7	34.4	25.7	40.5	40.5	62.3	45.2	22.9
MIN	-9.3	-5.3	8.8	27.9	38.2	49.6	56.2	51.5	43.2	29.8	17.8	0.9	31.3	30.1	52.7	31.8	1.7

Interval/	1951	2000															
AVE	7.8	12.9	23.1	35.0	45.7	55.3	59.9	57.8	49.4	38.6	26.8	14.5	35.6	34.6	57.7	38.3	11.8
MEDIAN	7.7	12.2	23.4	35.3	45.2	55.8	60.0	57.6	49.3	38.7	27.6	15.0	35.5	34.4	57.4	38.4	12.1
STD	6.27	6.11	4.24	2.58	3.31	2.32	1.99	2.62	2.36	3.30	3.52	5.84	1.49	2.17	1.61	2.03	4.27
MAX	19.6	28.2	32.3	41.0	52.6	58.9	64.8	66.0	53.4	46.6	32.2	23.6	40.5	40.5	62.3	42.2	22.9
MIN	-6.0	1.3	8.8	30.3	39.8	49.6	56.4	52.5	44.6	29.8	17.8	0.9	33.0	30.5	53.8	31.8	2.7

Interval/	1991	2020															
AVE	11.0	14.5	24.5	35.0	46.6	56.7	60.8	58.7	50.9	39.2	28.2	17.4	37.0	35.4	58.7	39.4	14.2
MEDIAN	11.0	14.2	24.3	35.1	46.4	57.0	60.4	58.7	50.6	38.8	28.6	18.3	36.9	34.9	58.9	39.7	14.3
STD	5.9	6.6	4.6	2.8	2.9	1.7	2.6	2.7	2.8	2.6	4.0	5.7	1.7	2.4	1.7	2.2	4.5
MAX	24.7	28.2	38.6	39.8	52.6	60.6	66.2	66.0	56.8	46.1	36.1	29.7	40.5	41.3	62.3	45.0	22.9
MIN	-1.6	1.0	15.4	26.1	40.4	52.0	55.4	52.5	46.1	35.4	19.7	1.9	33.5	30.5	53.8	35.1	3.0

Interval/	1981	2010															
AVE	10.4	14.7	24.6	35.6	46.2	56.0	60.5	58.6	50.0	38.4	28.1	15.1	36.5	35.5	58.4	38.8	13.4
MEDIAN	10.1	14.9	24.9	35.7	45.9	56.3	60.4	58.8	50.0	38.7	28.6	16.6	36.4	35.0	58.5	38.6	12.9
STD	6.6	6.1	3.2	2.7	3.1	2.2	2.2	2.8	2.1	2.8	3.7	6.4	1.6	2.2	1.8	1.8	4.3
MAX	24.7	28.2	30.5	41.0	52.6	60.6	64.8	66.0	54.1	46.1	36.1	23.4	40.5	39.3	62.3	41.9	22.9
MIN	-2.8	3.9	17.1	30.6	40.4	49.6	55.4	52.5	46.1	32.3	19.7	0.9	33.7	30.5	53.8	35.1	6.9

Interval/	1971	2000															
AVE	8.1	13.5	24.2	34.9	46.0	55.4	60.2	58.0	49.5	38.2	27.1	14.5	35.8	35.0	57.9	38.3	12.2
MEDIAN	7.7	12.6	24.9	34.8	45.5	56.0	60.0	57.8	50.0	38.2	27.6	16.1	35.8	34.7	57.7	38.4	12.6
STD	6.9	6.6	4.0	2.9	3.2	2.3	2.0	2.8	2.6	3.2	3.6	6.4	1.7	2.5	1.7	2.1	4.7
MAX	19.6	28.2	32.3	41.0	52.6	58.9	64.8	66.0	53.4	46.3	32.2	22.5	40.5	40.5	62.3	42.2	22.9
MIN	-6.0	1.3	16.7	30.3	40.4	49.6	56.4	52.5	44.6	32.3	17.8	0.9	33.0	30.5	53.8	31.8	2.7

Interval/	1961	1990															
AVE	7.1	11.4	23.5	35.0	45.5	54.9	59.9	57.3	49.5	38.6	27.4	13.5	35.3	34.7	57.4	38.5	10.6
MEDIAN	7.1	10.7	23.7	35.6	44.9	55.3	60.1	57.5	49.8	38.6	27.6	14.7	35.3	34.3	57.2	38.5	11.1
STD	6.7	5.5	4.1	2.6	3.4	2.2	1.8	2.2	2.4	3.6	2.9	6.0	1.4	2.1	1.3	1.9	3.9
MAX	19.6	22.0	32.3	41.0	51.7	58.9	63.6	62.1	52.9	46.6	32.2	22.8	39.0	40.5	60.4	42.2	19.8
MIN	-6.0	1.3	16.7	30.3	39.8	49.6	56.4	52.5	44.6	32.3	17.8	0.9	33.0	31.3	55.4	31.8	2.7

Interval/	1951	1980															
AVE	6.7	11.3	22.0	34.9	45.5	55.0	59.5	57.5	49.3	39.0	26.6	14.4	35.1	34.1	57.3	38.3	10.9
MEDIAN	7.4	11.2	21.1	35.4	45.2	55.4	59.8	57.4	49.3	38.9	27.6	14.7	35.2	34.1	57.1	38.6	11.9
STD	5.8	5.3	4.5	2.4	3.2	2.3	1.8	2.3	2.5	3.6	3.4	5.1	1.2	1.9	1.3	2.2	3.8
MAX	15.5	23.1	32.3	40.1	51.3	58.9	64.5	63.5	53.4	46.6	32.2	23.6	38.6	40.5	60.0	42.2	17.1
MIN	-6.0	1.3	8.8	30.3	39.8	50.2	56.4	52.5	44.6	29.8	17.8	1.8	33.0	30.5	55.0	31.8	2.7

Interval/	1941	1970															
AVE	8.3	11.5	21.9	35.1	45.3	55.3	59.5	57.8	49.4	39.4	26.5	14.2	35.3	34.1	57.5	38.5	11.2
MEDIAN	9.7	11.2	21.0	35.7	44.9	55.6	59.5	57.8	49.3	39.7	27.2	14.7	35.4	34.2	57.7	38.5	11.9
STD	4.9	4.4	4.6	2.5	3.3	2.4	1.9	2.5	2.2	3.3	3.5	4.9	1.1	1.7	1.5	1.9	3.2
MAX	15.8	23.1	32.7	40.2	51.3	59.7	64.5	64.4	53.4	46.7	32.4	23.6	37.8	37.2	60.5	42.2	17.1
MIN	-2.3	3.2	8.8	29.2	39.8	50.2	56.6	52.5	44.7	29.8	17.9	3.1	33.1	30.5	55.0	34.8	4.2

Interval/	1931	1960															
AVE	10.1	12.0	21.9	34.7	45.6	56.0	60.3	58.5	50.1	39.3	26.1	15.1	35.8	34.1	58.3	38.5	12.3
MEDIAN	10.0	11.5	20.7	34.5	45.3	56.3	60.6	58.3	49.7	39.3	27.0	15.5	35.7	34.2	58.7	38.3	12.6
STD	5.6	5.6	4.7	2.7	2.8	2.8	2.1	2.3	2.6	3.2	4.0	4.9	1.5	1.8	1.5	2.2	3.6
MAX	20.7	23.1	32.7	40.2	51.2	61.9	64.9	64.4	56.5	46.7	34.4	25.7	40.3	37.4	60.5	45.2	20.5
MIN	0.3	-5.3	8.8	29.2	41.0	50.3	56.6	53.8	44.7	29.8	17.9	5.0	33.1	30.5	55.0	34.8	3.3

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Minimum Temperature: South central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	9.5	12.1	22.9	34.4	45.4	55.8	60.3	57.9	50.6	39.3	26.5	14.6	35.8	34.2	58.0	38.8	11.8
MEDIAN	9.8	12.3	23.0	34.5	45.1	56.1	60.6	58.3	50.5	38.9	26.6	15.0	35.7	34.1	58.4	38.5	12.1
STD	6.5	5.8	4.6	2.9	3.2	3.1	2.1	2.4	2.8	3.1	3.8	5.0	1.7	2.3	1.7	2.1	3.5
MAX	20.7	22.5	32.7	40.2	51.8	61.9	65.3	64.4	56.5	46.7	34.4	25.7	40.3	38.9	61.5	45.2	20.5
MIN	-5.8	-5.3	14.8	29.1	39.8	50.2	56.2	51.5	44.7	30.8	20.8	5.0	32.9	30.1	53.7	35.6	3.3

Interval/	1911	1940															
AVE	8.0	11.4	22.3	34.3	45.5	55.5	60.4	57.4	50.5	39.1	26.5	15.0	35.5	34.0	57.7	38.7	11.4
MEDIAN	7.9	12.6	22.9	34.3	45.8	55.5	60.8	57.8	50.6	38.9	26.5	15.7	35.5	34.0	58.2	38.6	11.8
STD	7.8	7.1	4.0	2.6	3.2	3.4	2.2	2.3	2.9	3.2	3.6	5.9	1.9	2.1	1.8	2.1	4.5
MAX	20.7	22.5	29.4	40.9	51.8	61.9	65.3	61.6	56.5	44.8	34.4	25.7	40.3	38.9	61.5	45.2	20.5
MIN	-9.3	-5.3	12.9	29.1	39.8	50.0	56.2	51.5	43.2	30.7	20.4	3.6	31.3	30.1	52.7	35.3	2.2

Interval/	1901	1930															
AVE	6.8	9.6	23.2	34.3	45.0	54.5	59.8	56.9	50.2	38.6	26.4	13.7	34.9	34.2	57.1	38.4	10.4
MEDIAN	8.7	9.7	23.3	34.9	45.1	54.0	59.7	57.0	50.4	38.8	26.5	13.4	35.0	34.3	57.3	38.6	11.0
STD	6.7	6.6	4.3	2.9	3.3	2.8	2.2	2.3	2.7	3.0	3.3	5.8	1.5	2.2	1.7	1.6	4.5
MAX	17.6	20.2	31.4	40.9	51.8	60.8	65.3	60.8	54.8	44.2	32.6	24.6	39.4	38.9	61.5	41.6	18.8
MIN	-9.3	-1.8	12.9	27.9	38.2	50.0	56.2	51.5	43.2	30.7	20.4	3.6	31.3	30.1	52.7	35.3	1.7

Data as of 4 Aug 2023