

Wisconsin State Climatology Office

Minimum Temperature [degrees Fahrenheit]: Wisconsin (statewide)

Data Source: National Centers for Environmental Information Jan 1895-Jul 2023

YEAR	Data Source: National Centers for Environmental Information												SPRING SUMMER FALL WINTER				
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1895	-2.6	-2.8	14.1	33.7	43.0	53.3	52.7	54.0	49.9	27.7	20.1	12.5	29.6	30.3	53.3	32.6	8.9
1896	6.5	7.7	13.0	35.6	49.6	52.6	56.4	55.0	43.2	30.5	16.8	14.2	31.8	32.7	54.7	30.2	9.5
1897	3.9	10.4	14.4	31.9	39.7	49.9	59.6	51.6	50.9	38.8	18.6	4.1	31.2	28.7	53.7	36.1	7.5
1898	9.4	8.9	22.1	30.1	42.2	53.4	56.5	53.6	48.6	35.1	20.0	2.7	31.9	31.5	54.5	34.6	-0.9
1899	0.3	-5.6	6.4	32.8	42.9	52.9	56.7	56.6	43.4	38.5	28.4	9.8	30.3	27.4	55.4	36.8	5.6
1900	10.9	-3.9	12.5	34.3	43.6	50.9	55.8	61.6	48.8	44.0	20.3	13.6	32.7	30.1	56.1	37.7	5.6
1901	4.7	-1.6	16.8	32.6	42.3	53.2	61.4	54.7	46.1	37.0	20.1	7.0	31.2	30.6	56.4	34.4	5.4
1902	6.0	3.1	23.9	30.1	45.2	49.1	57.9	52.3	44.7	35.5	29.2	8.3	32.1	33.1	53.1	36.5	5.0
1903	3.4	3.4	24.8	32.1	44.4	47.5	55.9	52.2	45.8	35.1	18.3	0.5	30.3	33.8	51.9	33.1	-3.6
1904	-4.4	-6.8	17.2	26.6	41.6	50.8	53.6	51.1	46.2	36.4	25.2	7.7	28.8	28.5	51.8	35.9	0.3
1905	-4.5	-2.4	21.6	30.6	40.3	51.4	55.9	55.9	49.2	33.8	22.7	12.9	30.6	30.8	54.4	35.2	8.5
1906	9.3	3.3	10.4	33.6	40.9	51.8	54.6	57.3	51.1	34.8	24.7	12.1	32.0	28.3	54.6	36.9	6.0
1907	1.3	4.6	21.6	24.7	34.7	50.6	55.8	52.8	46.6	32.5	23.2	12.9	30.1	27.0	53.1	34.1	9.6
1908	7.0	9.0	19.5	32.0	43.5	51.2	56.9	52.5	50.0	37.5	24.4	9.7	32.8	31.7	53.5	37.3	8.2
1909	5.8	9.2	17.6	27.0	40.3	52.3	55.0	58.0	45.7	33.0	28.2	5.8	31.5	28.3	55.1	35.6	2.8
1910	2.7	-0.2	27.9	33.8	37.4	51.2	55.7	54.4	45.5	37.6	19.9	7.0	31.1	33.0	53.8	34.3	7.0
1911	1.7	12.4	20.9	30.9	46.6	56.5	55.6	52.5	46.5	35.0	15.7	16.6	32.6	32.8	54.9	32.4	0.7
1912	-15.2	0.6	9.0	32.0	42.9	48.6	56.6	53.0	48.0	36.0	24.0	13.4	29.1	28.0	52.7	36.0	5.5
1913	3.4	-0.4	12.3	32.8	41.2	53.1	55.9	55.8	46.3	34.5	28.0	19.1	31.8	28.8	54.9	36.3	8.8
1914	12.5	-5.3	16.6	29.9	44.4	51.6	58.5	53.8	46.9	40.3	22.9	3.7	31.3	30.3	54.6	36.7	6.9
1915	1.2	15.8	16.5	38.4	39.3	47.4	53.0	48.6	47.1	36.8	24.9	11.9	31.7	31.4	49.7	36.3	5.4
1916	2.7	1.5	12.2	31.2	41.5	48.7	61.8	55.7	44.9	34.8	21.2	2.2	29.9	28.3	55.4	33.6	-3.1
1917	-4.3	-7.1	16.2	28.9	36.0	47.9	57.2	50.8	43.9	28.1	25.4	1.1	27.0	27.0	52.0	32.5	-1.3
1918	-7.3	2.2	21.7	26.8	44.8	51.2	54.6	55.4	39.4	37.0	27.5	20.0	31.1	31.1	53.7	34.6	13.5
1919	11.4	9.0	18.6	32.3	40.8	58.0	58.3	53.1	48.4	34.7	19.8	-0.8	32.0	30.6	56.5	34.3	-0.7
1920	-5.2	3.8	17.8	26.5	40.0	53.4	53.8	51.2	48.6	40.9	23.6	15.2	30.8	28.1	52.8	37.7	13.2
1921	12.3	12.2	22.7	36.0	45.3	57.3	62.4	54.6	50.5	37.7	19.6	10.8	35.1	34.7	58.1	35.9	3.9
1922	-0.8	1.8	19.6	31.9	48.5	53.6	55.1	54.9	48.6	36.9	30.8	7.2	32.3	33.3	54.5	38.8	3.6
1923	7.0	-3.4	8.4	28.0	40.4	55.9	58.3	51.5	47.4	33.0	26.0	19.9	31.0	25.6	55.2	35.5	7.3
1924	-7.2	9.1	17.4	30.7	36.5	48.9	53.2	52.9	42.8	39.3	22.5	0.2	28.9	28.2	51.7	34.9	4.2
1925	2.9	9.4	19.6	34.4	36.5	53.6	55.7	54.5	50.0	28.6	20.1	6.1	31.0	30.2	54.6	32.9	6.4
1926	3.2	9.9	11.0	26.1	42.3	47.5	56.2	55.5	46.3	34.4	18.4	4.4	29.6	26.5	53.1	33.0	5.4
1927	0.3	11.6	24.1	32.2	40.9	49.0	53.9	47.8	50.2	37.2	23.2	1.1	31.0	32.4	50.2	36.9	5.1
1928	6.2	8.1	17.0	25.8	42.8	48.0	57.3	55.2	43.2	37.9	26.8	15.1	32.0	28.5	53.5	36.0	0.3
1929	-10.3	-3.8	21.3	33.6	38.8	49.5	56.6	52.6	45.7	35.1	19.0	10.3	29.0	31.2	52.9	33.3	6.5
1930	-3.8	12.9	18.1	31.6	44.0	53.5	56.6	54.2	46.0	36.2	24.7	12.6	32.2	31.2	54.8	35.6	14.6
1931	13.6	17.6	20.6	32.0	40.4	56.7	59.2	53.4	52.7	41.4	30.1	21.6	36.6	31.0	56.4	41.4	14.2
1932	13.1	7.8	11.3	29.8	43.0	54.4	57.2	55.3	43.3	34.0	18.7	7.0	31.2	28.0	55.6	32.0	6.9
1933	12.8	0.9	18.5	30.6	44.9	58.8	58.7	51.8	50.5	32.9	20.1	7.1	32.3	31.3	56.4	34.5	7.4
1934	12.4	2.6	14.5	31.1	46.3	55.4	57.7	51.6	45.8	38.4	28.6	5.9	32.5	30.6	54.9	37.6	5.3
1935	-0.7	10.8	21.2	30.5	38.8	49.5	62.5	56.6	45.8	35.3	21.5	10.2	31.8	30.2	56.2	34.2	-0.9
1936	-2.1	-10.8	20.3	26.6	46.5	49.0	59.4	56.7	50.0	32.6	19.4	12.3	30.0	31.1	55.0	34.0	4.4
1937	-3.0	3.9	14.2	31.4	43.7	51.6	58.4	59.2	46.4	33.3	20.7	7.2	30.6	29.8	56.4	33.5	7.9
1938	3.9	12.6	23.6	33.2	43.4	52.2	58.4	57.9	47.6	39.8	24.0	11.0	34.0	33.4	56.2	37.1	7.3
1939	11.0	-0.2	15.9	28.3	45.2	54.6	57.7	55.0	48.2	35.8	22.8	18.9	32.8	29.8	55.8	35.6	9.1
1940	-1.8	10.3	12.6	28.6	40.2	52.4	57.8	56.1	48.0	38.7	20.9	13.1	31.4	27.1	55.4	35.9	9.0
1941	8.8	5.2	13.7	37.1	46.8	54.4	57.9	54.8	50.2	38.4	26.7	18.8	34.4	32.5	55.7	38.4	11.5
1942	7.7	8.0	24.2	35.5	41.9	53.2	56.4	55.2	45.5	34.9	22.1	6.7	32.6	33.9	54.9	34.2	3.5
1943	-0.5	4.4	10.2	28.8	41.4	56.3	58.8	56.8	42.9	34.7	19.9	10.9	30.4	26.8	57.3	32.5	11.3
1944	14.0	9.1	15.8	28.1	47.2	55.1	55.8	56.0	48.9	34.4	30.3	7.8	33.5	30.4	55.6	37.9	5.0
1945	1.5	5.6	26.2	31.9	37.8	48.1	54.4	54.6	46.1	33.1	22.9	5.8	30.7	32.0	52.4	34.0	6.0
1946	6.6	5.6	28.1	32.8	39.6	51.4	56.5	52.0	45.3	38.3	23.3	10.9	32.5	33.5	53.3	35.6	7.7
1947	8.5	3.6	16.6	29.8	38.0	49.5	55.6	61.1	48.5	44.1	19.4	9.8	32.0	28.1	55.4	37.3	3.0
1948	-3.8	3.1	14.7	34.7	40.1	51.3	57.6	55.5	48.4	34.0	28.7	10.1	31.2	29.8	54.8	37.0	7.5
1949	7.4	4.9	18.5	30.6	43.3	55.8	60.2	56.3	42.8	38.3	24.6	10.7	32.8	30.8	57.4	35.2	5.1
1950	-0.1	4.7	12.7	25.5	40.8	51.6	53.6	49.8	45.9	39.2	18.2	2.3	28.7	26.3	51.7	34.4	2.6
1951	-0.5	5.9	14.4	31.3	45.6	49.5	55.8	53.0	44.0	36.9	14.4	8.0	29.9	30.4	52.8	31.8	8.0
1952	3.9	12.2	15.6	32.9	41.6	54.4	58.6	53.7	45.4	27.3	23.9	16.5	32.2	30.0	55.6	32.2	11.0
1953	9.4	7.0	20.4	29.6	41.9	54.1	56.7	56.3	45.7	38.6	26.2	13.5	33.3	30.6	55.7	36.8	11.5
1954	2.6	18.3	16.2	32.6	37.9	55.2	57.6	53.6	47.7	36.1	26.2	13.5	33.1	28.9	55.5	36.7	7.3
1955	3.8	4.6	13.6	37.3	44.7	52.2	62.1	59.0	46.1	37.4	18.2	4.1	31.9	31.9	57.8	33.9	4.1
1956	4.6	3.5	13.3	28.3	41.1	54.7	54.6	55.2	43.0	40.0	23.3	12.6	31.2	27.6	54.8	35.4	6.4
1957	-2.5	9.1	17.6	32.8	41.4	52.7	59.0	54.6	44.5	34.1	24.4	13.3	31.8	30.6	55.4	34.3	8.7
1958	9.9	2.8	20.3	31.6	40.2	47.0	54.7	54.0	47.8	38.5	24.6	2.5	31.2	30.7	51.9	37.0	-0.2
1959	-3.6	0.5	15.8	31.6	46.4	53.9	55.9	60.5	48.8	35.1	14.6	19.9	31.6	31.3	56.8	32.8	12.6
1960	9.2	8.8	6.4	33.7	42.6	49.5	54.4	56.9	49.5	35.9	26.0	7.9	31.7	27.6	53.6	37.1	8.3

Minimum Temperature: Wisconsin (statewide)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	3.4	13.6	22.9	28.8	38.4	51.5	56.3	55.7	48.3	37.9	23.7	8.1	32.4	30.0	54.5	36.6	4.1
1962	-0.1	4.3	18.0	30.3	48.3	51.6	54.2	53.7	43.9	39.2	25.8	9.2	31.5	32.2	53.2	36.3	0.9
1963	-5.2	-1.2	19.2	32.5	40.5	52.8	57.0	52.7	47.0	43.9	28.4	1.8	30.8	30.7	54.2	39.8	7.2
1964	10.4	9.3	16.4	32.6	46.8	52.0	58.4	52.6	46.6	33.6	25.9	5.8	32.5	31.9	54.3	35.4	2.5
1965	0.5	1.2	11.7	30.5	45.9	50.2	54.4	53.6	45.1	36.8	24.2	19.3	31.1	29.4	52.7	35.4	6.9
1966	-5.5	6.9	22.5	30.0	37.1	52.6	58.6	53.2	44.8	34.5	23.8	10.4	30.7	29.9	54.8	34.4	5.1
1967	6.8	-2.0	18.4	32.2	36.5	53.4	54.3	50.3	44.1	35.5	21.8	12.4	30.3	29.0	52.7	33.8	6.8
1968	4.6	3.4	24.0	33.2	40.5	52.6	56.3	55.0	48.2	39.3	25.2	9.8	32.7	32.6	54.6	37.6	7.0
1969	2.6	8.6	12.5	33.5	42.8	47.0	56.6	55.8	46.6	34.9	22.1	12.3	31.3	29.6	53.1	34.5	3.9
1970	-3.4	2.7	14.5	32.8	44.1	53.9	58.1	54.3	48.1	39.2	24.5	9.6	31.5	30.5	55.4	37.3	3.9
1971	-3.7	5.7	15.0	29.7	38.1	55.9	53.7	51.7	49.4	44.0	25.3	13.0	31.5	27.6	53.8	39.6	3.4
1972	-3.7	1.0	13.9	27.9	44.7	48.9	55.8	56.2	46.4	33.6	25.9	6.1	29.7	28.8	53.6	35.3	8.5
1973	8.4	10.9	29.0	32.2	40.8	54.6	58.2	58.3	48.0	41.7	25.2	9.7	34.8	34.0	57.0	38.3	6.2
1974	5.0	4.0	19.7	32.8	40.5	49.0	58.5	53.5	41.2	35.7	26.3	15.8	31.8	31.0	53.7	34.4	9.9
1975	6.5	7.4	12.3	26.7	46.0	53.9	58.6	55.4	43.0	36.8	27.2	11.2	32.1	28.3	56.0	35.7	8.2
1976	-0.7	14.0	19.8	33.9	39.5	53.3	56.1	52.5	42.3	29.8	14.7	-2.5	29.4	31.1	54.0	28.9	-1.3
1977	-9.7	8.4	26.6	36.2	49.1	51.2	59.4	51.5	49.3	35.1	23.7	8.1	32.4	37.3	54.0	36.0	1.3
1978	-2.1	-2.0	14.3	30.8	44.0	51.2	56.8	55.5	50.6	35.7	21.5	5.5	30.2	29.7	54.5	35.9	-1.4
1979	-7.0	-2.8	19.0	29.6	40.0	51.1	56.5	54.6	47.3	35.0	23.8	15.3	30.2	29.5	54.1	35.4	8.0
1980	5.0	3.7	14.5	33.0	43.6	51.0	58.2	57.4	46.9	32.3	24.8	9.7	31.7	30.4	55.5	34.7	8.8
1981	4.8	12.0	22.1	34.4	40.0	53.3	57.1	56.5	45.2	33.9	26.5	10.7	33.0	32.2	55.6	35.2	2.3
1982	-7.7	3.8	17.9	27.7	48.0	46.3	58.4	53.4	46.9	37.8	23.4	18.2	31.2	31.2	52.7	36.0	15.8
1983	11.1	18.2	24.0	29.9	38.9	52.5	61.2	59.6	48.4	37.4	27.3	-1.8	33.9	30.9	57.8	37.7	6.3
1984	1.9	18.8	14.2	33.9	40.0	54.7	55.8	58.0	44.6	40.3	23.2	11.3	33.1	29.4	56.2	36.0	5.5
1985	0.4	4.9	24.2	36.7	46.0	48.9	55.3	53.5	48.2	35.7	19.4	-2.4	30.9	35.6	52.6	34.4	3.0
1986	5.0	6.4	21.7	36.3	45.2	51.7	59.7	52.0	49.0	36.7	19.2	15.1	33.2	34.4	54.5	35.0	14.5
1987	11.4	17.0	24.7	34.9	45.6	55.2	60.8	55.8	47.6	30.8	28.1	18.7	35.9	35.1	57.3	35.5	6.6
1988	-0.4	1.4	20.5	31.1	44.2	53.3	58.8	59.3	47.8	30.5	27.1	9.5	31.9	31.9	57.1	35.1	6.8
1989	11.9	-1.1	14.8	29.9	41.5	50.9	58.4	55.4	44.8	35.4	19.5	-0.7	30.1	28.7	54.9	33.2	7.6
1990	14.6	8.9	23.1	33.7	40.1	53.6	56.9	55.9	49.6	33.8	27.2	8.6	33.8	32.3	55.5	36.9	7.0
1991	0.8	11.6	21.9	35.1	49.2	56.8	57.7	56.6	46.1	34.7	18.2	12.2	33.4	35.4	57.0	33.0	14.4
1992	13.1	17.8	20.8	31.6	42.7	49.4	52.9	50.9	45.9	34.2	25.2	13.2	33.1	31.7	51.1	35.1	8.7
1993	5.6	7.3	18.1	29.6	43.9	51.1	58.3	57.5	42.4	33.1	22.6	15.3	32.1	30.5	55.6	32.7	3.5
1994	-6.2	1.3	21.6	31.2	41.8	54.3	56.6	53.4	51.1	39.5	28.0	17.3	32.5	31.5	54.8	39.5	11.6
1995	9.2	8.2	22.3	28.3	42.0	56.2	58.9	62.4	44.6	37.8	16.7	8.1	32.9	30.9	59.2	33.0	4.2
1996	-1.2	5.7	12.6	27.5	40.6	54.1	54.8	55.4	48.4	35.5	18.5	10.9	30.2	26.9	54.8	34.1	8.4
1997	2.9	11.4	19.5	29.2	37.7	53.8	57.1	53.4	48.7	36.9	22.7	19.8	32.8	28.8	54.8	36.1	19.4
1998	13.8	24.5	23.0	35.0	47.8	52.9	57.6	57.9	50.1	38.9	29.5	15.8	37.2	35.3	56.1	39.5	12.3
1999	3.2	17.9	20.8	35.3	46.4	54.2	61.5	55.3	45.7	33.9	28.6	14.3	34.8	34.2	57.0	36.1	11.6
2000	5.3	15.1	27.4	31.1	45.4	52.1	57.1	56.9	46.8	39.2	25.7	-0.3	33.5	34.6	55.4	37.2	4.9
2001	10.0	4.9	18.2	35.5	45.6	53.7	57.8	58.3	46.6	35.8	33.8	20.0	35.0	33.1	56.6	38.7	17.8
2002	15.9	17.4	14.9	32.6	39.1	55.6	61.4	56.4	50.4	33.4	23.1	16.3	34.7	28.9	57.8	35.6	7.9
2003	4.9	2.6	18.3	30.4	41.6	51.1	56.7	57.9	47.8	35.3	25.1	16.7	32.4	30.1	55.2	36.1	10.0
2004	2.3	11.0	24.8	31.9	41.6	50.7	55.9	51.2	50.9	38.0	28.4	11.9	33.2	32.8	52.6	39.1	11.3
2005	5.8	16.1	16.1	34.7	41.9	57.8	58.7	56.5	51.2	38.7	25.6	11.8	34.6	30.9	57.7	38.5	13.8
2006	21.1	8.6	22.1	36.4	45.7	52.6	60.3	57.1	45.7	32.7	28.4	20.2	35.9	34.7	56.7	35.6	11.8
2007	12.3	2.8	24.2	31.5	46.3	54.4	57.3	57.7	49.4	43.0	24.6	9.0	34.4	34.0	56.5	39.0	6.0
2008	6.1	2.8	14.6	32.6	39.2	53.6	57.4	53.8	49.7	36.3	25.3	2.2	31.1	28.8	54.9	37.1	2.6
2009	-4.6	10.1	19.4	31.6	43.0	52.4	52.5	54.0	49.1	34.7	31.0	11.0	32.0	31.3	53.0	38.3	9.5
2010	7.4	10.2	25.5	36.9	45.5	55.1	61.3	60.3	46.4	36.9	26.2	9.5	35.1	36.0	58.9	36.5	7.7
2011	4.4	9.2	18.0	32.0	43.2	53.4	62.3	56.8	46.7	38.4	28.5	18.1	34.3	31.1	57.5	37.9	16.0
2012	11.8	18.0	35.1	33.3	46.9	54.6	62.5	54.6	44.1	34.4	25.5	17.9	36.6	38.4	57.2	34.7	11.1
2013	7.5	7.8	14.1	28.8	43.3	53.5	58.0	55.5	48.5	36.8	22.6	3.2	31.6	28.7	55.7	36.0	-1.6
2014	-4.2	-3.8	10.6	29.2	43.8	55.7	55.1	56.6	47.1	36.5	17.8	18.2	30.2	27.9	55.8	33.8	7.7
2015	7.6	-2.7	19.2	32.6	44.8	52.6	57.1	55.9	54.1	37.9	30.5	26.4	34.7	32.2	55.2	40.8	16.4
2016	8.6	14.3	27.6	32.6	43.3	54.4	59.3	59.3	53.1	40.5	32.1	13.6	36.6	34.5	57.7	41.9	14.8
2017	12.5	18.2	21.0	35.3	42.5	53.9	57.5	53.7	50.6	40.4	23.3	9.8	34.9	32.9	55.0	38.1	7.1
2018	6.0	5.5	19.1	22.2	49.0	56.0	58.3	57.8	51.2	35.1	21.2	18.7	33.3	30.1	57.4	35.8	9.1
2019	5.0	3.6	14.4	32.0	41.2	51.9	60.5	54.6	53.0	36.4	22.1	15.8	32.5	29.2	55.7	37.2	12.9
2020	14.4	8.4	26.0	29.7	43.1	54.5	61.0	56.9	47.2	32.2	29.1	16.5	34.9	32.9	57.5	36.2	6.5
2021	13.0	0.5	26.0	34.0	43.3	57.2	57.9	58.0	49.0	44.0	24.8	16.6	35.4	34.4	57.7	39.3	6.5
2022	-1.2	4.1	20.2	30.2	46.2	53.4	58.2	57.1	49.6	35.7	26.4	12.2	32.7	32.2	56.2	37.2	13.9
2023	17.7	11.9	19.1	32.7	43.9	53.5	56.4							31.9			

Multi-year Statistics

Interval/	1895	2022															
AVE	3.9	6.2	18.4	31.5	42.6	52.5	57.3	55.0	47.2	36.2	23.8	10.7	32.1	30.9	54.9	35.7	7.0
MEDIAN	4.2	5.7	18.4	31.9	42.7	52.7	57.2	55.1	47.1	36.0	24.0	10.9	31.9	30.7	54.9	35.8	7.0

Minimum Temperature: Wisconsin (statewide)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	6.48	6.42	5.03	2.89	3.15	2.61	2.27	2.60	2.62	3.23	3.89	5.82	1.84	2.42	1.79	2.16	4.46
MAX	<b>21.1</b>	<b>24.5</b>	<b>35.1</b>	<b>38.4</b>	<b>49.6</b>	<b>58.8</b>	<b>62.5</b>	<b>62.4</b>	<b>54.1</b>	<b>44.1</b>	<b>33.8</b>	<b>26.4</b>	<b>37.2</b>	<b>38.4</b>	<b>59.2</b>	<b>41.9</b>	<b>19.4</b>
MIN	<b>-15.2</b>	<b>-10.8</b>	<b>6.4</b>	<b>22.2</b>	<b>34.7</b>	<b>46.3</b>	<b>52.5</b>	<b>47.8</b>	<b>39.4</b>	<b>27.3</b>	<b>14.4</b>	<b>-2.5</b>	<b>27.0</b>	<b>25.6</b>	<b>49.7</b>	<b>28.9</b>	<b>-3.6</b>
Count	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128

Interval/	1901	2000															
AVE	3.0	6.1	18.3	31.3	42.3	52.2	57.1	54.7	46.8	36.1	23.5	10.0	31.8	30.6	54.7	35.4	6.4
MEDIAN	3.2	5.6	18.3	31.5	41.9	52.3	57.0	54.8	46.6	35.8	23.8	10.3	31.7	30.6	54.8	35.5	6.5
STD	6.36	6.34	4.72	2.86	3.24	2.71	2.16	2.58	2.42	3.09	3.68	5.66	1.66	2.33	1.75	1.99	4.23
MAX	<b>14.6</b>	<b>24.5</b>	<b>29.0</b>	<b>38.4</b>	<b>49.2</b>	<b>58.8</b>	<b>62.5</b>	<b>62.4</b>	<b>52.7</b>	<b>44.1</b>	<b>30.8</b>	<b>21.6</b>	<b>37.2</b>	<b>37.3</b>	<b>59.2</b>	<b>41.4</b>	<b>19.4</b>
MIN	<b>-15.2</b>	<b>-10.8</b>	<b>6.4</b>	<b>24.7</b>	<b>34.7</b>	<b>46.3</b>	<b>52.9</b>	<b>47.8</b>	<b>39.4</b>	<b>27.3</b>	<b>14.4</b>	<b>-2.5</b>	<b>27.0</b>	<b>25.6</b>	<b>49.7</b>	<b>28.9</b>	<b>-3.6</b>

Interval/	1951	2000															
AVE	3.0	7.6	18.7	31.9	42.8	52.3	57.2	55.2	46.6	36.2	23.6	10.3	32.1	31.1	54.9	35.5	7.0
MEDIAN	3.3	7.0	19.1	31.9	42.3	52.7	57.1	55.3	46.9	35.8	24.5	10.8	31.9	30.7	54.8	35.4	7.0
STD	5.99	6.30	4.60	2.55	3.29	2.38	2.03	2.51	2.28	3.22	3.71	5.77	1.55	2.31	1.64	2.09	4.26
MAX	<b>14.6</b>	<b>24.5</b>	<b>29.0</b>	<b>37.3</b>	<b>49.2</b>	<b>56.8</b>	<b>62.1</b>	<b>62.4</b>	<b>51.1</b>	<b>44.0</b>	<b>29.5</b>	<b>19.9</b>	<b>37.2</b>	<b>37.3</b>	<b>59.2</b>	<b>39.8</b>	<b>19.4</b>
MIN	<b>-9.7</b>	<b>-2.8</b>	<b>6.4</b>	<b>26.7</b>	<b>36.5</b>	<b>46.3</b>	<b>52.9</b>	<b>50.3</b>	<b>41.2</b>	<b>27.3</b>	<b>14.4</b>	<b>-2.5</b>	<b>29.4</b>	<b>26.9</b>	<b>51.1</b>	<b>28.9</b>	<b>-1.4</b>

Interval/	1991	2020															
AVE	6.7	9.5	20.4	31.9	43.6	53.7	58.1	56.2	48.4	36.6	25.3	13.8	33.7	31.9	56.0	36.8	9.9
MEDIAN	6.1	8.9	20.2	32.0	43.3	53.9	57.8	56.6	48.5	36.5	25.4	14.8	33.4	31.6	56.0	36.3	9.8
STD	6.1	6.6	5.1	3.0	2.8	1.8	2.5	2.4	2.8	2.5	4.3	5.7	1.8	2.7	1.8	2.3	4.7
MAX	<b>21.1</b>	<b>24.5</b>	<b>35.1</b>	<b>36.9</b>	<b>49.2</b>	<b>57.8</b>	<b>62.5</b>	<b>62.4</b>	<b>54.1</b>	<b>43.0</b>	<b>33.8</b>	<b>26.4</b>	<b>37.2</b>	<b>38.4</b>	<b>59.2</b>	<b>41.9</b>	<b>19.4</b>
MIN	<b>-6.2</b>	<b>-3.8</b>	<b>10.6</b>	<b>22.2</b>	<b>37.7</b>	<b>49.4</b>	<b>52.5</b>	<b>50.9</b>	<b>42.4</b>	<b>32.2</b>	<b>16.7</b>	<b>-0.3</b>	<b>30.2</b>	<b>26.9</b>	<b>51.1</b>	<b>32.7</b>	<b>-1.6</b>

Interval/	1981	2010															
AVE	6.0	9.9	20.4	32.6	43.2	53.1	57.8	56.1	47.6	36.0	24.9	11.4	33.3	32.1	55.7	36.2	9.1
MEDIAN	5.5	9.5	21.2	32.3	42.9	53.5	57.7	56.5	47.8	35.8	25.5	11.9	33.2	31.8	55.6	36.1	8.2
STD	6.6	6.4	3.7	2.7	3.0	2.4	2.3	2.6	2.2	2.7	4.0	6.4	1.7	2.4	1.9	1.9	4.4
MAX	<b>21.1</b>	<b>24.5</b>	<b>27.4</b>	<b>36.9</b>	<b>49.2</b>	<b>57.8</b>	<b>61.5</b>	<b>62.4</b>	<b>51.2</b>	<b>43.0</b>	<b>33.8</b>	<b>20.2</b>	<b>37.2</b>	<b>36.0</b>	<b>59.2</b>	<b>39.5</b>	<b>19.4</b>
MIN	<b>-7.7</b>	<b>-1.1</b>	<b>12.6</b>	<b>27.5</b>	<b>37.7</b>	<b>46.3</b>	<b>52.5</b>	<b>50.9</b>	<b>42.4</b>	<b>30.5</b>	<b>16.7</b>	<b>-2.4</b>	<b>30.1</b>	<b>26.9</b>	<b>51.1</b>	<b>32.7</b>	<b>2.3</b>

Interval/	1971	2000															
AVE	3.3	8.7	20.0	31.8	43.1	52.5	57.6	55.5	46.9	35.9	23.8	10.2	32.4	31.6	55.2	35.5	7.5
MEDIAN	4.0	7.8	20.7	31.4	43.2	53.1	57.7	55.5	47.1	35.6	25.0	11.1	32.5	31.1	55.1	35.4	7.3
STD	6.6	6.8	4.4	2.9	3.2	2.4	2.0	2.6	2.5	3.2	3.8	6.3	1.8	2.6	1.7	2.2	4.7
MAX	<b>14.6</b>	<b>24.5</b>	<b>29.0</b>	<b>36.7</b>	<b>49.2</b>	<b>56.8</b>	<b>61.5</b>	<b>62.4</b>	<b>51.1</b>	<b>44.0</b>	<b>29.5</b>	<b>19.8</b>	<b>37.2</b>	<b>37.3</b>	<b>59.2</b>	<b>39.6</b>	<b>19.4</b>
MIN	<b>-9.7</b>	<b>-2.8</b>	<b>12.3</b>	<b>26.7</b>	<b>37.7</b>	<b>46.3</b>	<b>52.9</b>	<b>50.9</b>	<b>41.2</b>	<b>29.8</b>	<b>14.7</b>	<b>-2.5</b>	<b>29.4</b>	<b>26.9</b>	<b>51.1</b>	<b>28.9</b>	<b>-1.4</b>

Interval/	1961	1990															
AVE	2.2	6.2	19.0	31.9	42.6	51.9	57.3	54.8	46.6	36.2	24.2	9.3	31.9	31.2	54.7	35.7	5.8
MEDIAN	2.3	5.3	19.1	32.4	42.2	52.3	57.1	54.8	47.0	35.7	24.7	9.7	31.6	30.8	54.5	35.4	6.4
STD	6.3	5.9	4.6	2.5	3.4	2.2	1.9	2.3	2.3	3.4	3.0	5.8	1.5	2.3	1.4	2.0	3.8
MAX	<b>14.6</b>	<b>18.8</b>	<b>29.0</b>	<b>36.7</b>	<b>49.1</b>	<b>55.9</b>	<b>61.2</b>	<b>59.6</b>	<b>50.6</b>	<b>44.0</b>	<b>28.4</b>	<b>19.3</b>	<b>35.9</b>	<b>37.3</b>	<b>57.8</b>	<b>39.8</b>	<b>15.8</b>
MIN	<b>-9.7</b>	<b>-2.8</b>	<b>11.7</b>	<b>26.7</b>	<b>36.5</b>	<b>46.3</b>	<b>53.7</b>	<b>50.3</b>	<b>41.2</b>	<b>29.8</b>	<b>14.7</b>	<b>-2.5</b>	<b>29.4</b>	<b>27.6</b>	<b>52.6</b>	<b>28.9</b>	<b>-1.4</b>

Interval/	1951	1980															
AVE	1.6	5.7	17.3	31.7	42.4	52.0	56.8	54.7	46.3	36.5	23.5	10.1	31.5	30.4	54.5	35.4	5.9
MEDIAN	2.6	5.2	16.3	32.2	41.8	52.4	56.7	54.5	46.6	36.0	24.5	9.8	31.6	30.4	54.4	35.4	6.9
STD	5.4	5.0	4.7	2.3	3.3	2.3	1.9	2.2	2.3	3.5	3.5	5.0	1.1	1.9	1.3	2.2	3.6
MAX	<b>10.4</b>	<b>18.3</b>	<b>29.0</b>	<b>37.3</b>	<b>49.1</b>	<b>55.9</b>	<b>62.1</b>	<b>60.5</b>	<b>50.6</b>	<b>44.0</b>	<b>28.4</b>	<b>19.9</b>	<b>34.8</b>	<b>37.3</b>	<b>57.8</b>	<b>39.8</b>	<b>12.6</b>
MIN	<b>-9.7</b>	<b>-2.8</b>	<b>6.4</b>	<b>26.7</b>	<b>36.5</b>	<b>47.0</b>	<b>53.7</b>	<b>50.3</b>	<b>41.2</b>	<b>27.3</b>	<b>14.4</b>	<b>-2.5</b>	<b>29.4</b>	<b>27.6</b>	<b>51.9</b>	<b>28.9</b>	<b>-1.4</b>

Interval/	1941	1970															
AVE	3.4	5.8	17.1	31.8	42.0	52.3	56.7	54.9	46.3	36.8	23.4	10.1	31.7	30.3	54.6	35.5	6.3
MEDIAN	3.6	5.1	16.3	32.1	41.5	52.6	56.5	54.7	46.1	36.9	24.1	10.0	31.7	30.5	54.8	35.4	6.6
STD	5.1	4.2	4.8	2.6	3.2	2.4	2.0	2.5	2.0	3.2	3.7	4.6	1.2	1.8	1.6	1.9	3.2
MAX	<b>14.0</b>	<b>18.3</b>	<b>28.1</b>	<b>37.3</b>	<b>48.3</b>	<b>56.3</b>	<b>62.1</b>	<b>61.1</b>	<b>50.2</b>	<b>44.1</b>	<b>30.3</b>	<b>19.9</b>	<b>34.4</b>	<b>33.9</b>	<b>57.8</b>	<b>39.8</b>	<b>12.6</b>
MIN	<b>-5.5</b>	<b>-2.0</b>	<b>6.4</b>	<b>25.5</b>	<b>36.5</b>	<b>47.0</b>	<b>53.6</b>	<b>49.8</b>	<b>42.8</b>	<b>27.3</b>	<b>14.4</b>	<b>1.8</b>	<b>28.7</b>	<b>26.3</b>	<b>51.7</b>	<b>31.8</b>	<b>-0.2</b>

Interval/	1931	1960															
AVE	4.9	6.1	16.9	31.3	42.4	52.8	57.4	55.4	46.8	36.4	22.8	10.7	32.0	30.2	55.2	35.4	7.0
MEDIAN	4.3	5.4	15.9	31.4	41.9	53.0	57.7	55.3	46.3	36.0	23.1	10.5	31.9	30.5	55.5	35.3	7.3
STD	5.7	5.4	4.7	2.7	2.8	2.8	2.1	2.5	2.4	3.2	4.0	4.9	1.5	1.9	1.5	2.2	3.5
MAX	<b>14.0</b>	<b>18.3</b>	<b>28.1</b>	<b>37.3</b>	<b>47.2</b>	<b>58.8</b>	<b>62.5</b>	<b>61.1</b>	<b>52.7</b>	<b>44.1</b>	<b>30.3</b>	<b>21.6</b>	<b>36.6</b>	<b>33.9</b>	<b>57.8</b>	<b>41.4</b>	<b>14.2</b>
MIN	<b>-3.8</b>	<b>-10.8</b>	<b>6.4</b>	<b>25.5</b>	<b>37.8</b>	<b>47.0</b>	<b>53.6</b>	<b>49.8</b>	<b>42.8</b>	<b>27.3</b>	<b>14.4</b>	<b>2.3</b>	<b>28.7</b>	<b>26.3</b>	<b>51.7</b>	<b>31.8</b>	<b>-0.9</b>

Interval/	1921	1950															
-----------	------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Minimum Temperature: Wisconsin (statewide)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
AVE	4.0	5.9	17.8	30.9	42.2	52.6	57.3	54.6	47.1	36.3	23.1	9.9	31.8	30.3	54.9	35.5	6.4
MEDIAN	3.6	5.6	17.8	30.9	42.1	52.8	57.5	55.0	46.9	36.0	22.7	10.2	31.9	30.5	55.1	35.5	6.2
STD	6.6	5.7	4.9	3.0	3.2	3.1	2.2	2.6	2.6	3.1	3.8	5.2	1.8	2.4	1.8	2.1	3.4
MAX	14.0	17.6	28.1	37.1	48.5	58.8	62.5	61.1	52.7	44.1	30.8	21.6	36.6	34.7	58.1	41.4	14.6
MIN	-10.3	-10.8	8.4	25.5	36.5	47.5	53.2	47.8	42.8	28.6	18.2	0.2	28.7	25.6	50.2	32.0	-0.9

Interval/	1911	1940															
AVE	2.3	5.2	17.1	30.7	42.2	52.3	57.3	53.9	47.0	35.9	23.0	10.1	31.4	30.0	54.5	35.3	5.9
MEDIAN	2.2	5.9	17.6	31.0	42.6	52.3	57.3	54.4	47.0	35.9	22.9	10.6	31.4	30.2	54.9	35.5	5.9
STD	7.6	7.0	4.2	2.9	3.1	3.4	2.4	2.5	2.7	3.1	3.7	6.3	1.8	2.2	1.9	2.0	4.4
MAX	13.6	17.6	24.1	38.4	48.5	58.8	62.5	59.2	52.7	41.4	30.8	21.6	36.6	34.7	58.1	41.4	14.6
MIN	-15.2	-10.8	8.4	25.8	36.0	47.4	53.0	47.8	39.4	28.1	15.7	-0.8	27.0	25.6	49.7	32.0	-3.1

Interval/	1901	1930															
AVE	1.4	4.1	18.1	30.8	41.5	51.4	56.4	53.5	46.7	35.6	23.3	9.1	31.0	30.1	53.8	35.2	5.2
MEDIAN	2.7	3.4	18.0	31.4	41.4	51.2	55.9	53.5	46.4	35.8	23.4	9.0	31.1	30.4	53.8	35.6	5.4
STD	6.6	6.3	4.7	3.2	3.2	2.9	2.3	2.3	2.5	2.8	3.6	5.9	1.5	2.3	1.8	1.6	4.4
MAX	12.5	15.8	27.9	38.4	48.5	58.0	62.4	58.0	51.1	40.9	30.8	20.0	35.1	34.7	58.1	38.8	14.6
MIN	-15.2	-7.1	8.4	24.7	34.7	47.4	53.0	47.8	39.4	28.1	15.7	-0.8	27.0	25.6	49.7	32.4	-3.6

Data as of 4 Aug 2023