

Wisconsin State Climatology Office

Maximum Temperature [degrees Fahrenheit]: North central Wisconsin

Data Source: National Centers for Environmental Information Jan 1895 - Feb 2021

YEAR	National Centers for Environmental Information												ANNUAL	SPRING	SUMMER	FALL	WINTER
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		MAM	JJA	SON	DJF
1895	15.1	19.4	34.3	56.9	67.9	77.6	78.5	78.9	71.3	49.2	35.1	24.6	50.7	53.0	78.3	51.9	23.9
1896	20.9	26.3	30.5	53.8	71.6	79.4	79.3	78.5	63.8	50.9	28.5	26.1	50.8	52.0	79.1	47.7	23.4
1897	18.8	25.4	32.6	50.5	63.5	71.7	81.9	73.7	74.2	58.0	33.9	20.1	50.4	48.9	75.8	55.4	23.9
1898	25.3	26.2	39.6	51.0	66.2	77.3	82.4	76.5	71.6	50.9	36.1	20.0	51.9	52.3	78.7	52.9	16.7
1899	16.0	14.1	25.7	55.4	65.4	75.9	80.5	78.2	63.6	58.6	44.6	22.7	50.1	48.8	78.2	55.6	21.3
1900	24.0	17.1	29.7	56.7	68.5	77.4	77.0	81.8	68.0	63.3	32.1	24.6	51.7	51.6	78.7	54.5	21.4
1901	20.3	19.2	32.3	57.1	68.1	77.8	82.1	78.3	66.6	57.0	33.5	20.5	51.1	52.5	79.4	52.4	22.1
1902	21.7	24.1	42.9	51.8	66.2	70.6	79.9	74.8	63.9	54.1	39.0	22.2	50.9	53.6	75.1	52.3	21.7
1903	19.7	23.1	40.8	52.1	66.6	73.3	76.9	69.9	64.8	57.5	35.0	16.2	49.7	53.2	73.4	52.4	14.3
1904	13.5	13.3	32.6	46.2	65.0	74.0	75.5	72.5	65.7	52.5	42.5	21.9	47.9	47.9	74.0	53.6	18.1
1905	13.9	18.5	37.7	50.5	64.0	72.8	75.8	75.8	69.3	52.1	37.8	27.9	49.7	50.7	74.8	53.1	25.8
1906	26.4	23.1	27.4	56.6	64.1	74.4	78.4	77.8	73.1	53.1	35.7	24.4	51.2	49.4	76.9	54.0	21.9
1907	15.8	25.6	37.7	41.4	56.3	75.7	76.7	73.6	64.3	53.2	35.8	27.5	48.6	45.1	75.3	51.1	25.4
1908	23.8	24.8	35.2	53.3	64.2	74.1	78.6	75.8	75.6	56.4	38.8	23.6	52.0	50.9	76.2	56.9	23.3
1909	21.6	24.7	33.5	42.3	62.2	77.2	78.7	78.8	67.0	52.4	42.3	19.5	50.0	46.0	78.2	53.9	20.7
1910	21.6	21.0	51.8	59.2	61.8	80.8	82.6	76.4	66.5	59.2	29.6	21.4	52.7	57.6	79.9	51.8	23.1
1911	20.2	27.7	39.6	51.2	70.8	80.7	78.5	73.8	65.3	50.6	29.7	28.6	51.4	53.9	77.7	48.5	16.4
1912	2.4	18.1	30.6	54.5	66.0	73.9	77.8	69.3	67.3	57.0	40.3	27.8	48.8	50.4	73.7	54.9	22.1
1913	20.6	18.0	31.5	55.2	62.9	78.4	76.5	77.2	68.0	52.9	43.1	34.0	51.5	49.9	77.4	54.7	25.4
1914	25.0	17.3	33.8	49.1	67.9	72.4	81.5	74.3	67.4	62.4	38.0	18.1	50.6	50.3	76.1	55.9	22.2
1915	18.4	30.0	34.2	62.2	58.9	68.9	74.1	72.0	67.4	55.2	37.7	24.6	50.3	51.8	71.7	53.4	21.1
1916	20.0	18.6	32.1	49.4	62.9	68.0	85.7	79.0	64.6	53.9	36.0	19.1	49.1	48.1	77.6	51.5	16.2
1917	16.1	13.4	33.5	47.3	61.5	69.6	79.1	72.6	65.9	41.6	41.6	15.7	46.5	47.4	73.8	49.7	15.8
1918	8.7	22.9	44.4	52.1	68.1	73.2	77.4	77.6	61.3	55.6	40.6	28.6	50.9	54.9	76.1	52.5	26.4
1919	25.9	24.6	37.8	51.2	65.1	77.8	80.1	74.4	69.3	51.2	32.4	14.0	50.3	51.4	77.4	51.0	16.1
1920	12.8	21.6	37.7	44.5	67.0	75.8	76.0	76.7	72.0	63.9	33.7	25.2	50.6	49.7	76.2	56.5	26.0
1921	24.4	28.4	37.5	58.0	68.6	80.3	85.0	77.2	70.7	56.4	30.5	23.2	53.4	54.7	80.8	52.5	21.2
1922	18.6	21.7	36.6	49.8	71.6	74.7	75.5	77.3	70.4	58.0	39.9	22.4	51.4	52.7	75.8	56.1	20.1
1923	20.8	17.0	28.6	49.0	67.2	78.8	80.6	73.3	68.0	54.4	42.1	33.6	51.1	48.3	77.6	54.8	24.0
1924	11.9	26.6	33.6	47.2	56.2	70.7	75.5	72.8	62.4	63.3	37.4	14.4	47.7	45.7	73.0	54.4	19.9
1925	19.6	25.8	39.2	60.1	63.0	74.2	77.2	79.0	70.2	42.1	37.1	19.7	50.6	54.1	76.8	49.8	22.2
1926	21.1	25.9	29.6	48.7	69.0	69.8	77.9	73.9	61.9	50.5	30.1	20.7	48.3	49.1	73.9	47.5	22.2
1927	17.2	28.8	40.6	51.0	60.0	71.5	75.8	72.6	68.4	57.9	33.8	17.0	49.6	50.5	73.3	53.4	20.8
1928	20.4	24.9	35.2	44.7	67.3	68.4	77.8	75.9	62.6	54.4	38.6	27.3	49.8	49.1	74.0	51.9	17.5
1929	8.4	16.8	36.6	53.0	61.3	72.4	79.8	75.8	66.4	54.8	33.6	21.2	48.3	50.3	76.0	51.6	21.5
1930	12.9	30.3	36.3	55.2	65.6	75.4	80.7	81.1	69.5	51.4	43.4	24.7	52.2	52.4	79.1	54.8	28.8
1931	26.8	34.8	35.0	56.4	64.5	78.0	82.3	75.5	73.3	58.8	44.8	31.0	55.1	52.0	78.6	59.0	27.7
1932	25.4	26.6	27.3	50.8	64.9	78.2	79.9	78.7	68.0	51.0	33.8	22.4	50.6	47.7	78.9	50.9	23.4
1933	28.2	19.5	32.2	49.0	66.2	83.0	83.1	78.9	73.5	51.3	32.9	20.0	51.5	49.1	81.7	52.6	21.9
1934	25.7	20.1	31.5	47.8	75.3	78.8	81.8	75.0	64.5	56.8	39.2	20.0	51.4	51.5	78.5	53.5	21.1
1935	17.0	26.3	36.4	49.8	61.0	68.7	83.0	75.6	66.0	53.4	31.6	22.0	49.2	49.1	75.8	50.3	15.1
1936	13.6	9.8	34.2	43.7	70.7	73.3	87.3	79.1	71.5	50.9	33.9	26.9	49.6	49.5	79.9	52.1	22.5
1937	18.0	22.5	32.6	46.5	67.4	74.3	82.5	83.1	68.6	49.8	34.4	21.2	50.1	48.8	80.0	50.9	22.0
1938	17.6	27.3	43.1	52.4	63.5	72.5	76.7	78.7	66.0	59.3	37.1	23.1	51.4	53.0	76.0	54.1	22.7
1939	24.3	20.6	35.0	48.8	71.3	73.9	81.0	77.2	70.0	53.6	41.4	31.1	52.4	51.7	77.4	55.0	23.8
1940	14.3	26.0	29.2	48.6	61.4	72.9	79.8	73.0	70.1	57.0	33.7	25.4	49.3	46.4	75.2	53.6	23.8
1941	21.6	24.3	32.7	59.5	70.2	75.8	79.7	76.3	68.4	54.4	39.5	30.1	52.7	54.1	77.3	54.1	25.7
1942	22.9	24.2	37.5	60.3	63.2	72.7	76.5	75.2	63.5	58.0	38.0	18.7	50.9	53.7	74.8	53.2	20.5
1943	16.3	26.5	29.0	48.7	63.2	75.6	81.6	76.8	63.1	56.7	32.3	27.6	49.8	47.0	78.0	50.7	28.3
1944	30.2	27.0	30.8	48.9	69.1	75.7	77.4	78.7	66.2	57.7	40.6	21.6	52.0	49.6	77.3	54.8	20.7
1945	15.5	25.1	47.3	50.6	59.4	68.4	75.2	75.8	66.2	54.0	35.3	18.4	49.3	52.4	73.1	51.8	20.9
1946	21.6	22.7	47.4	55.9	64.1	72.6	78.6	74.6	67.1	59.1	38.7	25.3	52.3	55.8	75.3	55.0	23.4
1947	24.6	20.4	32.6	46.5	58.7	70.7	79.1	83.9	68.4	66.0	30.8	23.2	50.4	45.9	77.9	55.1	20.8
1948	16.3	23.0	35.2	57.1	66.2	73.8	79.7	79.3	74.4	57.2	38.2	24.5	52.1	52.8	77.6	56.6	23.4
1949	22.7	23.1	33.4	55.6	68.6	78.5	79.5	78.0	63.7	59.0	37.6	24.7	52.0	52.5	78.7	53.4	22.4
1950	18.7	23.8	29.4	39.8	63.2	74.0	74.6	71.9	66.5	60.0	32.4	18.2	47.7	44.1	73.5	53.0	19.9
1951	17.5	24.0	29.9	47.2	69.3	69.9	76.5	70.7	62.0	53.0	29.8	21.3	47.6	48.8	72.4	48.3	24.1
1952	21.8	29.2	32.5	56.8	64.9	75.1	78.6	74.1	69.0	51.7	40.3	27.3	51.8	51.4	75.9	53.7	25.0
1953	23.0	24.6	35.2	46.0	66.7	75.7	77.5	77.1	68.0	64.6	44.7	26.5	52.5	49.3	76.8	59.1	26.5
1954	18.4	34.7	32.9	53.3	57.6	75.9	77.9	74.0	63.2	52.2	40.1	25.6	50.5	47.9	75.9	51.8	22.6
1955	19.3	22.9	32.7	59.2	70.3	73.3	83.0	80.2	68.2	56.6	31.7	19.2	51.4	54.1	78.8	52.2	22.4
1956	23.4	24.6	32.4	47.4	64.2	77.2	73.1	74.5	64.4	63.5	36.6	26.4	50.6	48.0	74.9	54.8	22.1
1957	13.7	26.3	36.4	53.3	64.5	72.9	80.1	75.2	65.2	54.5	35.0	26.2	50.3	51.4	76.1	51.6	23.7
1958	23.7	21.1	37.2	54.7	66.7	70.0	75.9	76.0	67.1	56.8	39.0	17.5	50.5	52.9	74.0	54.3	17.9
1959	14.1	22.0	36.2	51.7	69.2	75.4	78.2	78.0	67.7	48.5	28.3	30.3	50.0	52.4	77.2	48.2	25.6
1960	21.0	25.5	29.5	51.8	62.6	71.6	77.7	76.9	67.2	55.8	39.8	22.3	50.1	48.0	75.4	54.3	24.7

Maximum Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
1961	19.9	32.0	38.4	47.3	63.8	75.8	77.4	77.9	66.2	57.3	36.6	21.7	51.2	49.8	77.0	53.4	18.8
1962	14.8	19.9	35.9	50.1	67.4	73.2	74.9	76.2	63.5	56.5	37.9	23.0	49.4	51.1	74.8	52.6	16.8
1963	8.9	18.4	39.4	55.9	63.2	77.3	80.8	74.7	68.2	66.7	43.0	16.9	51.1	52.8	77.6	59.3	24.0
1964	26.1	29.1	33.5	53.4	70.4	75.3	81.7	72.8	64.0	53.9	41.1	19.9	51.8	52.4	76.6	53.0	19.4
1965	17.1	21.2	28.3	47.0	68.8	72.8	75.6	73.4	59.7	56.0	36.8	28.4	48.8	48.0	73.9	50.8	22.4
1966	14.0	24.9	39.3	47.1	60.7	76.6	82.0	72.3	66.6	54.6	35.1	23.4	49.7	49.0	77.0	52.1	21.6
1967	22.4	18.9	36.2	51.1	59.9	72.7	75.5	72.7	67.4	52.1	32.8	25.6	48.9	49.1	73.6	50.8	22.7
1968	20.0	22.5	45.2	55.0	61.4	72.1	76.7	76.1	66.0	56.1	36.7	22.7	50.9	53.9	75.0	52.9	22.5
1969	17.9	26.9	33.0	54.9	66.6	64.7	76.9	80.0	67.1	50.0	37.3	24.6	50.0	51.5	73.9	51.5	21.0
1970	14.2	24.3	33.4	52.6	63.9	76.1	80.7	78.1	66.9	56.2	35.5	23.9	50.5	50.0	78.3	52.9	20.1
1971	13.4	23.1	32.3	52.2	62.3	77.5	74.4	73.9	67.6	59.6	37.0	24.9	49.9	48.9	75.3	54.7	20.2
1972	15.6	20.0	31.7	46.4	70.7	73.5	74.9	74.2	64.5	49.7	33.8	18.7	47.8	49.6	74.2	49.3	23.0
1973	24.0	26.4	44.0	49.0	58.8	74.6	78.5	77.0	65.6	60.9	36.8	23.0	51.6	50.6	76.7	54.4	22.2
1974	19.2	24.4	34.3	52.6	60.4	70.4	80.7	74.3	61.3	54.3	39.3	29.1	50.0	49.1	75.1	51.6	25.3
1975	22.1	24.6	31.9	45.1	69.7	72.4	79.9	76.3	62.3	59.3	44.4	24.0	51.0	48.9	76.2	55.3	24.5
1976	17.9	31.7	35.2	55.6	64.1	78.3	81.6	78.5	68.5	50.6	31.7	16.2	50.8	51.6	79.5	50.3	17.6
1977	9.5	27.2	42.7	58.8	76.1	72.7	80.0	71.3	63.8	54.9	37.5	21.8	51.4	59.2	74.7	52.1	19.8
1978	16.6	21.1	36.5	49.2	68.0	72.8	74.2	76.0	70.0	53.1	37.6	20.4	49.6	51.2	74.3	53.6	16.3
1979	10.2	18.3	34.7	47.6	59.7	72.5	78.3	72.6	68.4	50.3	35.7	29.8	48.2	47.3	74.5	51.5	24.1
1980	19.6	22.8	32.8	54.4	70.5	72.5	79.5	74.6	64.4	49.2	39.0	22.5	50.2	52.6	75.5	50.9	24.6
1981	23.2	28.0	40.4	54.2	64.5	72.4	76.9	75.2	64.8	50.4	43.5	24.4	51.5	53.0	74.8	52.9	20.2
1982	12.3	24.0	33.6	47.7	69.4	68.7	78.8	73.5	63.3	55.1	36.2	29.2	49.3	50.2	73.7	51.5	28.0
1983	24.5	30.4	36.9	46.9	59.1	74.4	82.4	80.3	67.4	54.3	38.4	13.8	50.7	47.6	79.0	53.4	21.8
1984	18.1	33.6	31.5	54.7	61.9	74.6	76.9	77.4	63.8	56.4	38.3	25.7	51.1	49.4	76.3	52.8	22.0
1985	18.1	22.3	41.7	55.7	68.7	70.7	77.0	72.3	65.1	54.7	31.2	14.6	49.3	55.4	73.3	50.3	20.2
1986	22.5	23.4	39.5	57.1	68.9	73.8	77.9	71.8	64.6	53.8	33.8	27.1	51.2	55.2	74.5	50.7	29.3
1987	25.5	35.2	44.0	61.1	69.4	78.3	80.3	74.8	69.2	48.2	41.5	29.0	54.7	58.2	77.8	53.0	22.8
1988	18.2	21.3	36.9	54.9	73.6	80.4	84.0	79.5	67.5	48.7	37.5	25.2	52.3	55.1	81.3	51.2	23.9
1989	27.5	18.9	32.2	50.0	65.9	72.3	80.6	77.0	68.5	58.1	33.4	14.8	49.9	49.4	76.6	53.3	24.8
1990	30.8	28.9	41.6	55.8	62.6	74.2	76.8	75.5	67.8	53.7	43.4	24.8	53.0	53.3	75.5	55.0	24.3
1991	17.7	30.3	39.2	56.5	68.4	77.8	76.1	78.0	63.4	53.3	31.9	26.5	51.6	54.7	77.3	49.5	27.3
1992	24.8	30.5	36.6	47.2	68.3	71.2	71.5	72.6	64.6	53.9	33.7	26.0	50.1	50.7	71.8	50.7	24.4
1993	22.1	25.2	38.9	47.7	63.5	69.5	75.7	76.4	60.6	52.0	34.6	25.6	49.3	50.0	73.9	49.1	19.0
1994	11.2	20.3	39.3	52.2	67.5	76.7	75.2	72.8	69.5	57.3	42.7	31.4	51.3	53.0	74.9	56.5	26.3
1995	22.7	24.7	40.1	45.6	64.2	79.9	78.6	78.9	66.2	53.9	28.8	21.6	50.4	50.0	79.1	49.6	21.4
1996	19.2	23.5	30.3	47.0	61.7	73.5	73.8	77.2	66.3	55.7	31.1	23.0	48.5	46.3	74.8	51.0	23.1
1997	18.2	28.2	35.1	50.9	58.7	76.7	76.2	72.2	68.0	55.5	34.4	31.1	50.4	48.2	75.0	52.6	31.2
1998	24.6	37.8	37.6	59.1	73.6	72.2	79.7	79.1	74.6	57.5	41.8	32.2	55.8	56.8	77.0	58.0	27.9
1999	18.5	33.0	40.7	56.8	68.5	74.8	81.1	74.6	67.3	54.0	47.4	28.3	53.8	55.3	76.8	56.2	27.9
2000	22.1	33.2	46.8	52.0	67.8	71.5	76.1	76.4	67.0	59.6	37.2	15.9	52.1	55.5	74.7	54.6	21.8
2001	27.0	22.4	36.2	55.3	67.2	74.1	79.7	79.5	66.4	54.6	49.9	32.0	53.7	52.9	77.8	57.0	31.8
2002	29.6	33.8	31.5	50.3	60.3	75.0	82.5	76.3	69.5	47.5	36.4	29.2	51.8	47.4	77.9	51.1	23.5
2003	19.6	21.8	37.5	52.1	65.3	73.5	78.4	80.4	69.0	55.5	37.0	30.3	51.7	51.6	77.4	53.8	25.0
2004	15.8	28.9	39.2	53.8	62.2	71.4	76.4	71.1	73.6	56.1	42.3	25.8	51.4	51.7	73.0	57.3	25.7
2005	19.7	31.5	36.4	58.8	61.5	79.6	81.4	77.7	73.5	58.4	40.1	23.4	53.5	52.2	79.6	57.3	26.6
2006	31.4	25.0	39.2	60.5	65.8	76.5	84.4	77.2	65.2	50.5	41.7	31.0	54.0	55.2	79.4	52.5	25.0
2007	25.2	18.8	42.6	52.6	70.2	78.2	80.0	77.5	70.3	59.6	37.8	22.8	53.0	55.1	78.6	55.9	22.1
2008	21.2	22.2	33.7	50.3	63.0	72.9	78.8	78.0	69.7	54.7	38.6	20.6	50.3	49.0	76.6	54.3	21.1
2009	14.6	28.0	37.9	52.1	65.5	72.7	72.6	73.9	72.8	47.4	46.9	23.0	50.6	51.8	73.1	55.7	24.6
2010	22.1	28.8	49.1	61.9	68.8	72.5	79.4	79.5	64.3	59.4	40.6	23.3	54.1	59.9	77.1	54.8	22.3
2011	17.6	26.0	35.9	49.1	63.0	73.7	82.0	77.4	65.7	58.8	42.3	29.9	51.8	49.3	77.7	55.6	29.8
2012	26.7	32.7	53.4	55.2	70.4	77.4	84.4	77.5	68.6	52.9	40.5	29.4	55.8	59.7	79.8	54.0	25.2
2013	22.9	23.4	32.0	43.5	65.1	72.2	78.2	77.4	70.8	53.7	35.9	16.9	49.3	46.9	75.9	53.5	15.2
2014	12.7	16.0	29.3	46.7	65.1	75.3	74.4	74.8	66.7	53.0	29.4	26.8	47.5	47.0	74.8	49.7	26.8
2015	19.8	15.1	39.9	55.1	66.9	73.1	78.2	73.6	73.1	56.2	45.6	34.1	52.6	54.0	75.0	58.3	29.2
2016	21.3	28.4	43.8	50.6	67.3	75.0	78.5	77.4	69.6	57.9	48.8	24.1	53.6	53.9	77.0	58.8	25.9
2017	24.1	33.8	36.6	54.8	61.9	74.7	78.4	72.4	71.3	57.2	35.9	21.1	51.9	51.1	75.2	54.8	24.9
2018	22.1	23.7	37.8	42.3	74.5	75.8	79.5	77.2	68.8	48.7	30.5	29.1	50.8	51.5	77.5	49.3	27.6
2019	18.7	20.6	34.6	49.4	60.2	73.7	80.0	74.3	68.0	50.5	31.4	27.1	49.0	48.1	76.0	50.0	26.9
2020	26.0	27.6	40.0	49.3	63.4	76.3	80.6	77.2	64.7	46.6	44.8	29.2	52.1	50.9	78.0	52.0	24.5
2021	25.4	18.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Multi-year Statistics

Interval/	1895	2021															
AVE	19.8	24.3	36.1	51.8	65.5	74.3	78.8	76.0	67.2	54.9	37.3	24.0	50.8	51.1	76.4	53.1	22.8
MEDIAN	19.9	24.3	35.6	51.8	65.4	74.1	78.6	76.3	67.2	54.7	37.2	24.1	50.8	51.1	76.2	53.0	22.6
STD	5.09	5.04	5.05	4.66	4.00	3.13	2.86	2.72	3.23	4.28	4.58	4.61	1.69	3.04	2.10	2.48	3.41
MAX	31.4	37.8	53.4	62.2	76.1	83.0	87.3	83.9	75.6	66.7	49.9	34.1	55.8	59.9	81.7	59.3	31.8

Maximum Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
MIN	2.4	9.8	25.7	39.8	56.2	64.7	71.5	69.3	59.7	41.6	28.3	13.8	46.5	44.1	71.7	47.5	14.3
Count	127	127	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126

Interval/	1901	2000															
AVE	19.3	24.3	35.9	51.6	65.4	74.1	78.6	75.8	66.8	55.0	36.9	23.5	50.6	51.0	76.2	52.9	22.4
MEDIAN	19.6	24.3	35.2	51.5	65.1	73.9	78.5	75.8	67.0	54.7	37.1	23.5	50.6	50.7	76.0	52.9	22.3
STD	5.10	4.90	4.78	4.67	4.12	3.28	2.88	2.75	3.09	4.24	4.11	4.61	1.59	2.96	2.11	2.34	3.25
MAX	30.8	37.8	51.8	62.2	76.1	83.0	87.3	83.9	75.6	66.7	47.4	34.0	55.8	59.2	81.7	59.3	31.2
MIN	2.4	9.8	27.3	39.8	56.2	64.7	71.5	69.3	59.7	41.6	28.3	13.8	46.5	44.1	71.7	47.5	14.3

Interval/	1951	2000															
AVE	19.2	25.7	36.3	52.0	65.8	73.9	78.0	75.5	66.1	54.9	37.0	23.9	50.7	51.4	75.8	52.7	23.0
MEDIAN	19.2	24.6	36.2	52.2	66.3	73.5	77.8	75.4	66.5	54.6	36.9	24.5	50.5	50.9	75.5	52.6	22.8
STD	4.76	4.78	4.27	4.16	4.24	2.97	2.71	2.47	2.67	3.93	4.27	4.54	1.55	2.93	1.88	2.46	3.15
MAX	30.8	37.8	46.8	61.1	76.1	80.4	84.0	80.3	74.6	66.7	47.4	32.2	55.8	59.2	81.3	59.3	31.2
MIN	8.9	18.3	28.3	45.1	57.6	64.7	71.5	70.7	59.7	48.2	28.3	13.8	47.6	46.3	71.8	48.2	16.3

Interval/	1991	2020															
AVE	21.3	26.5	38.4	52.0	65.7	74.6	78.4	76.3	68.3	54.4	38.7	26.4	51.7	52.0	76.4	53.8	25.1
MEDIAN	21.7	26.8	37.9	52.1	65.4	74.4	78.6	77.2	68.3	54.7	38.2	26.7	51.7	51.7	76.9	54.2	25.1
STD	4.6	5.5	5.1	4.8	3.8	2.5	3.1	2.4	3.3	3.6	5.8	4.5	2.0	3.5	2.0	3.0	3.5
MAX	31.4	37.8	53.4	61.9	74.5	79.9	84.4	80.4	74.6	59.6	49.9	34.1	55.8	59.9	79.8	58.8	31.8
MIN	11.2	15.1	29.3	42.3	58.7	69.5	71.5	71.1	60.6	46.6	28.8	15.9	47.5	46.3	71.8	49.1	15.2

Interval/	1981	2010															
AVE	21.6	27.1	38.2	53.4	65.9	74.3	78.3	76.2	67.5	54.3	38.4	25.1	51.7	52.5	76.3	53.4	24.5
MEDIAN	22.1	28.0	38.4	53.2	65.9	74.0	78.5	76.7	67.4	54.7	38.1	25.7	51.4	52.6	76.6	53.2	24.4
STD	4.9	5.1	4.3	4.4	3.8	3.0	3.1	2.7	3.3	3.4	5.0	5.1	1.8	3.3	2.3	2.5	3.2
MAX	31.4	37.8	49.1	61.9	73.6	80.4	84.4	80.4	74.6	59.6	49.9	32.2	55.8	59.9	81.3	58.0	31.8
MIN	11.2	18.8	30.3	45.6	58.7	68.7	71.5	71.1	60.6	47.4	28.8	13.8	48.5	46.3	71.8	49.1	19.0

Interval/	1971	2000															
AVE	19.7	26.4	37.3	52.1	66.2	74.0	77.9	75.5	66.2	54.3	37.1	24.0	50.9	51.9	75.8	52.5	23.5
MEDIAN	19.2	25.0	36.9	52.2	67.7	73.5	78.1	75.4	66.3	54.2	37.1	24.9	50.8	51.0	75.2	52.4	23.5
STD	5.0	5.1	4.3	4.4	4.6	3.0	2.8	2.5	2.9	3.4	4.4	5.1	1.8	3.3	2.0	2.3	3.4
MAX	30.8	37.8	46.8	61.1	76.1	80.4	84.0	80.3	74.6	60.9	47.4	32.2	55.8	59.2	81.3	58.0	31.2
MIN	9.5	18.3	30.3	45.1	58.7	68.7	71.5	71.3	60.6	48.2	28.8	13.8	47.8	46.3	71.8	49.1	16.3

Interval/	1961	1990															
AVE	18.8	24.8	36.6	52.1	65.7	73.8	78.5	75.3	65.8	54.5	37.4	23.0	50.5	51.5	75.9	52.6	22.1
MEDIAN	18.2	24.2	36.1	52.6	65.2	73.4	78.4	75.0	66.1	54.5	37.2	23.7	50.6	50.9	75.4	52.7	22.3
STD	5.3	4.6	4.3	4.1	4.5	3.0	2.6	2.5	2.4	4.0	3.4	4.4	1.4	2.9	1.9	1.9	2.9
MAX	30.8	35.2	45.2	61.1	76.1	80.4	84.0	80.3	70.0	66.7	44.4	29.8	54.7	59.2	81.3	59.3	29.3
MIN	8.9	18.3	28.3	45.1	58.8	64.7	74.2	71.3	59.7	48.2	31.2	13.8	47.8	47.3	73.3	49.3	16.3

Interval/	1951	1980															
AVE	18.0	24.4	35.1	51.6	65.4	73.7	78.1	75.3	65.8	55.3	37.0	23.4	50.3	50.7	75.7	52.7	22.1
MEDIAN	18.2	24.4	34.5	52.0	64.7	73.3	78.1	75.0	66.4	54.8	36.9	23.2	50.4	50.3	75.5	52.4	22.5
STD	4.4	4.0	4.0	3.9	4.3	2.8	2.6	2.4	2.5	4.5	3.8	3.7	1.2	2.4	1.6	2.5	2.7
MAX	26.1	34.7	45.2	59.2	76.1	78.3	83.0	80.2	70.0	66.7	44.7	30.3	52.5	59.2	79.5	59.3	26.5
MIN	8.9	18.3	28.3	45.1	57.6	64.7	73.1	70.7	59.7	48.5	28.3	16.2	47.6	47.3	72.4	48.2	16.3

Interval/	1941	1970															
AVE	19.4	24.4	35.1	52.0	64.9	73.7	78.1	76.0	66.2	56.6	36.7	23.5	50.6	50.7	75.9	53.2	22.3
MEDIAN	19.6	24.3	33.5	52.2	64.4	73.9	77.8	76.1	66.6	56.4	37.1	23.7	50.5	51.3	76.0	53.0	22.4
STD	4.4	3.5	4.9	4.7	3.6	2.9	2.4	2.8	2.7	4.3	3.8	3.6	1.3	2.7	1.8	2.4	2.5
MAX	30.2	34.7	47.4	60.3	70.4	78.5	83.0	83.9	74.4	66.7	44.7	30.3	52.7	55.8	78.8	59.3	28.3
MIN	8.9	18.4	28.3	39.8	57.6	64.7	73.1	70.7	59.7	48.5	28.3	16.9	47.6	44.1	72.4	48.2	16.8

Interval/	1931	1960															
AVE	20.6	24.3	34.2	51.3	65.6	74.3	79.3	76.7	67.4	56.0	36.4	23.9	50.8	50.4	76.8	53.3	22.8
MEDIAN	21.3	24.3	32.8	50.7	64.9	74.0	79.3	76.6	67.2	56.7	36.9	23.9	50.6	50.5	77.0	53.5	22.6
STD	4.4	4.4	4.7	4.8	4.0	3.2	3.0	2.9	3.1	4.2	4.2	3.9	1.5	2.8	2.1	2.5	2.7
MAX	30.2	34.8	47.4	60.3	75.3	83.0	87.3	83.9	74.4	66.0	44.8	31.1	55.1	55.8	81.7	59.1	28.3
MIN	13.6	9.8	27.3	39.8	57.6	68.4	73.1	70.7	62.0	48.5	28.3	17.5	47.6	44.1	72.4	48.2	15.1

Interval/	1921	1950															
AVE	19.9	24.0	34.9	51.1	65.4	74.3	79.5	76.8	67.7	55.6	36.4	23.3	50.7	50.5	76.9	53.2	22.3
MEDIAN	20.0	24.6	34.6	49.8	65.3	74.0	79.7	76.6	68.0	56.6	37.1	22.8	50.7	50.4	77.3	53.4	22.1

Maximum Temperature: North central Wisconsin

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	MAM	JJA	SON	DJF
STD	5.0	4.6	4.9	5.0	4.3	3.5	3.0	2.9	3.3	4.5	3.9	4.4	1.7	2.9	2.3	2.2	2.8
MAX	30.2	34.8	47.4	60.3	75.3	83.0	87.3	83.9	74.4	66.0	44.8	33.6	55.1	55.8	81.7	59.0	28.8
MIN	8.4	9.8	27.3	39.8	56.2	68.4	74.6	71.9	61.9	42.1	30.1	14.4	47.7	44.1	73.0	47.5	15.1

Interval/	1911	1940															
AVE	18.5	23.1	34.9	50.9	65.6	74.3	79.7	76.0	67.7	54.3	36.7	23.4	50.4	50.4	76.7	52.9	21.7
MEDIAN	19.1	23.8	34.6	49.8	65.8	73.9	79.8	75.9	68.0	54.4	37.1	22.8	50.6	50.3	76.5	53.0	22.1
STD	6.0	5.4	4.0	4.4	4.2	3.9	3.2	3.0	3.2	5.0	4.2	5.2	1.7	2.3	2.4	2.5	3.4
MAX	28.2	34.8	44.4	62.2	75.3	83.0	87.3	83.1	73.5	63.9	44.8	34.0	55.1	54.9	81.7	59.0	28.8
MIN	2.4	9.8	27.3	43.7	56.2	68.0	74.1	69.3	61.3	41.6	29.7	14.0	46.5	45.7	71.7	47.5	15.1

Interval/	1901	1930															
AVE	18.1	22.5	36.0	51.5	64.6	74.2	78.6	75.3	67.2	54.5	37.0	22.8	50.2	50.7	76.0	52.9	21.4
MEDIAN	19.9	23.1	35.8	51.2	65.1	74.1	78.2	75.8	67.2	54.4	37.6	22.3	50.4	50.5	76.1	52.8	21.8